

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed, inhaled, or absorbed through the skin. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash hands and face thoroughly with soap and water after use or before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL or CHEMICAL HAZARDS
Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- PROHIBITIONS**
Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited.
- PESTICIDE DISPOSAL**
Pesticide, spray mixture or rinsate that cannot be used, or chemically reprocessed should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.
- CONTAINER DISPOSAL**
Triple rinse (or equivalent) and offer for recycling or disposal in approved landfill or bury in safe place.
- GENERAL**
Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.
- STORAGE**
Store in a dry location.

VITAVAX-200

FLOWABLE FUNGICIDE

(VITAVAX WITH THIRAM)



COMPOSITION

Active Ingredient (% by weight)	
Carboxin (5,6-dihydro-2-methyl-1,4-oxathin-3-carboxanilide)*	17%
Thiram (tetramethylthiuram disulfide)	17%
Inert Ingredients	66%
Total	100%

*U.S. Patents 3,249,499 - 3,393,202 - 3,454,391

**KEEP OUT OF REACH OF CHILDREN.
CAUTION!**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Induce vomiting and see a physician.
 - IF INHALED: See a physician if an abnormal reaction occurs.
 - IF ON SKIN: Wash thoroughly with soap and water.
 - IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
- See left side panel for Additional Precautionary Statement.

Mfg. by UNIROYAL CHEMICAL - Division of UNIROYAL, Inc.
Naugatuck, Connecticut 06770
EPA Establishment No
EPA Registration No 400-112

NET WEIGHT

6-9-81

DIRECTIONS FOR USE
VITAVAX 200 Flowable Fungicide is a ready-to-use seed treatment.

RICE
VITAVAX 200 Flowable Fungicide combines the systemic action of carboxin with the surface action of thiram to control various seed and seedling diseases of rice. It is particularly effective against *Blizactonia solani* and *Helminthosporium oryzae*.

Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed applied as a slurry treatment by machine. The higher rate is recommended for control of *Helminthosporium oryzae*.

In addition, loose smut (*Ustilago nuda*) and covered smut (*Ustilago hordei*) are controlled on barley, and loose smut (*Ustilago tritici*) and common bunt (*Tilletia caries*) are controlled on wheat by VITAVAX 200 Flowable Fungicide.

Barley, Wheat and Oats
Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine.

Soybeans
Use 2 fluid ounces of VITAVAX-200 Flowable Fungicide per bushel of seed or 4 fluid ounces per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine or to the hopper box as a pour on treatment.

Use Restrictions
Do not use treated seed for food or feed purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed. Do not graze or feed livestock on vines grown from treated seed.

Use Precaution
When using formulations that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.25, all grain seed treated with an economic poison must be colored with an approved dye (40 CFR 180.1001) to distinguish and prevent subsequent and inadvertent use as a food for man or feed for animals.

Compatibility
VITAVAX 200 Flowable Fungicide should not be tank mixed with any pesticide unless adequate physical compatibility and phytotoxicity tests have been completed and proved to be satisfactory.

SEED LABELING—This seed treated with VITAVAX-200 Flowable Fungicide. Do not use treated seed for food, feed or oil purposes. Add appropriate information for any other chemical treatments.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.