

VITAVAX®-200

FLOWABLE FUNGICIDE (VITAVAX WITH THIRAM)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid inhaling of spray mist. Do not use or store near food or feed.

During commercial exposure in seed treatment and loading operations, wear goggles, clean rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR, Part 11. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work; wash all clothing with soap and water before reusing. Consumption of alcoholic beverages increases the toxic effects of thiram.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water.

PHYSICAL or CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ACCEPTED

JAN 25 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 400-112

UNIROYAL CHEMICAL

COMPOSITION

Active Ingredients: (% by weight)	
Carboxin (5,6-dihydro-2-methyl-N-phenyl-1,4-oxathiin-3-carboxamide)	17.0%
Thiram (tetramethylthiuram disulfide)	17.0%
Inert Ingredients:	66.0%
Total:	100.0%

This product contains the toxic inert ingredient Rhodamine B dye.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.
IF INHALED: See a physician if an abnormal reaction occurs.
IF ON SKIN: Wash thoroughly with soap and water.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

UNIROYAL CHEMICAL COMPANY, INC.

Middlebury, CT 06749

EPA REG. NO. 400-112

EPA EST. NO.

VITAVAX is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.

Copyright 1987, Uniroyal Chemical Company, Inc.

12-5-87

Lot. No.

NET WEIGHT:

206

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

VITAVAX-200 Flowable Fungicide is a ready-to-use seed treatment.

Use the higher rate under conditions of expected heavy disease pressure.

RICE

VITAVAX-200 Flowable Fungicide combines the systemic action of carboxin with the surface action of thiram to control various seed and seedling diseases of rice. It is particularly effective against *Rhizoctonia solani* and *Helminthosporium oryzae*.

Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed applied as a slurry treatment by machine. The higher rate is recommended for control of *Helminthosporium oryzae*.

BARLEY, WHEAT AND OATS

In addition, loose smut (*Ustilago nuda*), and covered smut (*Ustilago hordei*), are controlled on barley and loose smut (*Ustilago tritici*), and common bunt (*Tilletia caries*) are controlled on wheat by VITAVAX-200 Flowable fungicide.

Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine.

SOYBEANS

Use 2 fluid ounces of VITAVAX-200 Flowable Fungicide per bushel of seed or 4 fluid ounces per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine.

COTTON

VITAVAX-200 Flowable Fungicide provides systemic control of seed and seedling diseases of cotton. Seed rot, damping off and sore-shin due to *Rhizoctonia solani* are prevented. VITAVAX-200 Flowable Fungicide can be used on both machine and acid delinted cottonseed at the rate of 6.4 to 8 fl. oz. per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine.

USE RESTRICTIONS

Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed. Do not graze or feed livestock on vines grown from treated seed.

USE PRECAUTION

When using formulations that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.25 all grain seed treated with an economic poison must be colored with an approved dye (40 CFR 180.1001) to distinguish and prevent subsequent and inadvertent use as a food for man or feed for animals.

COMPATIBILITY

VITAVAX-200 Flowable Fungicide should not be tank mixed with any pesticide unless adequate physical compatibility and phytotoxicity tests have been completed and proved to be satisfactory.

SEED LABELING

"This seed is treated with carboxin and thiram (VITAVAX-200) at the manufacturer's recommended rate. Do not use treated seed for food, feed, or oil purposes." Add appropriate information for any other chemical treatments.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.