

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

WARNING

Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash hands and face thoroughly with soap and water after use and before eating or smoking. Consumption of alcoholic beverages increases the possibility of harm.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near open heat or flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

2. PESTICIDE DISPOSAL

Pesticide spray mixture or rinsate that cannot be used, or chemically reprocessed should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, or disposal in approved landfill or bury in a safe place.

4. GENERAL

Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

5. STORAGE

Store in cool dry place. Do not freeze.

VITAVAX[®]-30C

CONCENTRATE



ACCEPTED
5 FEB 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 466-174

COMPOSITION

Active Ingredient: (% by weight)	
Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide)*	29.52%**
Inert Ingredients:	70.48%
Total:	100.00%

*U.S. Patent Nos. 3,249,499; 3,393,202; 3,454,391
**Contains 2.9 pounds of active carboxin per gallon.

INFORMATION

VITAVAX-30C Concentrate is for use by professional seed treaters only. In this formulation the active ingredient is bound firmly to the seed in a dustfree, water permeable film, that dries quickly without the need of additional heat, improves seed appearance, and eliminates buildup in planter plates. VITAVAX-30C concentrate is compatible with EVERSIELD SEED PROTECTANT fungicides and limitations on labeling of all products used in mixtures. Bags containing treated seed should be labeled "treated seed-do not use for feed, food or oil purposes, or graze or feed livestock on treated areas for six weeks after planting." Add appropriate information for any other chemical treatments.

DIRECTIONS

- Add, at concentrations given in the Table below, VITAVAX-30C Concentrate to cool tap water and mix thoroughly for 15 minutes to prepare the diluted product.
- Add 7 oz. of EVERSIELD[®] SEED PROTECTANT Liquid dye to each batch of the diluted product and mix for an additional 10 minutes.

**KEEP OUT OF REACH OF CHILDREN.
WARNING**

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
If inhaled: See a physician if an abnormal reaction occurs.
If on skin: Wash thoroughly with soap and water.
If in eyes: Immediately flush eyes with plenty of water. See a physician.
See left side panel for additional precautionary statement.

Mfg. by UNIROYAL CHEMICAL — Division of UNIROYAL, INC.
Naugatuck, Connecticut 06770
EPA Reg. No. 400-124-AA
EPA Est. No. 07501-ID-01

NET CONTENTS: 5 GALLONS U.S. LOT NO. _____

119

11-30-79


Seed	Gallons of Water	Gallons of EVERSIELD Concentrate		Gallons of VITAVAX-30C Concentrate	Application rates (Cubic centimeters of diluted product per 100 lbs. of seed)	Diseases Controlled ³
		Captan ¹	Thiram ²			
Cotton	5	0.7		1	665	Rhizoctonia solani
	6		1	1	785	
	6	0.5	0.5	1	785	
Barley	6			1	335	Loose smut, covered smut
	6		1	1	335	
Oats	4			1	635	Loose smut, covered smut
	4		0.5	0.5	635	
Wheat	6	1		1	325	Loose smut common bunt
	6		1	1	325	

21CFR Chapter 1 Section 3.13 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.

1. EVERSIELD C SEED PROTECTANT OR EVERSIELD C-M PROTECTANT.
2. EVERSIELD T SEED PROTECTANT.
3. COMBINATION TREATMENTS PROVIDE CONTROL OF SEED AND SEEDLING DISEASES.

* Evershield is a registered trademark of Cargill, Inc.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

WARNING

Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash hands and face thoroughly with soap and water after use and before eating or smoking. Consumption of alcoholic beverages increases the possibility of harm.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near open heat or flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

2. PESTICIDE DISPOSAL

Pesticide spray mixture or rinsate that cannot be used, or chemically reprocessed, should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, or disposal in approved landfill or bury in a safe place.

4. GENERAL

Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

5. STORAGE

Store in cool dry place. Do not freeze.

VITAVAX[®]-30C

CONCENTRATE

UNIROYAL

ACCEPTED

5 FEB 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act

Registration No. 400-124

COMPOSITION

Active Ingredient: (% by weight)	
Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide)*	29.52%**
Inert Ingredients:	70.48%
Total:	100.00%

*U.S. Patent Nos. 3,249,499; 3,393,202; 3,454,391

**Contains 2.9 pounds of active carboxin per gallon.

KEEP OUT OF REACH OF CHILDREN. WARNING

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If inhaled: See a physician if an abnormal reaction occurs.

If on skin: Wash thoroughly with soap and water.

If in eyes: Immediately flush eyes with plenty of water. See a physician.

See left side panel for additional precautionary statement.

Mfg. by UNIROYAL CHEMICAL — Division of UNIROYAL, INC.
Naugatuck, Connecticut 06770
EPA Reg. No. 400-124-AA
EPA Est. No. 07501-ID-01

NET CONTENTS: 5 GALLONS U.S.

LOT NO. _____

INFORMATION

VITAVAX[®]-30C concentrate is for use by professional seed processors only. Observe all cautions and limitations on labeling of all products used in mixtures.

DIRECTIONS

VITAVAX[®]-30C concentrate controls *Rhizoctonia solani* on cotton.

Mix one (1) gallon of VITAVAX[®]-30C with five (5) gallons of water, and apply mixture at the rate of twenty (20) fluid ounces per 100 pounds of seed.

USE PRECAUTION

When using formulations that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.25, all grain seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

USE RESTRICTIONS — Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on hay grown from treated seed.

SEED LABELING — "This seed treated with VITAVAX[®]-30C seed protectant. Do not use for food, feed or oil purposes. On cotton, do not graze or feed livestock on hay grown from treated seed."

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

191

11-29-79

BEST DOCUMENT AVAILABLE