

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
DANGER**

If swallowed, drink promptly a large quantity of milk, egg white or gelatin solution; if not available drink large amounts of water. Avoid alcohol. Call a physician immediately. If in eyes, wash with plenty of water for at least 15 minutes. Call a physician. Remove and wash contaminated clothing before use. If inhaled and abnormal symptoms develop, see a physician.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL- Pesticide, spray mixture or rinse water should be disposed of in a landfill approved for pesticides or buried in a safe disposal site. Do not contaminate ground water by cleaning of equipment or disposal of wastes. Open dumping is prohibited.

EQUIPMENT CLEANING-ROYALTAC is not corrosive to spray equipment. Following applications, all spray equipment should be thoroughly rinsed with water.

CONTAINER STORAGE AND HANDLING-Store in a cool dry location. Shake well before using. Avoid contamination of fertilizers, seeds, fertilizers, seeds, plants, and pesticides.

CONTAINER DISPOSAL Triple rinse (or equivalent). Burn empty container in an incinerator approved for incineration of pesticide residues, or puncture, crush if possible, and bury container at least 18 inches below ground level in a safe disposal site. Do not reuse empty container.

ROYALTAC®

CONTACT TOBACCO SUCKER CONTROL AGENT

UNIROYAL

COMPOSITION

Active Ingredient (by weight)*	78.4%
n-Decanol	21.6%
Inert Ingredients	
Total:	100.0%

* Weight of Active Ingredients is 5.70 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN.
DANGER**
**STATEMENT OF PRACTICAL TREATMENT
BEST DOCUMENT AVAILABLE**

Corrosive, causes eye damage. Wear goggles or face shield when handling. Do not get in eyes. If in eyes, wash with plenty of water for 15 minutes. Call a physician.

See left side panel for additional precautionary statement.

Mfg. by **UNIROYAL CHEMICAL - Division of UNIROYAL, INC.**
Naugatuck, Connecticut 06770
EPA Establishment No.
EPA Registration No. 400-135

NET WEIGHT:

NET CONTENTS

2-23-79

GENERAL INFORMATION

ROYALTAC is a contact tobacco sucker control agent. Direct contact with the leaves of tobacco suckers is essential. The agent is applied to the sides of the stalk of the plant, just below the maximum height of the plant.

ROYALTAC may be used on tobacco plants to control sucker growth in the field.

CAUTION

1. Application rates of ROYALTAC should not be higher than recommended. Excess may cause leaf damage.
2. Shake well before using. After adding ROYALTAC to the sprayer, start up and maintain good agitation of the solution.
3. Do not mix ROYALTAC with other chemicals.

DIRECTIONS FOR USE

TIME OF APPLICATION

ROYALTAC can be applied either before or after topping, preferably just after topping, have a long stem and before flowers start to open. At this time, very few suckers are large enough to be removed by hand. Best results are obtained by applying ROYALTAC to the tobacco plant within a week of topping. If applied later, ROYALTAC will not be as effective. Apply ROYALTAC within two days after topping. Apply sucker growth inhibitor to the tobacco plant within two days after topping. Do not spray tobacco plants in the field in very hot weather. If a burn injury occurs, injury may be reduced by ROYALTAC applied to the underside of the tobacco leaves. Thus, application will not be enough to burn the tobacco plant, but will reduce the damage.