

# VITAVAX®-CAPTAN HBM-25

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Corrosive, causes severe eye damage. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

### ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL or CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

#### 1. PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

#### 2. PESTICIDE DISPOSAL

Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

#### 3. CONTAINER DISPOSAL

Dispose of in an incinerator or landfill approved for pesticide containers or bury in a safe place.

#### 4. GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

#### 5. STORAGE

Store in a dry location.

## FUNGICIDE

UNIROYAL

### COMPOSITION

Active Ingredient (% by weight)	
Carboxin (5,6-dihydro-2-methyl-1,4-oxathin-3-carboxanilide)*	12.5%
Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide)	12.5%
Inert Ingredients	75.0%
Total	100.0%

\*U.S. Patents 3,249,499 - 3,393,202 - 3,454,391

### DIRECTIONS FOR USE SOYBEANS

VITAVAX/CAPTAN HBM-25 is a ready to use seed treatment which combines the systemic action of carboxin with the surface action of captan to control various seed and seedling diseases of soybeans. In addition, the essential soybean micronutrient in polydenum is present.

VITAVAX/CAPTAN HBM-25, as a planter box application, should be applied at the rate of 2-4 ounces per bushel of seed.

Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on hay grown from treated seed.

CARE MUST BE EXERCISED IN THE HANDLING OF TREATED SEED

SEED LABELING: This seed is treated with VITAVAX/CAPTAN HBM-25 Fungicide. Do not use treated seed for food, feed or oil purposes.

**IMPORTANT NOTICE**—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

## KEEP OUT OF REACH OF CHILDREN. DANGER

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Induce vomiting and see a physician.

If inhaled: See a physician if an abnormal reaction occurs.

If on skin: Wash thoroughly with soap and water.

If in eyes: Immediately flush eyes with plenty of water and get medical treatment.

See left side panel for additional precautionary statement.

Mfg. by UNIROYAL CHEMICAL - Division of UNIROYAL, INC.  
Naugatuck, Connecticut 06770  
EPA Establishment No.  
EPA Registration No. 400-136-AA

NET WEIGHT

IT NO. \_\_\_\_\_

5-8-80

ACCEPTED

106