

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">EPA REGISTRATION NO. 400-154</td> <td style="width: 50%; padding: 2px;">DATE OF ISSUANCE APR - 5 1982</td> </tr> <tr> <td colspan="2" style="padding: 2px;">TERM OF ISSUANCE Until Reregistration</td> </tr> <tr> <td colspan="2" style="padding: 2px;">NAME OF PESTICIDE PRODUCT Contra II</td> </tr> </table>	EPA REGISTRATION NO. 400-154	DATE OF ISSUANCE APR - 5 1982	TERM OF ISSUANCE Until Reregistration		NAME OF PESTICIDE PRODUCT Contra II	
EPA REGISTRATION NO. 400-154	DATE OF ISSUANCE APR - 5 1982						
TERM OF ISSUANCE Until Reregistration							
NAME OF PESTICIDE PRODUCT Contra II							
NOTICE OF PESTICIDE: ☒ REGISTRATION ☐ REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)							
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Uniroyal Chemical Div. of Uniroyal Inc. 74 Amity Rd. Bethany, CT 06525							
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.							
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.							
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.							
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.							
This product is conditionally registered in accordance with the provisions of Section 3(c)(7)(C) of the Act since you have agreed:							
You will submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(7), when the Agency requires all registrants of similar products to submit such data.							
If these conditions are not complied with the registration will be subject to cancellation in accordance with Section 6(e) of the Act.							
U.S. Please submit a certification statement (copy enclosed) as you indicated in your July 17, 1981 submission.							
☐ ATTACHMENT IS APPLICABLE							
SIGNATURE OF APPROVING OFFICIAL: _____	DATE: 5/1/82						

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
DANGER**

Corrosive, causes eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and shrimp. Do not apply directly to lakes, ponds or streams. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL

- 1. PROHIBITIONS**
Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL**
Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL**
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.
- 4. GENERAL**
Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

COMITE II

AGRICULTURAL MITICIDE

UNIROYAL



COMPOSITION

Active Ingredient: (% by weight)	
Propargite 2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite*	68.0%
Inert Ingredients:	32.0%
Total:	100.0%

*U.S. Patents 3,272,854 - 3,463,859

**Contains 6 pounds COMITE per gallon.

A liquid emulsifiable concentrate for preparing sprays to control the Banks grass, citrus red, citrus rust, false spider, Pacific spider, six-spotted, strawberry spider, Texas citrus, and two-spotted spider mites.

COMITE II is not systemic in action; therefore, complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

After three-quarters full of water, add recommended dosage (from table) of COMITE II to the spray tank. Fill tank, agitate and spray thoroughly to cover foliage and fruit for best results.

DOSEAGE INSTRUCTIONS

See back side for dosage instructions chart and application notes.

AL USUARIO:

Se ajustó no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TO THE USER

If you cannot read or understand English, do not use this product until the label has been fully explained to you.

USE RESTRICTIONS —

Cotton — Apply only before bolls open. Do not feed treated foliage or cotton trash to livestock.

Beans — Do not feed or forage treated bean vines or bean trash after harvesting.

Peanuts — Do not graze or feed livestock on treated areas or cut treated forage or hay.

Do not graze or feed livestock on cover crops grown among the trees listed on this label.

General — Do not mix COMITE II with alkaline materials (such as lime, Bordeaux mixture and lime sulfur) or with materials containing a large amount of petroleum type solvents.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

©1974 UNIROYAL, Inc. All Rights Reserved

KEEP OUT OF REACH OF CHILDREN.

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol.

IF INHALED: See a physician if an abnormal reaction occurs.

IF ON SKIN: Remove contaminated clothing and wash skin thoroughly with soap and water.

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.

See left side panel for Additional Precautionary Statement.

Mfg. by **UNIROYAL CHEMICAL** - Division of **UNIROYAL, Inc.**
Naugatuck, Connecticut 06770
EPA Establishment No.
EPA Registration No. 400-154

NET WEIGHT

2-16-82

APPLICATION NOTES

COTTON

1. COMITE II may be phytotoxic to young cotton under certain conditions. Age and climatic conditions result in a physiological hardening when plants are generally between 6 and 12 inches tall. Applications can begin after plants are hardened.
2. COMITE II may be used in concentrate sprayers designed for concentrate row crop applications. Maintain COMITE II dosage rate as listed.

CORN

3. Treat early, best results are achieved when mite populations are low, before the mites have damaged the plants. We recommend treatment when mite populations are just beginning to build and the corn is still small enough (usually 3 to 4 feet) to allow good coverage.
4. In Kansas, Colorado and New Mexico use a minimum of 2 gallons spray solution per acre. For all other states use a minimum of 5 gallons spray solution per acre.

GRAIN SORGHUM

5. Due to the large number of varieties of sorghum, it is recommended that a small test plot be treated to check phytotoxicity before using COMITE II on a large area.

6. SILAGE STAGE. Grain should not be harvested within 60 days of spraying COMITE II.

POTATOES

7. The 2½ pints per acre rate should be used when the crop is under extreme mite pressure.

BEANS

8. Do not use on varieties grown for fresh market or on varieties whose value is linked to pod appearance as pods may be spotted.

ORANGES AND GRAPEFRUIT

9. Amount of COMITE II per 500 Gallon Tank — 25-40 Fluid Ounces.

CAUTION

On citrus, leaf injury may occur if COMITE II is tank mixed with oil or applied within two weeks prior to or following an oil application.

DOSAGE INSTRUCTIONS

Crop	Mites Controlled	Timing of Application	Amount of COMITE II Per Acre	Gallons of Spray Solution Per Acre		Total Number of Sprays Per Year	Days Before Harvest (Last Spray)
				Ground Application	Aerial Application		
Cotton	two-spotted, Pacific and strawberry spider	Early (1)	1½ - 1¾ pints	15 (2) to 30 gallons	Not recommended	3	Before bolls open
		Mid Season to Layby	1½ - 2¾ pints	25 (2) to 40 gallons	—		
		Layby to Boll Opening	2¾ pints	—	5 to 15 gallons		
Field corn (3/4)	two-spotted spider Banks grass	X	2¾ pints	minimum of 20 gallons	minimum of 2 gallons	1	30
Grain Sorghum (5)	two-spotted spider Banks grass	X	1½ - 2¾ pints	minimum of 20 gallons	minimum of 5 gallons	1	30 (6)
Peanuts	two-spotted spider	X	2¾ pints	minimum of 20 gallons	minimum of 5 gallons	1	14
Potatoes (Pacific Northwest Only)	two-spotted spider	X	1½ - 2¾ pints (7)	20 to 50 gallons	minimum of 10 gallons	2	14
Beans (8)	two-spotted spider	X	2¾ - 3¾ pints	minimum of 20 gallons	minimum of 5 gallons	2	succulent - 7 dry-28
Oranges and Grapefruit (Florida and Texas only)	citrus red Texas citrus six-spotted citrus rust false spider	X	32-131 Fluid Ounces (9) 2¾ - 3¾ pints	600-1500 gallons minimum of 25 gallons	X minimum of 10 gallons	2	7

3 2 3