



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

300,5274839  
175

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

Mr. Willard F. Cummings  
Manager, U.S. Registrations  
Uniroyal Chemical Company, Inc.  
74 Amity Road  
Bethany, CT 06525

OCT 10 1990

Dear Mr. Cummings:

Subject: **MINOR LABEL REVISIONS**  
**COMITE II**  
EPA Registration Number 400-154  
Your Application Dated May 3, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change listed below before you release the product for shipment bearing the amended labeling:

- You must reinstate the 28-Days post harvest interval (PHI) to the **dry beans** section of labeling. Your Office was contacted earlier to notify you that the attachments (field residue samples and Uniroyal's memo) identified as justification in support of a 14-Day PHI were not attached to your submission. This information is necessary to make a decision on your request for shorter PHI.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

A handwritten signature in black ink, appearing to read "George T. LaRocca".

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

cc Jane M. Talerico

# COMITE® II

## AGRICULTURAL MITICIDE

### RECOMMENDED FOR AGRICULTURAL USE ONLY

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS**  
**DANGER**  
 Corrosive, causes eye damage. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Causes skin irritation. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking. (See use restrictions for protective clothing and clean up requirements)

**ENVIRONMENTAL HAZARDS**  
 This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Flammable, keep away from heat and open flame.

②  
②

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT 10 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. No.

400-154

**UNIROYAL  
CHEMICAL**

### COMPOSITION

Active Ingredients: (% by weight)

Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]*	68.0%
Inert Ingredients:	32.0%
<b>Total:</b>	<b>100.0%</b>

\*Contains 6 pounds OMITE per gallon

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**PELIGRO**

**PRECAUCION AL USUARIO: SI usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.**

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.

IF ON SKIN: Remove contaminated clothing and wash skin thoroughly with soap and water. **GET MEDICAL ATTENTION.**

IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.

IF SWALLOWED: Do not induce vomiting. Drink promptly a large glass of milk, egg whites, or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

See left side panel for precautionary statement.

UNIROYAL CHEMICAL COMPANY, INC.

Middlebury, CT 06749

EPA REG. NO. 400-154

EPA EST. NO.

COMITE is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.

© Copyright 1984 Uniroyal Chemical Company, Inc.

NET WEIGHT:

**REENTRY STATEMENT - EXCEPT FOR HARVESTING**

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas until sprays have dried.

Protective clothing requirements are outlined below for the indicated reentry. ← (3)

**TIME FOR REENTRY**

CROP	LOW EXPOSURE ACTIVITIES		
	EARLY ENTRY WORKER <sup>(1, 2)</sup>	IRRIGATOR, TRACTOR DRIVER, SCOUT <sup>(3)</sup>	ALL OTHER ACTIVITIES <sup>(4, 5)</sup>
All labeled crops	when sprays have dried	48 hours	7 days

1. Early entry is defined as any worker who is directed to enter a reentry restricted area prior to the expiration of any reentry interval that applies to that area. This will include those activities necessitated by unexpected events such as weather, pest conditions, equipment failure, etc. and does not include routine cultural practices.
2. These workers will wear protective clothing to include at least:
  - a hat or other suitable head covering
  - long-sleeved shirt and long-legged trousers or a coverall type garment (closely woven fabric covering the body including arms and legs).
  - chemical resistant gloves.
  - shoes and socks.

NOTE: Occupants of enclosed cab vehicles must wear normal work attire.
3. These workers will wear normal work attire to include at least:
  - a hat or other suitable head covering.
  - long-sleeved shirt and long-legged trousers
  - shoes and socks
4. All other activities include those which have high foliar exposure such as pruners, cane turners and tippers (table grapes), etc.
5. See use directions for time of harvest after last application.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER, Area to be treated with Propargite on (date of application). Do not enter without appropriate protective clothing until sprays have dried. Tractor drivers and irrigators and scouts wearing normal work attire may enter after 48 hours. Do not enter treated areas without protective clothing to perform activities that involve substantial or prolonged exposure with treated foliage for (enter number of days)."

If accidentally exposed, consult the Statement of Practical Treatment portion of this label for first aid recommendations.

**USE RESTRICTIONS**

Mixer/loaders must wear goggles or a face shield, chemical-resistant apron, long-sleeved shirt, long pants, and mid-forearm to elbow length chemical-resistant gloves. (4)

Any article of clothing worn while mixing, loading or applying product must be cleaned before re-use. Clothing should be laundered separately from household articles. Clothing that has been drenched or has otherwise absorbed concentrated pesticide must be disposed of in a sanitary landfill, incinerated, or burned if allowed by State and local authorities.

Do not apply this product through any type of irrigation system. ← (4) (DELETED REFERENCE TO ENCLOSED CAB)

Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.

Do not graze or feed livestock on cover crops grown among the trees listed on this label.

Do not mix COMITE II with alkaline materials (such as lime, Bordeaux mixture or lime sulfur) or with materials containing a large amount of petroleum type solvents.

Cotton - Apply only before bolls open. Do not feed treated foliage or cotton trash to livestock.

Beans - Do not feed or forage treated bean vines or bean trash after harvesting.

Peanuts - Do not graze or feed livestock on treated areas or cut treated forage for hay

(5) → **DIRECTIONS FOR USE**

COMITE II is a liquid emulsifiable concentrate for preparing sprays to control the banks grass, citrus red, citrus rust, false spider, Pacific spider, six-spotted, strawberry spider, Texas citrus, and two-spotted spider mites.

COMITE II is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

After three-quarters full of water, add recommended dosage (from table) of COMITE II to the spray tank. Fill tank, agitate and spray thoroughly to cover foliage and fruit for best results.

**DOSAGE INSTRUCTIONS**

CROP	MITES CONTROLLED	TIMING OF APPLICATION	AMOUNT OF COMITE II PER ACRE	GALLONS OF SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	DAYS BEFORE HARVEST (LAST SPRAY)
				Ground Application	Aerial Application		
COTTON (California & Arizona only)	two-spotted spider Pacific spider strawberry spider	Early <sup>1</sup>	1½ to 1¾ pints	15 <sup>2</sup> to 30	Not recommended	3	Before bolls open
		Mid Season to Layby	1½ to 2¼ pints	25 <sup>2</sup> to 40	—		
			2¼ pints	—	5 to 15		
		Layby	2¼ pints	25 <sup>2</sup> to 50	5 to 15		
		Layby to Boll Opening	2¼ pints	—	5 to 15		
COTTON (East of the Rocky Mts.)	two-spotted spider Pacific spider strawberry spider	Early <sup>1</sup>	1¼ pint	15 <sup>2</sup> to 30	Not recommended	3	Before bolls open
		Mid Season to Layby	1½ to 2¼ pints	25 <sup>2</sup> to 40	5 to 15		
		Layby to Boll Opening	2¼ pints	25 <sup>2</sup> to 40	5 to 15		
FIELD CORN <sup>3,4</sup> (grain & silage)	two-spotted spider Banks grass	<del>                    </del>	2¼ pints	minimum of 20	minimum of 2	1	30
GRAIN SORGHUM <sup>5</sup> (East of Rocky Mountains)	two-spotted spider Banks grass	<del>                    </del>	1½ to 2¼ pints	minimum of 20	minimum of 5	1	30
PEANUTS	two-spotted spider	<del>                    </del>	2¼ pints	minimum of 20	minimum of 5	1	14
POTATOES (Pacific Northwest Only)	two-spotted spider	<del>                    </del>	1½ to 2¼ pints <sup>6</sup>	20 to 50	minimum of 10	2	14
BEANS <sup>7</sup> (green, lima & dry)(West of Rocky Mts.)	two-spotted spider	<del>                    </del>	2¼ to 3¾ pints	minimum of 20	minimum of 5	2	succulent - 7 dry - 14

**APPLICATION NOTES**

**COTTON**

1. COMITE II may be phytotoxic to young cotton under certain conditions. Age and climatic conditions result in a physiological hardening when plants are generally between 6 and 12 inches tall. Applications can begin after plants are hardened.
2. COMITE II may be used in concentrate sprayers designed for concentrate row crop applications. Maintain COMITE II dosage rate as listed.

**CORN**

3. Treat early, best results are achieved when mite populations are low, before the mites have damaged the plants. We recommend treatment when mite populations are just beginning to build and the corn is still small enough (usually 3 to 4 feet) to allow good coverage.
4. In Kansas, Colorado and New Mexico use a minimum of 2 gallons spray solution per acre. For all other states use a minimum of 5 gallons spray solution per acre.

**GRAIN SORGHUM**

5. Due to the large number of varieties of sorghum, it is recommended that a small test plot be treated to check phytotoxicity before using COMITE II on a large area.

**POTATOES**

6. The 2¼ pints per acre rate should be used when the crop is under extreme mite pressure.

**BEANS**

7. Do not use on varieties grown for fresh market or on varieties whose value is linked to pod appearance as pods may be spotted.

**IMPORTANT NOTICE** — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Form 8570-1  
Attachment to Section II

LABEL REVISIONS

COMITE II

1. Statement of Practical Treatment
  - put statements in order based on hazard category.
  - add "Get medical attention" after "If on skin" statement.
  - change "If swallowed" antidote to be consistent with that on other propargite product labels.
  - add "get medical attention" to "If on skin" statement.
  
2. Precautionary Statement
  - add "or absorbed through skin" to the sentence "May be fatal if inhaled". (Changes based on reevaluation of existing studies on dermal absorption and irritation. Modifications are to make restrictions more stringent.)
  - add "Causes skin irritation."
  
3. Reentry Statement
  - Remove "without protective clothing". This statement conflicted with re-entry directions which follow. Uniroyal does not wish any re-entry until sprays have dried.
  
4. Use restrictions
  - add "mixing, loading or". This statement extends cleaning of clothing to those engaged in these tasks.
  - delete sentence "If not in an enclosed cab,.....". This is applicable only to air blast equipment which is not used for uses on this label.
  
5. Directions for Use (was General Instructions).