

# DE-PESTER

## BOTRANE, COPPER, SULFUR 6-6-2

**ACCEPTED**

**MAY 15 1988**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 400-271

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**WARNING**

Harmful if swallowed. Avoid breathing of dust. Avoid contact with eyes or skin.

Wash hands and face thoroughly with soap and water after use and before eating or smoking. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL or CHEMICAL HAZARDS**

Flammable, keep away from heat and open flame.



**COMPOSITION**

**ACTIVE INGREDIENTS:**

2, 6-Dichloro-4-nitroaniline..	6.0%
Copper, expressed as elemental*.....	8.0%
Sulfur.....	25.0%
<b>INERT INGREDIENTS.....</b>	<b>63.0%</b>
<b>Total</b>	<b>100.0%</b>

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

\*Derived from Copper Oxide.

**-STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Paper Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**AVISO**

**PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back or throat with finger, or if available, by administering Syrup of Ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF INHALED:** Remove to fresh air.

**SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.**

**Unlroyal Chemical Company, Inc.**  
Middlebury, CT 06749

EPA REG. NO. 400-271  
EPA EST. NO.

© Registered Trademark of Tucco Products Company, a Division of the Upjohn Company

Lot. No.

NET CONTENTS.

DIRECTIONS FOR USE

FOR USE WEST OF THE ROCKY MOUNTAINS ONLY

GRAPES: Apply 30 lbs. per acre. For Botrytis rot and Powdery Mildew. Begin application while clusters are still loose and repeat application at two week intervals. Allow one day between application and harvest.

Do not use for dried fruits.

