


# HINDER™

## DEER AND RABBIT REPELLENT

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**WARNING**

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if swallowed or inhaled. Avoid breathing spray mist. Prolonged or frequently repeated skin contact with this product may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.



**COMPOSITION**

Active Ingredient (by weight)	
Ammonium Soaps of Higher Fatty Acids	15
Inert Ingredients	85
Total	100

**INSTRUCTIONS FOR USE**

For use on deer and rabbit repellent. See label for directions.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place, preferably in a locked storage area.

**PESTICIDE DISPOSAL:** Wash or neutralize the use of the product material, or discard on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed, by burning. If burned stay out of smoke.

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**AVISO**

**PRECAUCION AL USUARIO:** Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Flush with plenty of water. Get medical attention.  
**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.


\*See left side panel for additional precautionary statement

# LEFFINGWELL

A Business of UNIROYAL CHEMICAL COMPANY, INC.

11 SOUTH BERRY STREET, P.O. BOX 1880, BURLA, CANADA

\*Trademark of UNIROYAL CHEMICAL COMPANY, INC.  
UNIROYAL CHEMICAL COMPANY, INC.  
Middlebury, CT 06749  
EPA REG. NO. 400-383  
EPA EST. NO. 78,4 CA-1  
NET CONTENTS:



4286  
Lot No.

### REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.  
 Do not enter treated areas without protective clothing until sprays have dried.  
 Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.  
 Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:  
 "WARNING" Area to be treated with HINDER on (date of application). Do not enter without appropriate protective clothing until sprays have dried. If accidentally exposed, consult the Statement of Practical Treatment portion of the pesticide label for first aid recommendations.

#### FOR REPELLING DEER AND RABBITS

FOR FRUIT TREES AND VINES, VEGETABLES AND FIELD CROPS, ORNAMENTALS, NURSERY STOCK, FORAGE CROPS, GRAIN CROPS AND NON CROP AREAS

#### SHAKE WELL BEFORE USING.

FOR BEST RESULTS, APPLY BEFORE THE ANIMALS START EATING THE PLANTS

#### HOW TO APPLY:

**BY SPRAYING:** HINDER may be applied by conventional spraying equipment ranging from commercial power sprays down to small hand held sprayers. May also be applied by air except as noted

**BY PAINTING:** HINDER may also be applied by painting the bark of trees and shrubs to prevent girdling by rabbits

#### SUGGESTED USES

**FOR FRUIT TREES AND VINES:** For application by ground rig, mix 3 to 5 gallons of HINDER with 100 gallons of water. To repel deer, spray as needed when first evidence of deer feeding is observed. For vines and trees up to 6 ft. in height, spray to give full coverage. For trees over 6 ft. high, spray to give full coverage to the lower branches and outer foliage. For aerial application, apply 3-5 gallons of HINDER in 5-10 gallons of water per acre.

When feeding pressure is particularly intense, crop protection may be enhanced by providing a perimeter spray barrier around the treated area at the time of treatment.

To repel rabbits, spray trunks thoroughly. To apply by painting, mix equal amounts of HINDER and water and apply by brush. Apply to trunks to the maximum height rabbits might reach. For aerial application on vines and trees up to 6 ft. high, mix 3-5 gallons of HINDER in 5-10 gallons of water per acre. Do not use aerial application to repel rabbits from fruit trees.

**FOR VEGETABLE AND FIELD CROPS:** Add 2 to 4 gallons of HINDER to 100 gallons of water. Apply at the rate of 50 to 100 gallons of spray solution per acre. For Home Gardens, add 1/2 to 1 quart of HINDER to 5 gallons of water and apply in a light coverage spray.

**FOR FORAGE AND GRAIN CROPS AND NON CROP AREAS:** Mix 3 to 5 gallons of HINDER with 100 gallons of water. Apply with thorough coverage to a strip 8 to 15 feet wide completely around the borders of the area to be protected.

**FOR NURSERY STOCK AND ORNAMENTALS:** Add 2 to 4 gallons of HINDER to 100 gallons of water. Apply as needed in a full coverage spray. To protect ornamental plants in yards and gardens, mix 1 pint to 1 quart of HINDER with 5 gallons of water and apply in a full coverage spray. To protect trees and shrubs from rabbits, spray trunks thoroughly. To apply by painting, mix equal volumes of HINDER and water and apply by brush to trunks to the maximum height rabbits might reach. AVOID overhead irrigation for at least 24 hours after application.

**AERIAL APPLICATION:** Apply 3-5 gallons per acre in 5-10 gallons of water. Do not use aerial application to repel rabbits from fruit trees.

#### NOTE: RETREATMENT MAY BE NECESSARY AFTER HEAVY RAINFALL.

Not compatible with most strongly ionized metallic salts such as zinc sulfate and manganese sulfate.

#### A SPREADER AND DEPOSIT BUILDER FOR ALL TYPES OF FOLIAGE

#### SUGGESTED USES

For Neutral Minor Element Sprays, Sunburn Treatments, and Whitewash Applications (including Whitewash for Leafhopper Control on Citrus). Add 1/3 to 1/2 gallon per 100 gallons of spray. Add AFTER the other materials and AFTER the tank is 3/4 full. With Metallic salts do not add spreader until after the salts have been neutralized with lime or soda ash.

For use with insecticides and Acaricides, 1/3 to 1/2 gallon per 100 gallons to improve deposit and spread over waxy leaf surfaces.

**COMPATIBILITY:** HINDER is compatible with most commonly used organic phosphate, carbonate and oil-soluble hydrocarbon insecticides, and miticides, and with neutral micronutrient materials. It is not compatible with metallic salts such as zinc, manganese and iron sulfates. Do not use with strongly acidic spray materials or with Lettingwell Sorba Spray products.

**IMPORTANT NOTICE —** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label, when used in accordance with the directions and instructions appearing on the label. Seller makes no other warranty, express or implied, extends to the user of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.