

# TURFCIDE®

## 2 LB. EMULSIFIABLE TURF & ORNAMENTAL FUNGICIDE

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

This material may cause skin irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Use with adequate ventilation. Do not contaminate feed or foodstuffs.

Homeowners: Avoid contact with skin by wearing the following protective clothing: gloves, long-sleeve shirt, long pants, socks, and shoes.

Commercial Applicators: The following protective clothing are required during mixing/loading operations: respirator, gloves, long-sleeve shirt, long pants, socks and shoes.

Wash hands thoroughly after using.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water or wetlands by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Do not use or store near heat sources or open flame. Do not use in the vicinity of pilot lights.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Protect from temperatures below 20° F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

HOUSEHOLD: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

ACCEPTED  
MAR 1 1988  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 400-404

# UNIROYAL CHEMICAL

#### COMPOSITION

Active Ingredient: (% by weight)  
Pentachloronitrobenzene (PCNB)... 24%  
Inert Ingredients: ..... 76%  
Total: ..... 100.0%  
Contains 2 lbs. of Pentachloronitrobenzene per U.S. Gallon at 68°F.

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of water. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

UNIROYAL CHEMICAL COMPANY, INC.  
Middlebury, CT 06749  
EPA REG. NO. 400-404  
EPA EST. NO.



12-3-87

Est. No.

Turfcide is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.  
©Copyright 1986, Uniroyal Chemical Company, Inc.

NET CONTENTS:

2 8 2

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

**LAWNS AND TURF**

**LAWNS (Brown Patch - Rhizoctonia solani):** For Southern or warm season lawns such as St. Augustine, Bermuda and similar grasses: Make one application in the fall or spring at first indication of infection. Mix 1 qt. in sufficient water (10-15 gals.) to cover 1,000 sq. ft. Apply by means of a sprinkler can, sprayer or any other convenient method of obtaining even coverage. Following application, the treated area should be lightly watered to insure movement through the grass to the soil level. If the treated area is subjected to unusually heavy rainfall, or flooded, or if the disease is severe or reappears, the area should be retreated 3-4 weeks later. Under certain growing conditions, a temporary discoloration of the grass occasionally may occur. This causes no harm and will disappear in a short time.

**Helminthosporium leaf spot and dollar spot:** Apply at rate of 1 to 1½ qts. in sufficient water (10-15 gals.) per 1,000 sq. ft. Apply by means of a sprinkler can, sprayer or any other convenient method of obtaining even coverage. Preventative applications should be made in spring or fall of each year. For control of existing infections, apply at the higher rate as soon as symptoms are first noted. Following applications, the treated area should be lightly watered to insure movement through the grass to soil level. If the treated area is subjected to unusually heavy rainfall, or flooded, or if the disease is severe or reappears, the area should be retreated 3 to 4 weeks later.

**Snow mold (Typhula incarnata, Fusarium nivale):** Apply at rate of 1 to 1½ qts. in sufficient water (10-15 gals.) per 1,000 sq. ft. Apply by means of a sprinkler can, sprayer or any other convenient method of obtaining even coverage. Application should be made prior to first snowfall.

Do not graze treated areas or feed clippings to livestock.

**ORNAMENTALS**

**AZALEA AND CAMELLIA (Azalea Petal blight and Camellia flower blight):** Apply as a drench under plants at a rate of 1½ qts. in 30 gallons of water per 150 sq. ft. Begin application prior to opening of buds and repeat every 3 to 4 weeks through bloom period.

Do not plant root crops in PCNB treated fields within 12 months of broadcast and banding applications unless PCNB is registered for use on those crops.

\* DO NOT USE IN CALIFORNIA

**IMPORTANT NOTICE** — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

