

~~Triachlorop~~ **Super-X**

Soil Fungicide

— EMULSIFIABLE

Controls Rhizoctonia, Pythium, Thielaviopsis and Fusarium
— Soil-borne seedling diseases of cotton.

ACCEPTED

JAN 30 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered for use for
EPA Reg. No. 400-405

UNIROYAL

| | |
|---|-------|
| ACTIVE INGREDIENTS: | |
| Pentachloronitrobenzene | 23.2% |
| 5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole* | 5.8% |
| INERT INGREDIENTS: | 71.0% |
| *U.S. Patents 3,260,588 and 3,260,725; others pending. TOTAL 100.0% | |
| Contains 2 lbs of Pentachloronitrobenzene and 0.5 lb of 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole per U.S. gallon at 68° F | |

**KEEP OUT OF REACH OF CHILDREN.
WARNING!**
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COTTON (Seedling Disease Complex - Rhizoctonia, Pythium, Thielaviopsis and Fusarium)

SOIL IN-FURROW APPLICATION:

At planting time, use 2 to 3 qts. per acre (13,000 linear ft. based on 40 in. rows) mixed with 5 to 15 gallons of water. Spray all the soil that surrounds and covers the seed. Two nozzles work best: center the front nozzle over the open furrow to spray soil around the seed and the rear nozzle to spray the covering soil as it fills the furrow. Do not allow the feeding or grazing of cotton foliage by livestock. Do not feed gin waste to livestock.

USE PRECAUTIONS

Do not plant treated fields to any crop other than cotton.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Mfg. by **UNIROYAL CHEMICAL** — Division of **UNIROYAL, Inc.**
Naugatuck, Connecticut 06770
EPA REG. NO. 400-405
EPA EST. NO.

Lot. No.

Registered Trademark of **UNIROYAL, Inc.**
Copyright 1983, Uniroyal, Inc.

NET WEIGHT-

LEFT PANEL

450-405

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
WARNING**

Harmful if swallowed. Do not inhale spray mist.

Do not get on skin or in eyes. May
cause skin irritation. Skin contact may be harmful.

The following protective clothing are required during mixing/loading
operations: respirator, gloves, long-sleeve shirt, long pants, socks
and shoes.

Wash thoroughly all exposed
skin. In case of eye contact, flush with
plenty of water. Wash thoroughly
all contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do
not apply where runoff is likely to occur. Do not apply when weather
conditions favor drift of spray from the area being treated. Do not con-
taminant water by cleaning of equipment by disposal of wastes. Apply
this product only as specified on this label.

PHYSICAL or CHEMICAL HAZARDS

COMBUSTIBLE LIQUID.

**DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by
storage and disposal.

STORAGE: Keep container closed

PROTECT FROM TEMPERATURES BELOW 20° F.

PESTICIDE DISPOSAL: Pesticide wastes
are toxic. Improper disposal of excess
pesticide spray mixture or rinsate is a
violation of Federal Law. If these wastes
cannot be disposed of by use according
to label instructions, contact your State
Pesticide or Environmental Control
Agency or the Hazardous Waste repre-
sentative at the nearest EPA Regional
Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or
equivalent). Then offer for recycling or
reconditioning or puncture and dispose
of in a sanitary landfill, or by other
procedures approved by State and local
authorities.

BEST DOCUMENT AVAILABLE

TERRACLOR Super-X

EMULSIFIABLE SOIL FUNGICIDE

Controls *Rhizoctonia*, *Pythium*,
Thielaviopsis and *Fusarium*
Soil-Borne Seedling Diseases of Cotton

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING

Harmful if swallowed. Do not inhale spray mist. Do not get on skin or in eyes. May cause skin irritation. Skin contact may be harmful. The following protective clothing are required during mixing/loading operations: respirator, gloves, long-sleeved shirt, long pants, socks and shoes. Wash thoroughly all exposed skin. In case of eye contact, flush with plenty of water. Wash thoroughly all contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift of spray from the area being treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDOUS COMBUSTIBLE LIQUID Do not use, pour, spill or store near heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container closed. Protect from temperatures below 20 F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

UNIROYAL

COMPOSITION

| | |
|---|------|
| Active Ingredient (by weight): | |
| Pentachloronitrobenzene | 23.2 |
| 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole* | 5.8 |
| Inert Ingredients | 71.0 |

Total 100.0

*U.S. Patents 3,260,588 and 3,260,725, others pending

Contains 2 lbs. of Pentachloronitrobenzene and 0.5 lb. of 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole per U.S. gallon at 68 F.

KEEP OUT OF REACH OF CHILDREN WARNING

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

NOT REVIEWED

In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated 1/2/84

UNIROYAL CHEMICAL — Division of UNIROYAL, Inc.
Naugatuck, Connecticut 06770
EPA REG. NO. 400-405
EPA EST. NO.

Terracolor is a Registered Trademark of Uniroyal, Inc.
Copyright 1983, Uniroyal, Inc.

1484
Lot No.

DIRECTIONS FOR USE

COTTON

(Seeding Disease Complex: Rhizoctonia, Pythium, Thielaviopsis and Fusarium)

SOIL IN FURROW APPLICATION: At planting time, use 2 to 3 quarts per acre (13,000 linear ft. based on 40 in. rows) mixed with 5 to 15 gallons of water. Spray all the soil that surrounds and covers the seed. Two nozzles work best: center the front nozzle under the open furrow to spray soil around the seed and the rear nozzle to spray the covering soil as it fills the furrow. Do not allow the feeding or grazing of cotton foliage by livestock. Do not feed or waste to livestock.

USE PRECAUTIONS

Do not plant treated fields to any crop other than cotton.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

