




GRANULAR
Triphenylol Super-X
SOIL FUNGICIDE

2-10-77
SYSTEMIC INSECTICIDE



COMPOSITION

ACTIVE INGREDIENTS:	
Pentachloronitrobenzene	6.50%
5-Ethoxy-3-(trichloromethyl)-1, 2, 4-thiadiazole	1.83%
O, O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate†	8.50%
INERT INGREDIENTS	85.37%
Total	100.00%

†U.S. Patents 3,209,585 and 3,209,726, others pending
 †U.S. Patent No. 2,750,810

400-408

BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN
DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN.
 STOPPINE IS AN ANTIDOTE FOR DI SYSTEM.
 CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

 **POISON** 

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Urink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing. wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician.

IF INHALED: Remove to fresh air; if abnormal symptoms develop, contact a physician.

NOTE TO PHYSICIAN

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also available and may be administered in conjunction with atropine.


Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first signs of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

Mfg. by **UNIROYAL CHEMICAL** — Division of **UNIROYAL, Inc.**
 Naugatuck, Connecticut 06770
 EPA REG. NO. 400-408
 EPA EST. NO.

Lot. No.

NET WEIGHT:



LEFT PANEL

BEST DOCUMENT AVAILABLE

(2)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Do Not Breathe Dust. Do Not Get in Eyes, On Skin, Or Clothing.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wear freshly laundered long sleeve work clothes daily. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day. Change outer clothing.

While transferring material from package to equipment, wear a clean cap, goggles, gloves (cotton or rubber) and a mask or respirator of a type recommended by the U.S. Bureau of Mines. In any situation protection against the material. If cotton gloves are used, they must be laundered after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Keep all unprotected persons out of the operating area.

The following protective clothing are required during mixing/ loading operations:
gloves, long-sleeve shirts, long pants, socks and shoes.

ENVIRONMENTAL HAZARDS

This material is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to any animal not specified on the label. Do not apply where runoff is likely to occur. Sweep up spilled material. Do not use in the field. Once a spill has been reported, the U.S. Company, should be notified for the purpose of determining the proper cleanup procedure.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE — Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

400 408

(3)

DIRECTIONS FOR USE ON COTTON

For control of Seed-borne disease (Aspergillus, Rhizoctonia, Pythium and Fusarium) and for control of Thrips, Aphids and Mites. Apply 1.5 lbs. per acre in the application at planting time with a granular carrier or with water properly calibrated to assure accurate placement and proper coverage.

Application Method	Lbs. drill per acre	Lbs. 1.000 lb. fl. flow based on 40 in. spacing
DRILL PLANTING	1.5	1.5
WATER SOFT PLANTING	1.5	1.5

Soil temperature, moisture and pH should be favorable for seed germination and emergence. Systemic insecticides can possibly damage seed germination when placed on or very near the seed. However, the addition of a fungicide such as Terracot Super 4 considerably lessens this hazard. Do not allow the feeding or grazing of cotton herbage by livestock. Do not plant treated seeds to any crop other than cotton.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



ORGANIC PHOSPHATE COMPOUND
MIXTURE DRY.
DO NOT SNIP WITH OR STONE
NEAR FEED OR FOODSTUFFS.

DOT E6296

*BN-SYSTEM is a Reg. TM of the Parent Company of Farbwerke Bayer GmbH, Leverkusen

BEST DOCUMENT AVAILABLE

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

21 MAR 1984

Uniroyal Chemical
Div. of Uniroyal, Inc.
74 Amity Road
Bethany, CT 06525

300/114466
17/5

Attention: Raymond A. Cardona

Gentlemen:

Subject: Amendment - Updated Label
Granular Terrachlor Super X Soil Fungicide with
Disyston Systemic Insecticide
EPA Registration No. 400-408
Application Dated November 19, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. In the precautionary section, Hazards to Humans, delete "mask or respirator....material" and substitute the following:

....a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

2. In the Environmental Hazards delete, "Do not apply where runoff is likely to occur," as it is not required text.
3. Also, in the above section delete the current reference to spillage and use the following: "Cover or incorporate granules which are spilled during loading and which are visible on the soil surface in turn areas."
4. It appears that this product is subject to the child-resistant packaging requirements. Refer to 40 CFR 162.16 "Pesticides Requiring Special Packaging" and the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981, pps. 15104-15109, "Clarification of Policy Issues on Special Packaging" for guidance and proper submission requirements.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

EPA Form 1320-1 (4-81) OFFICIAL FILE COPY

400-408

-2-

5. Revise the statement of practical treatment to read:

- If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.

6. In Hazards to Humans section add, "Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin," as the first sentence.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD-IRB:DCR-01499:LaRocca:LM:Raven:557-2226:RD-22:3/15/84:Del.4/2/84