

PM25

400-408

File  
10/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division

Willard F Cummings  
UNIROYAL CHEMICAL CO INC  
74 AMITY RD  
BETHANY CT 06524

OCT 15 1993

Subject: Label Amendment Submission of 06/28/93  
to Comply with WPS Labeling Requirements  
EPA Reg Nr. 400-408  
TERRACLOR SUPER-X SOIL FUNGICIDE WITH DI-SYSTON GR

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped, "Accepted with comments", is attached. Make any required changes described below and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs (H-7504C)  
U.S. Environmental Protection Agency  
401 M Street, SW  
Washington, DC 20460-0001

2075

UNIROYAL CHEMICAL CO INC  
EPA Reg. Number: 400-408  
TERRACLOR SUPER-X SOIL FUNGICIDE WITH DI-SYSTON GRANULA  
Application date: 06/28/93  
Original Submission

Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL)  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Add "aircraft" to the Engineering Control Statement; there is no prohibition against using aircraft on the current label.


There is a typographical error(s) in the PPE statements that you added to the Precautionary Statements.

There is a typographical error(s) in the Spanish language text.

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling, the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely,

  
Registration Support Branch  
Registration Division

305

**RESTRICTED USE PESTICIDE**  
Due to Acute Human Oral, Dermal, and Inhalation Toxicity,  
For retail sale to and use only by certified applicators, or  
persons under their direct supervision, and only for those uses covered by the  
certified applicator's certification.

# TERRACLOR Super X®

**GRANULAR  
SOIL FUNGICIDE  
WITH Di-Syston®  
SYSTEMIC ORGANOPHOSPHATE INSECTICIDE**

Terraclor Super X with Di-Syston contains three active ingredients,  
Terraclor®, Terrazole®, and Di-Syston®

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

OCT 15 1993

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
400-408



### COMPOSITION

Active Ingredients: (% by weight)	
Pentachloronitrobenzene (PCNB) .....	6.50%
5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole .....	1.63%
Disulfoton: O,O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate* .....	6.50%
Inert Ingredients .....	85.37%
Total: .....	100.00%

\*U.S. Patent No. 2,759,010.

UNIROYAL CHEMICAL COMPANY, INC., Middlebury, CT 06749  
EPA REG. NO. 400-408  
EPA EST. NO.

006WPS

NET WEIGHT

**BEST AVAILABLE COPY**

**KEEP OUT OF REACH OF CHILDREN**



**POISON**



**DANGER — PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

**POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.**

**RAPIDLY ABSORBED THROUGH SKIN. THIS PRODUCT CONTAINS AN ORGANOPHOSPHATE INSECTICIDE. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT**

**SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO DISULFOTON POISONING.  
ATROPINE AND 2-PAM ARE ANTIDOTES FOR DI-SYSTON. CALL A PHYSICIAN IMMEDIATELY  
IN ALL CASES OF SUSPECTED POISONING**

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush with plenty of water. Call a physician immediately.

**NOTE TO PHYSICIAN:** Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**ANTIDOTE:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

495

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
DANGER**

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing.

**PERSONAL PROTECTIVE EQUIPMENT**

**Applicators and Other Handlers Must Wear:** Coveralls over short-sleeved shirt and short pants; waterproof gloves; chemical-resistant footwear plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing, or loading. For exposures in enclosed areas: A respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). For exposure outdoors: Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified by WPS.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic organisms and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and run-off from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spills. This pesticide is toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. The REI is 72 hours in outdoor areas where average rainfall is less than 25 inches a year.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls over short-sleeved shirt and short pants
- waterproof gloves
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

**COTTON**

For control of Seedling Disease Complex - Rhizoctonia, Pythium and Fusarium and for early season control of thrips, aphids and mites. Apply as a soil in-furrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

The higher use rate should be used under the following conditions:

1. fields have heavy disease inoculum history
2. soils are cold or wet
3. no or low till programs are utilized

Application Method	Rate of Formulation	
	Lbs./drill row per acre	Lbs./1300 linear feet of row based on 40 inch spacing
DRILL PLANTING	12 to 15	1.2 to 1.5
HILL-DROP PLANTING	4 to 5	0.4 to 0.5

Soil temperature, moisture and till should be favorable for good germination and emergence. Systemic insecticides can possibly damage seed germination when placed on or very near the seed, however, the addition of a fungicide such as Terraclor Super X, considerably lessens this hazard.

**USE PRECAUTIONS**

Do not allow the feeding or grazing of cotton foliage by livestock. Apply only at planting time. Do not exceed 2 lbs. of PCNB active ingredient per acre in any one season applied as spray or granular formulations.

Do not plant root crops in treated fields within 12 months of application.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a dry location.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT NOTICE**—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

TERRACLOR®, TERRAZOLE® and TERRACLOR Super X® are Registered Trademarks of Uniroyal Chemical Company, Inc.

® DI-SYSTON is a Registered Trademark of Bayer AG, Germany

© Copyright 1993, Uniroyal Chemical Company, Inc.