

RESTRICTED USE PESTICIDE

Acute Human Oral, Dermal, and Inhalation Toxicity.
For retail sale to and application only by certified applicators or personnel under their direct supervision and only for those uses covered by the certified applicator's certification.

TERRACLOR 6.5%

PLUS

Di-System® 6.5% GRANULAR

SOIL FUNGICIDE — SYSTEMIC INSECTICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wear freshly laundered long-sleeve work clothes daily. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing. While transferring material from package to equipment and during mixing/loading/application operations, wear a hat, goggles, face shield or equivalent, gloves (cotton or natural rubber), long-sleeved shirt, long pants, socks, shoes, and a pesticide respirator jointly approved by the Mine Safety Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. Keep all unprotected persons out of the operating area.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands. Drift and run-off from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills. This pesticide is toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY STATEMENT

Do not allow reentry into treated fields within 24 hours of application unless appropriate protective clothing is worn.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.



COMPOSITION

Active Ingredient: (% by weight)	
Pentachloronitrobenzene	6.5%
Disulfoton: O,O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate**	6.5%
Inert Ingredients:	87.0%
Total:	100.0%

**U.S. Patent No. 2,759,010.



KEEP OUT OF REACH OF CHILDREN DANGER — POISON



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN.
ATROPINE IS AN ANTIDOTE FOR DI-SYSTON
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.
STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES: Flush with plenty of water. Call a physician immediately.
NOTE TO PHYSICIAN: ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.
Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

UNIROYAL CHEMICAL COMPANY, INC.

Middlebury, CT 06749

EPA REG. NO. 400-411

EPA EST. NO.

Terraclor is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.

© Copyright 1983, Uniroyal Chemical Company, Inc.

NET CONTENTS:

Lot. No.

8-21-86

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and early season control of thrips, aphids and mites, apply at planting time as a soil in-furrow application, near seeds and over covering soil while using a suitable applicator properly calibrated to assure accurate placement and proper dosage levels.

Application Method	Lbs./drill row per acre	Lbs./1300 linear feet of row based on 40 inch spacing
DRILL PLANTING	15	1.5
HILL-DROP PLANTING	5	0.5

Soil temperature, moisture and tillth should be favorable for good germination and emergence. Systemic insecticides, however, can possibly damage seed germination or stunting of seedlings under adverse conditions such as extremely cool or wet or extremely dry weather. Such damage may be more pronounced in light, sandy soils or when used in conjunction with certain pre-emergence herbicides.

USE PRECAUTIONS

While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone.

Do not plant any food or feed in rotation after a field treatment with disulfoton/PCNB unless it is registered use for disulfoton and PCNB.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.