

Terraclor 6.5% WITH

SOIL FUNGICIDE

THIMET SYSTEMIC INSECTICIDE 6.5%

GRANULAR


UNIROYAL
COMPOSITION**ACTIVE INGREDIENTS:**

Pentachloronitrobenzene	6.50%
-------------------------	-------

Phorate [O,O-Diethyl S-(ethylthio) methyl phosphorodithioate]	6.50%
---	-------

INERT INGREDIENTS:	87.00%
--------------------	--------

TOTAL	100.00%
-------	---------

ACCEPTED

1-10-1984

KEEP OUT OF REACH OF CHILDREN

DANGER

POISONOUS BY SKIN CONTACT, INHALATION,
OR SWALLOWING

ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY,
WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE
SUSCEPTIBILITY TO THIMET POISONING

**POISON****STATEMENT OF PRACTICAL TREATMENT**

ATROPINE IS AN ANTIDOTE FOR THIMET[®]
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES
OF SUSPECTED POISONING

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing. Wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician.

IF INHALED: Remove to fresh air; if abnormal symptoms develop, contact a physician.

Physician's Note: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

Mfg. by UNIROYAL CHEMICAL — Division of UNIROYAL, Inc.
Naugatuck, Connecticut 06770
EPA REG. NO. 400-412
EPA EST. NO.

Lot. No.

LEFT PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS **DANGER**

Contact Equipment: Do not use this product in enclosed spaces. If contact with skin occurs, remove contaminated clothing and wash thoroughly with soap and water.

Wash thoroughly with soap and water before eating or drinking. At the end of the work day, and change clothes during.

Wear fully laundered, long sleeved work clothing daily. When returning from package to equipment, wear a clean suit, long sleeves or cotton and a mask or respirator. The suit must provide protection against this material. If contaminated, it must be laundered or discarded after use. Hands must be washed with soap and water after use. Do not wear the same gloves for other work. Change gloves frequently.

The following protective clothing are required: long pants, long sleeves, socks and shoes.

When emptying into equipment, pour downward and downward into the tank. Do not spray at face level and do not allow contact with the breathing zone.

Exclude unprotected persons and domestic animals from operating and equipment areas where this product may drift. Prohibit re-entry until drift and vapor dissipate.

Spillages: Spillage, whether it occurs indoors or in the field. Once a bag has been opened, use it completely.

Make sure that the hoppers of equipment are emptied while in the field.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wet soil. Do not apply directly to water or wet soil. Do not apply directly to water or wet soil.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE — Store in a dry location

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and for early season control of thrips, aphids and mites.

Apply as a broadcast or furrow application at planting time with a granular perfecting applicator properly calibrated to assure accurate placement of 1.0 lb per acre.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soils.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soils.

Do not plant any root crop not registered for PCNB in rotation on PCNB treated soils.

IMPORTANT NOTICE — Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label, when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.