

JUL 2 1985

653-
10
141,821

Dr. Raymond A. Cardona
Manager, Registrations and Toxicology
Uniroyal, Inc.
Chemical Group
74 Amity Rd.
Bethany, CT 06525

Dear Dr. Cardona:

Subject: Terraclor 6.5% Soil Fungicide with
Thimet Systemic Insecticide
EPA Registration No. 400-412
Restricted Use Labeling Submitted November 5, 1984

The labeling referred to above, submitted in connection with
registration under FIFRA, as amended, is acceptable, provided that
you:

1. Make the labeling change listed below before you release the
product for shipment bearing the amended labeling:
 - The restricted use statement must be revised to read as
follows:

RESTRICTED USE PESTICIDE

Due to acute oral and dermal toxicity, and bird toxicity.

For retail sale to and application only by certified
applicators or personnel under their direct super-
vision.

SYMBOL								
SIGNATURE								
DATE								

- 2 -

2. Submit five (5) copies of your final printed label before you release the product for shipment.

If these conditions are not complied with, the Registration will be subject to cancellation in accordance with FIFRA sec. (6). Your order for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Repellent Division
Registration Division (75-767)

Enclosure

1. The first step is to identify the key components of the system. This involves understanding the hardware, software, and data involved. For example, in a web application, this might include the server, the database, and the user interface.

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified applicator's certification

Terraclor 6.5% WITH THIMET SYSTEMIC INSECTICIDE 6.5% GRANULAR



ACCEPTED
FOR SALE
IN THE STATE OF
NEW YORK
DATE 11/2

COMPOSITION	
ACTIVE INGREDIENTS:	
Pentachloronitrobenzene	6.50%
Phorate [O,O-Diethyl S-(ethylthio) methyl phosphorodithioate]	6.50%
INERT INGREDIENTS:	87.00%
TOTAL	100.00%

Not for use or storage in or around the home.

KEEP OUT OF REACH OF CHILDREN DANGER

POISONOUS BY SKIN CONTACT, INHALATION,
OR SWALLOWING
ABSORBED THROUGH SKIN
IF INHALED OR SKIN CONTACT MAY
PRODUCE SYMPTOMS PROBABLY INCREASED
RECEPTIBILITY TO THIMET POISONING



POISON



STATEMENT OF PRACTICAL TREATMENT

ATROPINE IS AN ANTIDOTE FOR THIMET
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES
OF SUSPECTED POISONING

IF SWALLOWED: Call a physician or Poison Control Center, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing. Wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician.

IF INHALED: Remove to fresh air; if abnormal symptoms develop, contact a physician.

Physician's Note: Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 gram each) at once and every hour as required until pupils dilate. Twenty to 30 milligrams, or more, may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

CHEMICAL GROUP — Uniroyal, Inc.
Middlebury, CT 06749
EPA REG. NO. 400-412
EPA EST. NO.

Lot. No.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

Wear freshly laundered (not worn) work clothing daily. While transferring from package to equipment, wear a clean cap and gloves (rubber or cotton) and a mask or respirator of a type to give adequate protection against this material. If cotton gloves are used, they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. The following protective clothing are required during mixing/loading operations: gloves, long sleeved shirt, long pants, socks and shoes. While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone. Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift.

ENVIRONMENTAL PRECAUTIONS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE Store in original container.

Once a bag has been opened, use it completely. **PESTICIDE DISPOSAL:** Empty container wastes are acutely hazardous. Improper disposal of excess product, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Empty container must be triple rinsed and then disposed of in accordance with local, State and local authority. Do not reuse or burn. Stay out of home.

REENTRY STATEMENT

Do not reenter treated fields before 24 hours after application. If reentry prior to 24 hours is required, take the same precautions as an applicator of the product including use of protective clothing, gloves and goggles.

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and for early season control of thrips, aphids and mites.

Apply as a soil interrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	lb. (drill row) per acre	lb. (120" row) of row treated 4" in spacing
DRILL PLANTING	15	15
HILL-DROP PLANTING	5	5

Food/feed crops other than those registered for use with phorate and PCNB may not be planted in treated soils.

THIMET[®] is a trademark of American Cyanamid Company.

IMPORTANT NOTICE — Seller warrants that this product conforms to the chemical description and is reasonably fit for the purposes stated on the label and is used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.