

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE
 Due to acute oral and dermal toxicity; and bird toxicity.
 For retail sale to and application only by certified
 applicators or personnel under their direct supervi-
 sion.

TERRACLOL 6.5% WITH SOIL FUNGICIDE THIMET 6.5% Granular SYSTEMIC INSECTICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

DANGER

Do Not Breathe Dust. Do Not Get In Eyes. On Skin. Or Clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Wash thoroughly with soap and water before eating or smoking. Bathe at the end of the work day and change outer clothing.

Wear freshly laundered long sleeve work clothing daily. While transferring material from package to equipment, wear a clean cap and gloves (cotton or rubber) and a mask or respirator of a type to give adequate protection against this material. If cotton gloves are used they must be laundered or discarded after each day's use. Rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently. The following protective clothing are required during mixing, loading, operation, and application: long-sleeved shirt, long pants, closed-toe shoes. When empty, not for use, place in a container prior to washing and all work clothes must be laundered. Do not pour at face level and do not allow dust to reach the breathing zone. Remove unprotected persons and domestic animals from operating and adjacent areas where this product may drift.

When applying product, wear protective clothing, gloves and goggles.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incinerate spills.

DIRECTIONS FOR USE

For a complete Federal Law and other information on pesticide use, consult a State Pesticide Control Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

Once a bag has been opened, use it completely.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or empty containers is prohibited by Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environment Control Agency, or the Hazardous Waste Emergency Division at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag and place in a secure location. Do not reuse for food or feed.



COMPOSITION

Active ingredient: 6.5% THIMET
 Inert ingredients: 93.5%

NOT FOR USE OR STORAGE NEAR AROUND THE HOME

KEEP OUT OF REACH OF CHILDREN DANGER

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING
 ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT MAY WITHOUT SYMPTOMS PRODUCE SILENTLY A DANGEROUS SUSCEPTIBILITY TO THIMET POISONING



POISON



STATEMENT OF PRACTICAL TREATMENT

ATROPINE IS AN ANTIDOTE FOR THIMET

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

IF SWALLOWED: Give at least 1 glass of water. Do not induce vomiting. Drink 1 or 2 glasses of water and induce vomiting by forcing back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth if unconscious or comatose.

IF SPILLED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.
IF SPILLED ON SKIN: Immediately remove contaminated clothing. Wash skin with soap and plenty of water. Symptoms of poisoning develop; send for a physician.

IF INHALED: Remove to fresh air; if abnormal symptoms develop, contact a physician.

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, tightness in chest, blurred vision, reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously, 2 to 4 milligrams (3 to 6 tablets, 1/100 grain each) once and every four or six hours until pupils dilate. Twenty to 30 milligrams or more may be required during first 24 hours. Never give morphine. Clear chest by suction drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Reported exposure to cholinesterase-inhibiting drugs will not worsen cause increased susceptibility to very small doses of any cholinergic case inhibitor. Allow further exposure until enough cholinergic reactivation has taken place as determined by blood tests.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

CHEMICAL GROUP — Uniroyal, Inc.

Middlebury, CT 06749

EPA REG. NO. 400-412

EPA EST. NO.

Terraclo is a Registered Trade-mark of Uniroyal, Inc.

Copyright 1983, Uniroyal, Inc.

NET CONTENTS:

Lot No

11-5

REENTRY STATEMENT

Do not treated fields before 24 hours after application. If reentry prior to 24 hours is required, take the same precautions as an applicator of the product including use of protective clothing, gloves and goggles

DIRECTIONS FOR USE ON COTTON

For control of damping-off (*Rhizoctonia solani*) and for early season control of thrips, aphids and mites. Apply as a seed-in-furrow application at planting time, with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	Lbs./drill row per acre	Lbs./1300 linear feet of row based on 40 inch spacing
DRILL PLANTING	15	1.5
HILL DROP PLANTING	5	0.5

Food, feed crops other than those registered for use with phorate and FCNB may not be planted in treated soils.

THIMET is a Registered Trademark of American Cyanamid Company

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is as useful for the purposes stated on the label when used in accordance with the directions and instructions specified on the label, under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

THE UNIVERSITY OF
Tennessee
Incorporated 1900
Knoxville, Tennessee

7/2/85
7/30/85

BEST AVAILABLE COPY