


**BEST AVAILABLE COPY**



**RESTRICTED USE PESTICIDE**  
Due to acute oral and dermal toxicity and avian hazards.  
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
DANGER**

Do Not Breathe Dust. Do Not Get In Eyes, On Skin, Or Clothing. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

**PERSONAL PROTECTIVE EQUIPMENT: WEAR THE FOLLOWING PROTECTIVE CLOTHING DURING LOADING, APPLICATION, EQUIPMENT REPAIR/CLEANING, AND DISPOSAL OF THE PESTICIDE.** A protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical resistant gloves, chemical resistant shoes, shoe coverings, or boots. Wear goggles and a pesticide respirator approved by NIOSH or MSHA.

Unless a chemical resistant protective suit is otherwise required, mixers/loaders must wear a chemical resistant apron and goggles or a face shield.

The respirator need not be worn during equipment repair and cleaning and during early reentry after dust has settled. IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATE. Long-sleeved shirt and long-legged pants, shoes and socks. Chemical resistant gloves must be available in the cab or cockpit at all times when operating. This clothing is inadequate for use in the cab or cockpit for air or cleaning reentry, or pesticide disposal work. Do not allow contaminated clothing to come in contact with the insides of the cab.

After work, immediately wash face and hands with soap and water. Wash eyes with water. Do not eat, drink, or smoke after work.

**AFTER WORK:** Before removing gloves, wash them with soap and water. Wash face, hands, shoes and socks. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirator. Clothing and protection equipment heavily contaminated must be destroyed according to state and local regulations. HEAVILY CONTAMINATED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED. Consult Worker Safety rules and Reentry statements for further precautions.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and wildlife. Birds feeding in treated area may be killed. Do not apply directly to water or wetlands (Swamps, bays, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Collect or incorporate granules that are spilled during loading or are visible on soil surface in burn areas. Do not contaminate water when disposing of equipment/washwaters.

**TERRACLOR<sup>®</sup> 6.5% WITH  
SOIL FUNGICIDE  
THIMET<sup>®</sup> 6.5% Granular  
SYSTEMIC INSECTICIDE**

**UNIROYAL  
CHEMICAL**

**ACCEPTED**

Under the terms of the...  
EPA REG. NO. 400-412

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

**COMPOSITION**

Active Ingredient (lb. by weight)	
Pentachloronitrobenzene (PCNB)	3.25
Phorate (O,O-dimethyl S-(diethylthio) phosphorothioate)	3.25
Inert Ingredients	33.50
<b>Total</b>	<b>40.00</b>

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING  
ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY WITHOUT SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY TO THIMET POISONING  
ATROPINE AND 2-PAM ARE ANTIDOTES FOR THIMET  
CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

**PELIGRO  
POISON**

**PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiquetado haya sido explicado ampliamente.**

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing. Wash with soap and plenty of water. If symptoms of poisoning develop, send for a physician.

IF INHALED: Remove to fresh air. If abnormal symptoms develop, contact a physician.

**PHYSICIAN'S NOTE:** Warning symptoms include weakness, headache, lightness of chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT:** Administer atropine sulfate in large therapeutic doses. Repeat as necessary, to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Repeated exposure to cholinesterase inhibitors may without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood tests.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a dry location. Once a bag has been opened, use it completely.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or empty containers may be illegal. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Empty containers must be triple-rinsed. Rinners must be disposed of in accordance with label instructions.

**UNIROYAL CHEMICAL COMPANY, INC.**  
Middlebury, CT 06749  
EPA REG. NO. 400-412  
EPA EST. NO. [ ]

Terraclor is a registered Trademark of Uniroyal Chemical Company, Inc.  
THIMET is a Trademark of American Cyanamid Company  
Copyright 1989, Uniroyal Chemical Company, Inc.  
NET CONTENTS: [ ]

### WORKER SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY, WITHOUT WARNING, CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before using this product consult the National Pesticide Telecommunications Network for recommendations regarding such blood tests, poisoning management, emergency treatment, and other information regarding the toxicity of phorate. The toll free number for the National Pesticide Telecommunications Network is 1-800-858-7378.

If handled indoors provide mechanical exhaust ventilation.

Keep all unprotected persons, children, livestock, and pets away from treated areas or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in anyway, STOP work and get help right away. See First Aid [Practical Treatment] section.

### REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

After dusts have settled, do not enter or allow entry into the treated area until the 48 hour reentry interval has expired, unless the person entering the treated area is wearing the personal protective equipment listed below for early reentry.

For early reentry into treated areas wear a protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical resistant gloves and chemical resistant shoes, shoe coverings, or boots.

Because certain states may require more restrictive reentry intervals for various crops treated with this product consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER" "Area to be treated with Terraclor 6.5% with Thimet 6.5% on (date of application). Do not enter without appropriate protective clothing until 48 hours after application. If accidentally exposed, consult the Statement of Practical Treatment portion of the pesticide label for first aid recommendations."

### DIRECTIONS FOR USE ON COTTON

It is a violation of Federal law to use this product in a manner inconsistent with its label.

For control of damping-off (*Rhizoctonia solani*) and for early season control of thrips, aphids and mites.

Apply as a soil in-furrow application at planting time with a granular pesticide applicator properly calibrated to assure accurate placement and proper dosage.

Application Method	Lbs./drill row per acre	Lbs./1300 linear feet of row based on 40 inch spacing
DRILL PLANTING	15	1.5
HILL-DROP PLANTING	5	0.5

Do not plant root crops in treated fields within 12 months of application.

Do not feed treated hay or forage to livestock.

**IMPORTANT NOTICE** — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.