

**ACCEPTED**  
**FEB 1 0 1984**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, by the pesticide registered under EPA Reg. No. 400-417



15/2

# Terrazole

## 25% EMULSIFIABLE

For Commercial Use Only  
 Controls certain soil-borne diseases  
 of ORNAMENTALS



|   |              |               |
|---|--------------|---------------|
| <b>ACTIVE INGREDIENT</b>  |              |               |
| 5-Ethoxy-3-(trichloromethyl)-1,2,4-triazole*  | 25.0%        |               |
| <b>INERT INGREDIENTS**</b>  | 75.0%        |               |
|   | <b>TOTAL</b> | <b>100.0%</b> |
| <small>*U.S. Patents 3,280,588; 3,280,725 and others</small>  |              |               |
| <small>**Contains Petroleum Distillates</small>   |              |               |
| <small>(Contains 2 lbs. 6-Ethoxy-3-trichloromethyl-1,2,4-triazole per U.S. Gallon at 68°F.)</small> |              |               |

**PRECAUTIONARY STATEMENTS**  
 Hazards to Humans and Domestic Animals  
**DANGER**

Corrosive: Causes irreversible eye damage. Harmful if swallowed. Do not take internally. Do not inhale vapors or spray mist. Do not get in eyes, or on clothing. Wear goggles or face shield. May cause skin irritation. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**  
 Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Flammable. Do not use or store near heat or open flame.

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
**STATEMENT OF PRACTICAL TREATMENT**

If swallowed: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a prompt medical attention.

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled: Remove to fresh air.

Note to Physician: Probable mucosal damage and the presence of petroleum distillates in the formulation may contraindicate the use of gastric lavage.

See left side panel for additional precautionary statement.

**STORAGE AND DISPOSAL**  
 Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**UNIROYAL CHEMICAL** — Division of UNIROYAL, Inc.  
 Naugatuck, Connecticut 06770  
 EPA REG. NO. 400-417  
 EPA EST. NO.



400-417

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### GENERAL INFORMATION

Terrazole is useful as a soil fungicide for control of damping-off, root and stem diseases caused by Pythium and Phytophthora.  
Use only at recommended rates as overdosage may be harmful to sensitive plants. Do not mix with other chemicals other than Terrazole unless prior use has proven compatible.

#### RECOMMENDATIONS

For bedding and bench plantings use with water as a soil drench at time of setting and transplanting. The concentration should be continuously adjusted to assure uniform application of the fungicidal material. To improve penetration of the fungicide the drenching should be followed with an equal quantity of water applied either by sprinkling or by irrigation.

|  |  |
|--|--|
| <b>BEDDING PLANTS:</b><br>Alyssum, Calendula, Chrysanthemum, Celosia, Dianthus, Marigold, Parsley, Petunia, Salvia, Snapdragon, Vinca, Verbena, Zinnia | <b>BEDDING PLANTS:</b> (Set 2" to 3" deep) - Add 1/2 to 1 oz. to 25 gallons of water and apply to 100 sq. ft. of bed area. Repeat application may be made at one to two month intervals if necessary.  |
| <b>FOLIAGE PLANTS:</b><br>Aglaonema, Anthurium, Chinese Evergreen, Dieffenbachia, Nephthytis, Paspalum, Phila, Poinsettia, Philodendron, Sp.           | <b>TROPICAL FOLIAGE, HERBACEOUS and WOODY PLANTS:</b> (Peat and other high organic media 6" deep) -<br><b>Bed and Bench Plantings:</b> Add 1 to 2 oz. in 25 gallons of water and apply to 100 sq. ft. of bed or bench area. Repeat application may be made at one to two month intervals if necessary.<br><b>Pot Plantings:</b> Use 1/2 oz. per gallon per 6" pot or an equal amount to saturate the soil. |
| <b>HERBACEOUS AND WOODY:</b><br>African Violet, Geranium, Rhododendron   |  |

**IMPORTANT NOTICE** — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE