
# Terrazole®

25% EMULSIFIABLE ORNAMENTAL FUNGICIDE



AUG 2 2007

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registered under EPA Reg. No. A



Net contents:

Active Ingredients: (% by weight) Inert Ingredients\*\* .....

\*Contains 2 lbs. 5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole per U.S. Gallon at 68°F. \*\*Contains petroleum distillates

### **KEEP OUT OF REACH OF CHILDREN DANGER • PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### **FIRST AID**

### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20
- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsina eve.
- Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR

- Take off contaminated clothing.
- ON CLOTHING:
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- · Call a poison control center or doctor for treatment advice.

- IF SWALLOWED: Call a poison control center or doctor immediately for treatment
  - Have person sip a glass of water if able to swallow.
  - · Do not induce vomiting unless told to do so by the poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

### IF INHALED:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

### **NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Contains peroleum distillate - vomiting may cause aspiration pneumonia.

### **EMERGENCY ASSISTANCE**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**EMERGENCY PHONE** SAFETY DATA AND INFORMATION TRANSPORTATION EMERGENCY (CHEMTREC) 800-292-5898 203-573-3303

800-424-9300



Manufactured for: Chemtura Corporation 199 Benson Road Middlebury, CT 06749 EPA REG. NO. 400-417 EPA EST. NO. 009/053107

## 2/3

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, or on clothing or skin.

### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Some materials that are chemical-resistant to this product are made of barrier laminate or viton. For more information, follow instructions in Supplement Three of PRNotice 93-7. If you want more options, follow the instructions for category Gon an EPA chemical resistance category selection chart.

All mixer, loaders, applicators and handlers must wear: long-sleeved shirt and long pants; chemical-resistant gloves; NIOSH approved respirator (except for applicators applying in-furrow to cotton) with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an OV cartridge or canister with and N<sup>2</sup>, R, P or HE prefilter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [ $40 \, \text{CFR} \, 170.240(d)(5)$ ], the handler PPE requirements may be reduced or modified as specified in the WPS.

### **USER SAFETY RECOMMENDATIONS**

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**Surface Water Advisory:** Etridiazole can contaminate surface water through spray drift. Under some conditions, etridiazole may have a high potential for runoff into surface water for several weeks postapplication. These conditions include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain surface water.

### PHYSICAL OR CHEMICAL HAZARDS

Combustible: Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not allow product to drift. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

### Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

INDOOR RESTRICTIONS: Entry (including early entry that would otherwise be permitted under the WPS) into greenhouses, potting sheds, and other indoor areas by any person - other than a correctly trained applicator who is performing a handling task permitted by the WPS and who is wearing the required handler PPE including a respirator - is PROHIBITED in the entire enclosed structure/building from the start of application until application is complete and one of the following ventilation criteria (providing outside air) is met: (1) 10 air exchanges; (2) 2 hours of fans or other mechanical ventilation providing outside air; (3) 4 hours of vents, windows, or other passive ventilation; (4) 11 hours with no ventilation followed by 1 hour of mechanical ventilation; (5) 11 hours of no ventilation followed by 2 hours of passive ventilation; or (6) 24 hours with no ventilation. After ventilation criteria are met and until the RE<sub>i</sub> expires, do not enter or allow worker entry into treated areas, except as provided in the WPS. Note: after the expiration of the REI whenever Terrazole-treated soil or planting media is being handled or disturbed indoors, continuous ventilation of the area is required at a minimum rate of one complete air exchange per hour.

Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- chemical-resistant gloves made out of any waterproof material
- · shoes plus socks

3/3

Terrazole is useful as a soil fungicide for control of damping-off, root and stem diseases caused by Pythium and Phytophthora. Use only at recommended rates as overdosage may be harmful to sensitive plants. Do not mix with other chemicals, other than Terraclor® unless prior use has proven compatibility. Follow all label restrictions for any tank mix partners. Do not tank mix with any products which contains a prohibition against tank mixing.

For use in commercial greenhouses only. Use in residential greenhouses or other indoor plant sites is prohibited.

### **APPLICATION DIRECTIONS**

For bedding and bench plantings: Use with water as a soil drench at time of seeding and transplanting in commercial nurseries and greenhouses. The drench solution should be continually agitated to assure uniform application of the fungicidal material. To improve penetration of the fungicide, the drenching must be followed with an equal quantity of water applied either by sprinkling or by irrigation. Do not apply by high pressure hand wand sprayer.

Ajuga Alyssum Calendula Celosia Cineraria	BEDDING Chrysanthemum Coleus Dahlia Dianthus Dusty Miller	PLANTS Larkspur Marigold Pansy Petunia Phlox	Salvia Snapdragon Verbena Vinca Zinnia	<b>BEDDING PLANTS:</b> (Soil 2" to 3" Deep) -Add 3 to 4 ozs. to 100 gallons of water and apply to 400 sq. ft. of bed area. Repeat application may be made at one to two month intervals, if necessary
FOLIAGE PLANTS				TROPICAL FOLIAGE, HERBACEOUS and WOODY PLANTS:
Aglaonema Anthurium Areca Palm Brassaia Cactus Caladium Calathea	Chamaedorea Chinese Evergreed Crassula Dieffenbachia Gynura Hedera Hoya	Maranta Nephrolepis Nephthytis Peperomia Philodendro Pilea Pothos	Zygocactus	(Peat and other high organic media 6" deep)- <b>Bed and Bench Plantings</b> : Add 4 to 8 ozs. in 100 gallons of water and apply to 400 sq. ft. of bed or bench area. Repeat application at two to three month intervals to maintain disease control. <b>Pot Plantings</b> : Use ½ pint solution per 6" pot or in sufficient amount to saturate the soil.
HERBACEOUS PLANTS				
African Violet Gerbera		Easter Lily Poinsettia	Geranium Sinningia	
WOODY PLANTS				
Azalea Boxwood Euonymus			ed Pine hododendron	·

<sup>\*</sup>Do not use sap for food purposes.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store the product in a cool, dry place. Do not store near heat sources or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**IMPORTANT NOTICE**—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product, contrary to label instructions, or under conditions not reasonably foreseeable to seller and, to the extent consistent with applicable law, the buyer assumes the risk of any such use.

TERRAZOLE is a Registered Trademark of Chemtura Corporation
 Copyright 2007, Chemtura Corporation