

172



PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING
 May be fatal if absorbed through skin. Causes eye irritation. Harmful if swallowed or inhaled. Do not breathe vapors. Do not get in eyes, on skin or in clothing. Wash contaminated clothing prior to reuse. When handling or using the concentrate, wear natural rubber gloves and eye protection. Wash thoroughly with soap and water after handling and before eating or drinking.

ENVIRONMENTAL HAZARDS
 This material is toxic to fish. Avoid contamination of lakes, ponds and streams. Do not apply directly to water or wet lands.

PHYSICAL OR CHEMICAL HAZARDS
 Do not use, pour, soil or store near heat or open flame.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage and disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED
FEB 10 1984
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide use under 400-420

Dwell 4
 nitrification inhibitor



COMPOSITION

ACTIVE INGREDIENT	
5-Ethoxy-3-(trichloromethyl)-1,2,4-triazazole	44.0%
INERT INGREDIENTS	56.0%
TOTAL	100.0%
*U.S. Patents 3,280,588 and 3,287,725, others pending	
(Contains 4 lbs. 5-Ethoxy-3-(trichloromethyl)-1,2,4-triazazole per U.S. Gallon at 68°F)	

KEEP OUT OF REACH OF CHILDREN
WARNING
STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not induce vomiting. Contains petroleum hydrocarbons. Obtain prompt first aid attention.

In case of skin contact, wash affected areas thoroughly with soap and warm water and flush with water for 15 minutes.

If in eyes, flush with plenty of water for at least 15 minutes.

If inhaled, remove to fresh air.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Mfg by UNIROYAL CHEMICAL — Division of UNIROYAL, Inc.
 Naugatuck, Connecticut 06770
 EPA REG. NO. 400-420
 EPA EST. NO.



400-4-20

DIRECTIONS FOR USE

In violation of Federal Law to use this product in a manner inconsistent with the labeling.

COTTON, FIELD CORN, WHEAT To delay nitrification of ammoniacal or urea based fertilizers by inhibiting the activity of Nitrosomonas spp. bacteria. Apply Dwell at the rate of 1 pint per acre as a fall or spring pre-plant or at planting band or broadcast application in conjunction with urea or ammonia based fertilizers. Post-plant applications may be made at a rate of 1/2 pint Dwell per acre. **INCORPORATE ALL SURFACE APPLICATIONS DURING OR IMMEDIATELY AFTER APPLICATION** to a depth of 2 to 4 inches (5 to 10 centimeters) below the soil surface. Do not feed or force treated cotton. Do not use field corn or wheat as feed or forage within 4 months of application.

ANHYDROUS AMMONIA Apply Dwell 4 as a band application in conjunction with anhydrous ammonia. Application may be made using standard ammonia application equipment equipped with in-line or Y tube injection systems, or dual tube knives. Apply with suitable metering equipment. DO NOT tank mix with anhydrous ammonia. Apply at the standard ammonia injection depths.

IMPREGNATED FERTILIZERS Dwell 4 may be coated on dry urea or ammoniacal forms of fertilizers using suitable equipment designed for impregnation of fertilizers. Treated fertilizer should be impregnated daily as needed.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE