

PM-25

Reg # 400-422

194

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
218401

Application for Pesticide - Section I

1. Company/Product Number 400-422	2. EPA Product Manager Robert Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Terrazole 4EC	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Uniroyal Chemical Company, Inc. 74 Amity Road Bethany, CT 06524-3402 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> APR 24 1996
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

- This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

-Addition of non-required engineering control statements.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of _____	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. _____	No. per container _____	If "Yes" _____	No. per container _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Cap			(a) Retail Container	5. Location of Label Directions	
6. Manner in Which _____ Mixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Betsy K. Katzman	Title Registration Specialist	Telephone No. (Include Area Code) (203) 393-2153
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Betsy K. Katzman</i>	3. Title U.S. Registration Manager	
4. Typed Name Willard F. Cummings	5. Date 3/13/96	

# TERRAZOLE® 4EC

Net contents:

### COMPOSITION

Active Ingredient: (% by weight)	
5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole*	44.3%
Inert Ingredients:**	55.7%
Total:	100.0%

\*Contains 4 lbs. of 5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole per U.S. Gallon at 20°C.  
 \*\*Contains Petroleum Distillates

### KEEP OUT OF REACH OF CHILDREN

### WARNING • AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### STATEMENT OF PRACTICAL TREATMENT

- IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
  - IF IN EYES: Hold eyelids open and flush with water for 15 minutes. Call a physician if irritation persists.
  - IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Obtain prompt medical attention.
  - IF INHALED: Remove to victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- NOTE TO PHYSICIAN: Probable muscosal damage from the presence of petroleum distillates in the formulation may contraindicate the use of gastric lavage.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if absorbed through skin. Causes substantial eye injury. Causes skin irritation. Harmful if swallowed or inhaled. Do not breathe vapors. Do not get in eyes, on skin or on clothing.

### PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.  
**Applicators and Other Handlers Must Wear:** Coveralls over short-sleeved shirt and short pants; chemical-resistant gloves such as barrier laminate or viton; chemical-resistant footwear plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing or loading.  
 Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.  
 When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### USER SAFETY RECOMMENDATIONS

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
  - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.



### ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls over short-sleeved shirt and short pants
- chemical-resistant gloves such as barrier laminate or viton
- chemical-resistant footwear plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure

Terrazole is useful as a soil fungicide for control of damping-off, root and stem diseases caused by Pythium and Phytophthora. Use only at recommended rates as overdosage may be harmful to sensitive plants. Do not mix with chemicals, other than Terraclor® unless prior use has proven compatibility.

**ORNAMENTALS**

For bedding and bench plantings use with water as a soil drench at time of seeding and transplanting in commercial nurseries and greenhouses. The drench solution should be continually agitated to assure uniform application of the fungicidal material. To improve penetration of the fungicide, the drenching should be followed with an equal quantity of water applied either by sprinkling or by irrigation.

**TANK MIXTURE COMPATIBILITY**

Combinations of **Terrazole 4EC** with fungicides, insecticides, plant growth regulators or fertilizers should be checked for compatibility before tank mixing. Use a jar test to mix the recommended proportions of each product in a volume of water which is proportionate to the expected field use rate. The mix is considered compatible if it remains stable or can be easily reconstituted by shaking after standing for 5 minutes.

<p style="text-align: center;"><b>BEDDING PLANTS</b></p> <table border="0"> <tr> <td>Alyssum</td> <td>Dahlia</td> <td>Petunia</td> <td>Vinca</td> </tr> <tr> <td>Calendula</td> <td>Dianthus</td> <td>Phlox</td> <td>Zinnia</td> </tr> <tr> <td>Celosia</td> <td>Larkspur</td> <td>Salvia</td> <td></td> </tr> <tr> <td>Chrysanthemum</td> <td>Marigold</td> <td>Snapdragon</td> <td></td> </tr> <tr> <td>Coleus</td> <td>Pansies</td> <td>Verbena</td> <td></td> </tr> </table>	Alyssum	Dahlia	Petunia	Vinca	Calendula	Dianthus	Phlox	Zinnia	Celosia	Larkspur	Salvia		Chrysanthemum	Marigold	Snapdragon		Coleus	Pansies	Verbena		<p><b>BEDDING PLANTS:</b> (Soil 2" to 3" Deep) -Add 3 to 4 fl. ozs. to 100 gallons of water and apply to 400 sq. ft. of bed area. Repeat application may be made at one to two month intervals, if necessary.</p>				
Alyssum	Dahlia	Petunia	Vinca																						
Calendula	Dianthus	Phlox	Zinnia																						
Celosia	Larkspur	Salvia																							
Chrysanthemum	Marigold	Snapdragon																							
Coleus	Pansies	Verbena																							
<p style="text-align: center;"><b>FOLIAGE PLANTS</b></p> <table border="0"> <tr> <td>Aglaonema</td> <td>Chinese Evergreen</td> <td>Maranta</td> <td>Stromanthe</td> </tr> <tr> <td>Anthurium</td> <td>Crassula</td> <td>Nephrolepis</td> <td>Zygocactus</td> </tr> <tr> <td>Cactus</td> <td>Dieffenbachia</td> <td>Nephtytis</td> <td></td> </tr> <tr> <td>Caladium</td> <td>Gynura</td> <td>Peperomia</td> <td></td> </tr> <tr> <td>Calathea</td> <td>Hedera</td> <td>Pilea</td> <td></td> </tr> <tr> <td>Chamadorea</td> <td>Hoya</td> <td>Pothos</td> <td></td> </tr> </table>	Aglaonema	Chinese Evergreen	Maranta	Stromanthe	Anthurium	Crassula	Nephrolepis	Zygocactus	Cactus	Dieffenbachia	Nephtytis		Caladium	Gynura	Peperomia		Calathea	Hedera	Pilea		Chamadorea	Hoya	Pothos		<p><b>TROPICAL FOLIAGE, HERBACEOUS and WOODY PLANTS:</b> (Peat and other high organic media 6" deep).</p> <p><b>Bed and Bench Plantings:</b> Add 2 to 4 fl. ozs. in 100 gallons of water and apply to 400 sq. ft. of bed or bench area. Repeat application at two to three month intervals to maintain disease control.</p>
Aglaonema	Chinese Evergreen	Maranta	Stromanthe																						
Anthurium	Crassula	Nephrolepis	Zygocactus																						
Cactus	Dieffenbachia	Nephtytis																							
Caladium	Gynura	Peperomia																							
Calathea	Hedera	Pilea																							
Chamadorea	Hoya	Pothos																							
<p style="text-align: center;"><b>HERBACEOUS AND WOODY PLANTS</b></p> <table border="0"> <tr> <td>African Violet</td> <td>Easter Lily</td> <td>Gerbera</td> <td>Poinsettia</td> </tr> <tr> <td>Azalea</td> <td>Euonymus</td> <td>Juniper</td> <td>Red Pine</td> </tr> <tr> <td>Boxwood</td> <td>Ficus</td> <td>Kalanchoe</td> <td>Rhododendron</td> </tr> <tr> <td>Chrysanthemum</td> <td>Geranium</td> <td>Pieris</td> <td>Sinningia</td> </tr> </table>	African Violet	Easter Lily	Gerbera	Poinsettia	Azalea	Euonymus	Juniper	Red Pine	Boxwood	Ficus	Kalanchoe	Rhododendron	Chrysanthemum	Geranium	Pieris	Sinningia	<p><b>Pot Plantings:</b> Use ½ pint solution per 6" pot or in sufficient amount to saturate the soil.</p>								
African Violet	Easter Lily	Gerbera	Poinsettia																						
Azalea	Euonymus	Juniper	Red Pine																						
Boxwood	Ficus	Kalanchoe	Rhododendron																						
Chrysanthemum	Geranium	Pieris	Sinningia																						

**COTTON**

To control Water Mold seed decay (pre-emergence damping off) caused by Pythium spp.

**Soil In-Furrow Application**

At planting time use 6 to 12 oz. per acre (per 13,000 linear feet based on 40 inch rows) mixed with 5 to 15 gallons of water.

Apply the specified dosage to the soil around the seed and to the covering soil as it fills the furrow. The soil around the seed and the covering soil should be thoroughly mixed with the product. Two nozzles work best; center the front nozzle over the open furrow to spray the soil around the seed and the rear nozzle to spray the covering soil as it fills the furrow. The higher rates should be used when weather conditions are expected to be unfavorable for rapid germination, fields have a history of disease problems or minimum or low till programs are utilized.

For control of Pythium and Rhizoctonia, apply 3 to 6 pints of Terraclor® 2E, 1.5 to 3.0 pints of Terraclor Flowable Fungicide or 1½ to 2¼ lbs. Terraclor 75WP per 13,000 linear feet of row in a tank mixture with Terrazole 4EC.

**NOTE:**

When Terrazole 4EC is applied with other Terraclor products, observe all precautions and restrictions that appear on the Terraclor and Terrazole labels.

Do not exceed 2 lbs. of PCNB active ingredient per acre in any one season.

Rotation Restriction: Do not plant root crops in PCNB treated fields within 12 months of application unless PCNB is registered for use on those crops.

**Caution Statements**

Do not allow the feeding or grazing of cotton foliage by livestock. Apply only at planting time.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a dry location.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**IMPORTANT NOTICE**—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

®Terrazole and Terraclor are Registered Trademarks of UNIROYAL CHEMICAL COMPANY, INC.

©Copyright 1996, Uniroyal Chemical Company, Inc.