

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
400-426

DATE OF ISSUANCE
MAY 8 1991

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

OMITE CR (Not for use in
California)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Uniroyal Chemical Company, Inc.
74 Amity Road
Bethany, CT 06525

~~190/539572~~
181

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 400-426."
- b. For cherries, please reinstate the spray gallonage "400 gallons." We allowed the lower gallonages for the 30W formulation; however, we believed that residues would be higher (and possibly increased exposure) with the CR formulations. Thus, until residue data is reviewed and exposure assessment completed, we will require you to utilize the higher spray gallonages.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

5/7/91

3. Please note that this product is subject to all data requirements specified under the September 1986 Guidance Document for registration of pesticide products containing the active ingredient "Propargite" and any subsequent Data Call-In Notices relevant to this active ingredient.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

cc: Herman Toma

BEST AVAILABLE COPY

NOT FOR USE IN CALIFORNIA ^{1.}

THIS BAG CONTAINS 2 x 1 1/2 LB. WATER SOLUBLE BAGS
SEE FOLDER FOR USE INSTRUCTIONS — ENCLOSED IN BOTTOM FOLD

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
DANGER**

Corrosive, causes eye damage. Harmful if inhaled, swallowed, or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking. (See use restrictions for protective clothing and clean up requirements)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

OMITE®-GR

**AGRICULTURAL MITICIDE
RECOMMENDED FOR AGRICULTURAL USE ONLY**

**UNIROYAL
CHEMICAL**

COMPOSITION

Active ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclonexyl 2-propynyl sulfite]	30.0%
Inert ingredients:	70.0%
Total:	100.0%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Do not apply this product through any type of irrigation system.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.
IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.
IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.
See left side panel for precautionary statement.

UNIROYAL CHEMICAL COMPANY, INC.
Middlebury, CT 06749
EPA REG. NO. 400
EPA EST. NO.

OMITE is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.
©Copyright 1984 Uniroyal Chemical Company, Inc.
NET WEIGHT:

MAY 8 1991

Under the FIFRA Act, this pesticide is registered under the FIFRA Act, as amended, for use as a miticide.

400-426

(DELETE STATEMENT)

006

4

REENTRY STATEMENT - EXCEPT FOR HARVESTING
 Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.
 Do not enter treated areas until sprays have dried. ← (5)
 Protective clothing requirements are outlined below for the indicated reentry.

CROP	TIME FOR REENTRY		
	EARLY ENTRY WORKER	LOW EXPOSURE ACTIVITIES IRRIGATOR, TRACTOR DRIVER, SCOUT	ALL OTHER ACTIVITIES
Strawberries	when sprays have dried	48 hours	3 days
Citrus	when sprays have dried	48 hours	28 days
All other crops	when sprays have dried	48 hours	7 days

1. Early entry is defined as any worker who is directed to enter a reentry restricted area prior to the expiration of any reentry interval that applies to that area. This will include those activities necessitated by unexpected events such as weather, pest conditions, equipment failure, etc. and does not include routine cultural practices.
2. These workers will wear protective clothing to include at least:
 - a hat or other suitable head covering
 - long-sleeved shirt and long-legged trousers or a coverall type garment (closely woven fabric covering the body including arms and legs).
 - chemical resistant gloves.
 - shoes and socks.
 NOTE: Occupants of enclosed cab vehicles must wear normal work attire.
3. These workers will wear normal work attire to include at least:
 - a hat or other suitable head covering.
 - long-sleeved shirt and long-legged trousers
 - shoes and socks
4. All other activities include those which have high foliar exposure such as pruners, cane turners and tippers (table grapes), etc.
5. See use directions for time of harvest after last application.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.
 Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:
 "DANGER. Area to be treated with Propargite on (date of application). Do not enter without appropriate protective clothing until sprays have dried. Tractor drivers and irrigators and scouts wearing normal work attire may enter after 48 hours. Do not enter treated areas without protective clothing to perform activities that involve substantial or prolonged exposure with treated foliage for (enter number of days)."
 If accidentally exposed, consult the Statement of Practical Treatment portion of this label for first aid recommendations.

USE RESTRICTIONS

Mixer/loaders must wear goggles or a face shield, chemical-resistant apron, long-sleeved shirt, long pants, and mid-forearm to elbow length chemical-resistant gloves.
 Applicators, if applying more than 10 lbs. of OMITE CR per acre in air-blast equipment must be in an enclosed cab. At rates of 10 lbs. or less and if not in an enclosed cab, applicators must wear goggles, wide brimmed hat, a long-sleeved shirt and long pants, and chemical-resistant gloves while applying this pesticide. ← (6)
 Any article of clothing worn while mixing, loading or applying product must be cleaned before re-use. Clothing should be laundered separately from household articles. Clothing that has been drenched or has otherwise absorbed concentrated pesticide must be disposed of in a sanitary landfill, incinerated, or burned if allowed by State and local authorities.
 Do not apply this product through any type of irrigation system.
 Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.
 Do not feed livestock on cover crops grown among the trees listed on this label.

DIRECTIONS FOR USE ← (7)

OMITE-CR is a dry wettable powder for preparing sprays to control citrus red, clover, European red, McDaniel, Pacific spider, Southern red mite, strawberry spider, and two-spotted spider mites.
 OMITE-CR is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-CR per acre. OMITE-CR can be used in concentrate sprays, however, do not reduce the recommended rate per acre.

(7) (DELETE SPANISH DIRECTIONS)

BEST AVAILABLE COPY

MIXING INSTRUCTIONS

This package contains 2x1 1/2 pound water soluble bags of OMITE-CR. After opening package:

1. Do not open or perforate the inner water soluble bags of OMITE-CR. The water soluble bags and contents will dissolve in water.
2. Immediately dump entire contents into spray tank.
3. Do not touch water soluble bags as handling may cause breakage.
4. Use only entire water soluble bag. Do not break bags or use partial bags. ← (8.)
5. Do not begin spraying until the bag is completely dissolved and the powder is thoroughly dispersed in the spray tank.
6. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.
7. IMPORTANT: Do not use screens finer than 25 mesh in spraying equipment. ← (8.)

FOR USE ON BEARING CROPS ← (9.)
DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT OMITE-CR PER ACRE*	GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA only)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs.	500-1500	—	2	28
APPLES	European red two-spotted spider Pacific spider McDaniel	5-12 lbs.	500-800	—	3	7
HOPS	two-spotted spider	5 lbs.	200	—	2	14
LEMONS ² (AZ only)	citrus red	10-15 lbs.	600-1500	—	2	28
ORNAMENTALS ³ CHRISTMAS TREES AND CONIFERS	spider mites	4 1/2-7 1/2 lbs. (west)	(A)	(A)	(A)	(A)
		3-7 1/2 lbs. (east)	100	10	3	—
ROSES (field)	Pacific spider two-spotted southern red	2-5 lbs.	50-300	—	—	—
OTHER ORNAMENTALS (field, nursery)	two-spotted spider southern red	1 lb. Per 100 gal. of water	Spray to wet	—	—	—
STRAWBERRIES ^{2,3}	Pacific spider strawberry spider two-spotted spider	5-10 lbs.	100-200	—	3 per 40 day harvest season	3

*Each water soluble bag contains 1 1/2 lbs. of OMITE-CR

APPLICATION NOTES:

1. Do not combine with other chemicals or spray adjuvants, when using on strawberries, as leaf and fruit injury may occur.
2. Do not apply at day temperatures above 80°F as fruit burn may occur. (Strawberries only).
3. OMITE-CR may cause some leaf burn on new growth (feather growth) of lemons.
4. Omite performance is best when daily temperatures average above 70°F.
5. Ornamentals - 1 1/2 lb. of OMITE-CR per 150 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. The user should initially treat only a small portion of his crop to confirm plant safety under his conditions. Applications in temperatures exceeding 85° may result in phytotoxic symptoms.
6. Christmas trees and conifers: Higher or lower gallonage can be used depending upon tree size, mite populations and equipment used to obtain thorough coverage.
7. OMITE-CR when used alone may follow foliar oils at an interval of greater than 40 days after an oil application.
8. Foliar oil applications must not follow OMITE-CR treatments within 30 days.

(10.) (CHEMIGATION STATEMENT DELETED)

BEST AVAILABLE COPY

