



PM 15
1 of 11 file

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AUG 15 1994

WILLIARD F. CUMMINGS
UNIROYAL CHEMICAL COMPANY, INC.
74 AMITY ROAD
BETHANY, CT. 06524-3402

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 09/20/93 in Response to PR Notice 93-7
EPA Reg. No. 400-426
OMITE CR (NOT FOR USE IN CA)

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT.

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

Willard F. Cummings
Uniroyal Chemical Corporation

Comments for: EPA REG. NO. 400-426
Omite CR

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Since your submitted label requires chemical resistant gloves you need to add the chemical-resistant category statement to your label to state: "Some materials that are chemical-resistant to this product are listed below. If you want more options, follow instructions for category "?" on an EPA chemical-resistant category selection chart." The exact location is shown in Section A on Part 1 of the Product Worksheet. If you were carrying over the chemical resistant gloves from your former label you need to determine if waterproof gloves or chemical resistant gloves would be the most appropriate based on the composition of your product.

If chemical resistant gloves are the most appropriate based on your formulation, change the statement to "chemical resistant gloves such as "?", or "?", or "?" where "?" represents the various glove types specified in the EPA chemical-resistant category selection chart.

NOT FOR USE IN CALIFORNIA
THIS BAG CONTAINS 2 X 1½ LB. WATER SOLUBLE BAGS
SEE FOLDER FOR USE INSTRUCTIONS —ENCLOSED IN BOTTOM FOLD

4 of 11

OMITE®-CR

AGRICULTURAL MITICIDE

ACCEPTED
with COMMENTS
by EPA Letter Dated

RECOMMENDED FOR AGRICULTURAL USE ONLY



151
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
400-426

COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]	30.0%
Inert Ingredients	70.0%
Total:	100.0%

UNIROYAL CHEMICAL COMPANY, INC., Middlebury, CT 06749
EPA REG. NO. 400-426
EPA EST. NO.

011WPS

NET WEIGHT

BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
- IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.
- IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.
- IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, causes eye damage. Harmful if inhaled, swallowed, or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and Other Handlers Must Wear: A long-sleeved shirt & long pants; chemical resistant gloves; shoes plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing, or loading. Applicators, if applying more than 10 lbs. of OMITE-CR per acre in air blast equipment must be in enclosed cab.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated by this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) listed in chart below.

RESTRICTED ENTRY INTERVAL	
CROP	REI
Strawberries	3 days
Citrus	28 days
All other crops	7 days

Exception: After the first 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- chemical resistant gloves
- shoes plus socks
- protective eyewear
- chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

USE RESTRICTIONS

Applicators, if applying more than 10 lbs. of OMITE-CR per acre in air blast equipment must be in an enclosed cab.

Do not apply this product through any type of irrigation system.

Do not plant any food or feed crop in rotation or in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.

Do not feed livestock on cover crops grown among the trees listed on this label.

COMPATIBILITIES — Except as noted OMITE-CR is compatible with many pesticides (See caution statements). Check with your Supplier or Uniroyal for details. Observe all cautions and limitations of labeling of all products used in mixtures.

DIRECTIONS FOR USE

5 of 11
OMITE-CR is a dry wettable powder for preparing sprays to control citrus red, clove, European red, McDaniel, Pacific spider, Southern red mite, strawberry spider, and two-spotted spider mites.

OMITE-CR is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-CR per acre. OMITE-CR can be used in concentrate sprays, however, do not reduce the recommended rate per acre.

MIXING INSTRUCTIONS

This package contains 2 x 1½ pound water soluble bags of OMITE-CR. After opening package:

1. Do not open or perforate the inner water soluble bags of OMITE-CR. The water soluble bags and contents will dissolve in water.
2. Immediately dump entire contents into spray tank.
3. Do not touch water soluble bags as handling may cause breakage.
4. Use only entire water soluble bag. Do not break bags or use partial bags.
5. Do not begin spraying until the bag is completely dissolved and the powder is thoroughly dispersed in the spray tank.
6. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.
7. IMPORTANT: Do not use screens finer than 25 mesh in spraying equipment.

BEST AVAILABLE COPY

6 of 11

**FOR USE ON BEARING CROPS
DOSAGE INSTRUCTIONS**

CROP	MITES CONTROLLED	AMOUNT OMITE-CR PER ACRE*	GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA only)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs.	500 - 1500	—	2	28
APPLES	European red two-spotted spider Pacific spider McDaniel	5 - 12 lbs.	500 - 800	—	3	7
HOPS	two-spotted spider	5 lbs.	200	—	2	14
LEMONS ³ (AZ only)	citrus red	10 - 15 lbs.	600 - 1500	—	2	28
ORNAMENTALS ⁵ CHRISTMAS TREES & CONIFERS ⁵ (for plantation & nursery use only)	Spider mites	4½ - 7½ lbs. (west)	100	10	3	—
		3 - 7½ lbs. (east)				
ROSES ⁵ (field grown)	two-spotted spider Pacific spider	2 - 5 lbs.	50 - 300	—	—	—
OTHER ORNAMENTALS ⁵ (field & nursery)	two-spotted spider Southern red	1 lbs. per 100 gallons of water	Spray to wet	—	—	—
STRAWBERRIES ^{1,2}	Pacific spider strawberry spider two-spotted spider	5 - 10 lbs.	100 - 200	—	3 per 40 day harvest season	3

*Each water soluble bag contains 1½ lbs. of OMITE-CR.

BEST AVAILABLE COPY

APPLICATION NOTES:

1. Do not combine with other chemicals or spray adjuvants, when using on strawberries, as wind and fruit injury may occur.
2. Do not apply at day temperatures above 80°F as fruit burn may occur. (Strawberries only).
3. OMITE-CR may cause some leaf burn on new growth (feather growth) of lemons.
4. Omite performance is best when daily temperatures average above 70°F.
5. Ornamentals: 1½ lb. of OMITE-CR per 150 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. The user should initially treat only

- a small portion of his crop to confirm plant safety under his conditions. Applications in temperatures exceeding 85° may result in phytotoxic symptoms.
6. Christmas Trees and Conifers: Higher or lower gallonage can be used depending upon tree size, mite populations and equipment used to obtain thorough coverage.
7. OMITE-CR when used alone may follow foliar oils at an interval of greater than 40 days after an oil application.
8. Foliar oil applications must not follow OMITE-CR treatments within 30 days.

FOR USE AFTER HARVEST AND ON NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT OMITE-CR PER ACRE*	MINIMUM GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
CHERRIES	European red two-spotted spider Pacific spider McDaniel	6 lbs.	400	—	—

*Each water soluble bag contains 1½ lbs. of OMITE-CR.

7 of 11

NOTE:

A. Leaf injury and/or fruit spotting may occur if the following conditions are not observed.

1. Do not apply OMITE-CR with Diazinon-WP if air temperatures are expected to exceed 95°F the day of spraying apples and hops.
2. OMITE-CR is not compatible with foliar spray oils. (Further information from supplier or Uniroyal).

B. OMITE-CR is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE-CR will be reduced.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

©OMITE is a Registered Trademark of Uniroyal Chemical Company, Inc.

©Copyright 1993, Uniroyal Chemical Company, Inc.

BEST AVAILABLE COPY

NOT FOR USE IN CALIFORNIA
 THIS BAG CONTAINS 2 X 1½ LB. WATER SOLUBLE BAGS
 SEE FOLDER FOR USE INSTRUCTIONS — ENCLOSED IN BOTTOM FOLD

8 of 11

OMITE®-CR

AGRICULTURAL MITICIDE

RECOMMENDED FOR AGRICULTURAL USE ONLY



COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]	30.0%
Inert ingredients	70.0%
Total:	100.0%

UNIROYAL CHEMICAL COMPANY, INC., Middlebury, CT 06749
 EPA REG. NO. 400-426
 EPA EST. NO.
 OMITE is a Registered Trademark of Uniroyal Chemical Company, Inc.
 ©Copyright 1984 Uniroyal Chemical Company, Inc.
 NET WEIGHT

009
 12-5-91

KEEP OUT OF REACH OF CHILDREN
DANGER
PELIGRO

NEW STATEMENT

~~PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.~~

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.
IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.
IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
DANGER

Corrosive, causes eye damage. Harmful if inhaled, swallowed, or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking. ~~(See use restrictions for protective clothing and clean up requirements)~~

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 Do not apply this product through any type of irrigation system.

~~REENTRY STATEMENT- EXCEPT FOR HARVESTING~~

~~Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas until sprays have dried. Protective clothing requirements are outlined below for the indicated reentry.~~

CROP	EARLY ENTRY WORKER	TIME FOR REENTRY	
		IRRIGATOR, TRACTOR DRIVER, SCOUT	ALL OTHER ACTIVITIES
Strawberries	when sprays have dried	48 hours	3 days
Citrus	when sprays have dried	48 hours	28 days
All other crops	when sprays have dried	48 hours	7 days

903
~~Entry is defined as any worker who is directed to enter a reentry restricted area prior to the expiration of any reentry interval that applies to that area. This will include those activities necessitated by unexpected events such as weather, pest conditions, equipment failure, etc. and does not include routine cultural practices.~~

2. These workers will wear protective clothing to include at least:
- ~~— a hat or other suitable head covering~~
 - ~~— long-sleeved shirt and long-legged trousers or a coverall type garment (closely woven fabric covering the body including arms and legs).~~
 - ~~— chemical resistant gloves.~~
 - ~~— shoes and socks.~~

~~NOTE: Occupants of enclosed cab vehicles must wear normal work attire.~~

3. These workers will wear normal work attire to include at least:
- ~~— a hat or other suitable head covering~~
 - ~~— long-sleeved shirt and long-legged trousers~~
 - ~~— shoes and socks~~

4. All other activities include those which have high foliar exposure such as pruners, cane turners and tippers (table grapes), etc.

5. See use directions for time of harvest after last application.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER, Area to be treated with Propargite on (date of application). Do not enter until sprays have dried. Tractor drivers and irrigators and scouts wearing normal work attire may enter after 48 hours. Do not enter treated areas without protective clothing to perform activities that involve substantial or prolonged exposure with treated foliage for (enter number of days)."

If accidentally exposed, consult the Statement of Practical Treatment portion of this label for first aid recommendations.

USE RESTRICTIONS

~~Mixer/loaders must wear goggles or a face shield, chemical-resistant apron, long-sleeved shirt, long pants, and mid-forearm to elbow length chemical-resistant gloves.~~

~~Applicators, if applying more than 10 lbs. of OMITE-CR per acre in air blast equipment must be in an enclosed cab. At rates of 10 lbs. or less and if not in an enclosed cab, applicators must wear goggles, wide brimmed hat, a long-sleeved shirt and long pants, and chemical-resistant gloves while applying this pesticide.~~

~~Any article of clothing worn while mixing, loading or applying product must be cleaned before re-use. Clothing should be laundered separately from household articles. Clothing that has been drenched or has otherwise absorbed concentrated pesticide must be disposed of in a sanitary landfill, incinerated, or burned if allowed by State and local authorities.~~

Do not apply this product through any type of irrigation system.

Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.

Do not feed livestock on cover crops grown among the trees listed on this label.

DIRECTIONS FOR USE

OMITE-CR is a dry wettable powder for preparing sprays to control citrus red, clover, European red, McDaniel, Pacific spider, Southern red mite, strawberry spider, and two-spotted spider mites.

OMITE-CR is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-CR per acre. OMITE-CR can be used in concentrate sprays, however, do not reduce the recommended rate per acre.

MIXING INSTRUCTIONS

This package contains 2 x 1½ pound water soluble bags of OMITE-CR. After opening package:

1. Do not open or perforate the inner water soluble bags of OMITE-CR. The water soluble bags and contents will dissolve in water.
2. Immediately dump entire contents into spray tank.
3. Do not touch water soluble bags as handling may cause breakage.
4. Use only entire water soluble bag. Do not break bags or use partial bags.
5. Do not begin spraying until the bag is completely dissolved and the powder is thoroughly dispersed in the spray tank.
6. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.
7. IMPORTANT: Do not use screens finer than 25 mesh in spraying equipment.

BEST AVAILABLE COPY

12

10

**FOR USE ON BEARING CROPS
DOSAGE INSTRUCTIONS**

CROP	MITES CONTROLLED	AMOUNT OMITE-CR PER ACRE*	GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA only)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs.	500 - 1500	—	2	28
APPLES	European red two-spotted spider Pacific spider McDaniel	5 - 12 lbs.	500 - 800	—	3	7
HOPS	two-spotted spider	5 lbs.	200	—	2	14
LEMONS ³ (AZ only)	citrus red	10 - 15 lbs.	600 - 1500	—	2	28
ORNAMENTALS ⁵ CHRISTMAS TREES & CONIFERS ⁶ (for plantation & nursery use only)	Spider mites	4½ - 7½ lbs. (west)	100	10	3	—
		3 - 7½ lbs. (east)				
ROSES ⁵ (field grown)	two-spotted spider Pacific spider	2 - 5 lbs.	50 - 300	—	—	—
OTHER ORNAMENTALS ⁵ (field & nursery)	two-spotted spider Southern red	1 lbs. per 100 gallons of water	Spray to wet	—	—	—
STRAWBERRIES ^{1,2}	Pacific spider strawberry spider two-spotted spider	5 - 10 lbs.	100 - 200	—	3 per 40 day harvest season	3

*Each water soluble bag contains 1½ lbs. of OMITE-CR.

APPLICATION NOTES:

1. Do not combine with other chemicals or spray adjuvants, when using on strawberries, as leaf and fruit injury may occur.
2. Do not apply at day temperatures above 80°F as fruit burn may occur. (Strawberries only).
3. OMITE-CR may cause some leaf burn on new growth (feather growth) of lemons.
4. Omite performance is best when daily temperatures average above 70°F.
5. Ornamentals: 1½ lb. of OMITE-CR per 150 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. The user should initially treat only

- a small portion of his crop to confirm plant safety under his conditions. Applications in temperatures exceeding 85° may result in phytotoxic symptoms.
6. Christmas Trees and Conifers: Higher or lower gallonage can be used depending upon tree size, mite populations and equipment used to obtain thorough coverage.
 7. OMITE-CR when used alone may follow foliar oils at an interval of greater than 40 days after an oil application.
 8. Foliar oil applications must not follow OMITE-CR treatments within 30 days.

FOR USE AFTER HARVEST AND ON NON-BEARING TREES ONLY
Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT OMITE-CR PER ACRE*	MINIMUM GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
CHERRIES	European red two-spotted spider Pacific spider McDaniel	6 lbs.	400	—	—

*Each water soluble bag contains 1½ lbs. of OMITE-CR.

BEST AVAILABLE COPY

NOTE:

A. Leaf injury and/or fruit spotting may occur if the following conditions are not observed.

1. Do not apply OMITE-CR with Diazinon-WP if air temperatures are expected to exceed 95°F the day of spraying apples and hops.
2. OMITE-CR is not compatible with foliar spray oils. (Further information from supplier or Uniroyal).

B. OMITE-CR is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE-CR will be reduced.

COMPATIBILITIES — Except as noted OMITE-CR is compatible with many pesticides (See caution statements). Check with your Supplier or Uniroyal for details. Observe all cautions and limitations of labeling of all products used in mixtures.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

11 of 11

BEST AVAILABLE COPY