

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
400-427

DATE OF ISSUANCE
MAY 8 1991

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
Until Reregistration

NAME OF PESTICIDE PRODUCT

OMITP 30WS

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Uniroyal Chemical Company, Inc.
74 Amity Road
Bethany, CT 06525

190/5390754
18/4

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 400-427."
- b. For Christmas Tree and Conifers, you must qualify the site with "Plantation and Nursery Sites Only."

3. Please note that this product is subject to all data requirements specified under the September 1986 Guidance Document for registration of pesticide products containing the active ingredient "Propargite" and any subsequent Data Call-In Notices relevant to this active ingredient.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE
5/2/91

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George A. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

cc: Herman Toma

THIS BAG CONTAINS 2 x 2 1/2 LB. WATER SOLUBLE BAGS
SEE FOLDER FOR USE INSTRUCTIONS — ENCLOSED IN BOTTOM FOLD

OMITE®-30WS

AGRICULTURAL MITICIDE
RECOMMENDED FOR AGRICULTURAL USE ONLY

① (DELETE STATEMENT)



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

DANGER

Corrosive, causes eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking. (See use restrictions for protective clothing and clean up requirements)

③ (DELETE STATEMENT)

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

④ (DELETE STATEMENT)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]	30.0%
Inert Ingredients:	70.0%
Total:	100.0%

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

⑤

KEEP OUT OF REACH OF CHILDREN DANGER

PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.
IF ON SKIN: Wash thoroughly with soap and water. Get medical attention.
IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

②

See left side panel for precautionary statement. ② (DELETE STATEMENT)

with COM...
in EPA L...

MAY 8 1991

Under the Fungicide, and...
amended for the...
400-427

UNIROYAL CHEMICAL COMPANY, INC.
Middlebury, CT 06740
EPA REG. NO. 400 ①
EPA EST. NO.
OMITE is a Registered Trademark of UNIROYAL CHEMICAL COMPANY, INC.
©Copyright 1984 Uniroyal Chemical Company, Inc.
NET WEIGHT:

MIXING INSTRUCTIONS ← (6)

The package contains 2x2½ pound water soluble bags of OMITE-30WS. After opening package:

1. Do not open or perforate the inner water soluble bags of OMITE-30WS. The water soluble bags and contents will dissolve in water.
2. Immediately dump entire contents into spray tank.
3. Do not touch water soluble bags as handling may cause breakage.
4. Use only entire water soluble bag. Do not break bags or use partial bags.
5. Do not begin spraying until the bag is completely dissolved and the powder is thoroughly dispersed in the spray tank.
6. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.

REENTRY STATEMENT - EXCEPT FOR HARVESTING

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas until sprays have dried.

Protective clothing requirements are outlined below for the indicated reentry

CROP	TIME FOR REENTRY		
	EARLY (E.R.) ENTRY WORKER	LOW EXPOSURE ACTIVITIES IRRIGATOR, TRACTOR DRIVER, SCOUT ^{1,2}	ALL OTHER (A.O.) ACTIVITIES
Strawberries	when sprays have dried	48 hours	3 days
Grapes-wine & raisin	when sprays have dried	48 hours	14 days
Grapes-table	when sprays have dried	48 hours	21 days
Citrus - 10.5 lbs/per acre or less	when sprays have dried	48 hours	21 days
Citrus - at rates more than 10.5 lbs.	when sprays have dried	48 hours	28 days
All other crops	when sprays have dried	48 hours	7 days

1. Early entry is defined as any worker who is directed to enter a reentry restricted area prior to the expiration of any reentry interval that applies to that area. This will include those activities necessitated by unexpected events such as weather, pest conditions, equipment failure, etc. and does not include routine cultural practices.
2. These workers will wear protective clothing to include at least:
 - a hat or other suitable head covering
 - long-sleeved shirt and long-legged trousers or a coverall type garment (closely woven fabric covering the body including arms and legs).
 - chemical resistant gloves.
 - shoes and socks.
 NOTE: Occupants of enclosed cab vehicles must wear normal work attire.
3. These workers will wear normal work attire to include at least:
 - a hat or other suitable head covering.
 - long-sleeved shirt and long-legged trousers
 - shoes and socks
4. All other activities include those which have high foliar exposure such as pruners, cane turners and tippers (table grapes), etc.
5. See use directions for time of harvest after last application.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER. Area to be treated with Propargite on (date of application). Do not enter without appropriate protective clothing until sprays have dried. Tractor drivers and irrigators and scouts wearing normal work attire may enter after 48 hours. Do not enter treated areas without protective clothing to perform activities that involve substantial or prolonged exposure with treated foliage for (enter number of days)."
 If accidentally exposed, consult the Statement of Practical Treatment portion of this label for first aid recommendations.

USE RESTRICTIONS

Mixer/loaders must wear goggles or a face shield, chemical-resistant apron, long-sleeved shirt, long pants, and mid-forearm to elbow length chemical-resistant gloves.

Applicators. If applying more than 10 lbs. of OMITE-30WS per acre in air blast equipment must be in an enclosed cab. At rates of 10 lbs or less and if not in an enclosed cab, applicators must wear goggles, wide brimmed hat, a long-sleeved shirt and long pants, and chemical-resistant gloves while applying this pesticide. ← (7)

Any article of clothing worn while mixing, loading or applying product must be cleaned before re-use. Clothing should be laundered separately from household articles. Clothing that has been drenched or has otherwise absorbed concentrated pesticide must be disposed of in a sanitary landfill, incinerated, or burned if allowed by State and local authorities.

Do not apply this product through any type of irrigation system.

Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless crop is a registered use for propargite.

Do not feed livestock on cover crops grown among the trees listed on this label.

DIRECTIONS FOR USE ← (8)

OMITE-30WS is a dry wettable powder for preparing sprays to control brown almond, citrus red, clover, European red, McDaniel, Pacific spider, peach silver, Southern red, strawberry spider, two-spotted spider and Willamette mites.

OMITE-30WS is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-30WS per acre. OMITE-30WS can be used in concentrate sprays, however do not reduce the recommended rate per acre. ← (8)

OMITE-30WS performance is best when day temperatures average above 70°F.

FOR USE ON BEARING CROPS ← (9)
 DOSAGE INSTRUCTIONS (see application notes for specific directions)

CROP	MITES CONTROLLED	AMOUNT OMITE-30WS PER ACRE*	MINIMUM GALLONS SPRAY SOLUTION PER ACRE (9)		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA & AZ)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs. (9)	50	—	2	28
APPLES ¹	European red two-spotted spider Pacific spider McDaniel	5-12 lbs.	500-800	—	3	7
APRICOTS (West of Rocky Mts.)	Pacific spider two-spotted spider	5-9 lbs.	50	—	2	14
FIGS	two-spotted spider Pacific spider strawberry spider	3-8 lbs.	50	—	2	14
GRAPES (West of Rocky Mts.)	Pacific spider strawberry spider Willamette two-spotted spider	5-9 lbs.	40	—	2	21
HOPS ¹	two-spotted spider	5 lbs.	100	—	2	14
LEMONS ¹ (CA & AZ)	citrus red	10 lbs.	100	—	2	21
		11-15 lbs.	100	—	2	28
NECTARINES (West of Rocky Mts.)	Pacific spider brown almond	5-9 lbs.**	50	20	2	14
ORNAMENTALS ¹ ← (9)						
CARNATIONS	two-spotted spider	1-1½ lbs. per 100 gals. water	Spray to wet	—	—	—
CHRYSANTHEMUMS						
CHRISTMAS TREES & CONIFERS ¹ (9) (DELETE USE)	Spider mites	4½-7½ lbs. (west)	20	10	3	—
		3-7½ lbs. (east)	100	10	3	—
ROSES ¹ (field grown)	two-spotted spider Pacific spider Southern red	2-5 lbs.	50	—	—	—
OTHER ORNAMENTALS (field and nursery)	two-spotted spider Southern red ← (9)	1 lb. per 100 gallons of water	Spray to wet	—	—	—
PEACHES	European red Pacific spider two-spotted spider strawberry spider McDaniel peach silver	5-15 lbs.**	50	20	2	14
PEANUTS	two-spotted spider	3-5 lbs.	20	—	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	5-15 lbs.**	50	20	2	14
STRAWBERRIES ¹ (West of Rocky Mts.)	Pacific spider strawberry spider two-spotted spider	5-10 lbs.	100	—	3 per 40 day harvest season	3
STRAWBERRIES ¹ (LA & FL)	Pacific spider strawberry spider two spotted spider	2½ lbs.	100	—	3 per 21 day harvest season	3
WALNUTS (CA only)	European red two-spotted spider	7-22 lbs.	100	10	2	21

*Each water soluble bag contains 2½ lbs. of OMITE-30WS. ← (9)
 **Use a minimum of 7½ pounds of OMITE-30WS per acre when applied by air. (9)

Form 8570-1
Attachment to Section II

LABEL REVISIONS

OMITE 30WS

1. Front panel
 - assign new EPA Reg. number for 30WS.
 - delete "West of the Rocky Mountains". Regional restrictions if any, are included in the dosage instructions.
2. Statement of Practical Treatment
 - put statements in priority of tox category.
 - add "Get medical attention" to "If on skin statement"
 - add "Do not induce vomiting" to "If swallowed statement".
 - delete "Avoid exposure to dust". Covered under "Precautionary Statements"
3. Precautionary Statements
 - delete "Wear goggles on face shield when handling". This statement is covered under "Use restrictions" and are referenced in the Precautionary Statements.
 - change word "vapors" to "dust".
4. Physical or Chemical Hazards
 - delete this category; statement is not necessary for compound which is a solid. Statement does not appear on other products currently registered under 400-82, (Omite 30W, Omite CR).
5. Storage and Disposal
 - change to read "Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag". Current disposal statement is inappropriate for a water soluble bag product.
6. Mixing instructions
 - substitute more complete mixing instructions as they now appear on the Omite CR label (with exception of screen precaution).
7. Use restrictions
 - add "mixing, loading or". This statement extends cleaning of clothing to those engaged in these tasks.

OMITE 30WS (continued)

8. Directions for Use (was "General Instructions")
 - add the Southern red mite to the pests controlled.
 - add "however do not reduce the recommended rate per acre "after" Omite 30W can be used in concentrated sprays.

9. Dosage instructions
 - add "for use on bearing crops" to heading above use table.
 - revise crops, gallons per acre, etc. to conform with those on Omite 30W.
 - indicate use rate in lbs only (not number of bags). This is to prevent confusion to growers.
 - add footnote to inform user of the pounds of formulated product in each bag.
 - clarify footnotes to prevent confusion by user.
 - ornamentals - consolidate uses under one heading. Include the Southern red mite.
 - ornamentals - remove greenhouse use. Uniroyal had agreed to remove this use rather than conduct additional studies.
 - ornamentals - add "Christmas trees". The Guidance Document did not request data for this use. There is also an application note for this use.
 - walnuts - extend PHI to 21 days. The Guidance Document requested additional data if the re-entry were to be 14 days. There were adequate data for 21 days. Uniroyal responded that we would change the label to 21 days.

10. Application Notes
 - add note for Christmas trees.
 - delete "and roses" after the word ornamentals. This is redundant and confusing since there are other flowers included in the application fee.
 - add "Do not use on Asian pears (pear apples) as leaf injury will result.