

**LABEL CHANGES
OMITE 30WS
EPA Reg. No. 400-427**

Changes Approved by EPA on Label:

- 1) Delete erroneous statement "Contains 6.55 lbs. Omite per gallon".
- 2) Delete redundant phrase "Wash hands and face thoroughly with soap and water after use and before eating or smoking". (See first item under "User Safety Recommendations"). This sentence was deleted by EPA from the WPS label for Omite 57E.
- 3) Change "chemical resistant gloves" to "waterproof gloves". Directions to make this change was made by EPA in their approval of the WPS label (see attachment A). The waterproof glove statement is appropriate for the dermal toxicity category of this product.
- 4) Replace current Environmental Hazards statement with EPA mandated statement.
- 5) Delete redundant phrases. The statement "Applicators, if applying more than 10 lbs." appears under the "Personal Protective Equipment" section. The statement "Do not apply this product....." appears under "Directions for Use".
- 6) The second "Directions for Use" heading was changed to "General Instructions" to prevent confusion and this section was moved to directly beneath the "Use Restrictions" section.
- 7) Mixing Instructions were moved to be consistent with placement on other Omite/Comite labels.
- 8) Under "Mixing directions" add the following:
 - Fill spray tank with 1/2 the required amount of water and turn on agitation system.
 - and mix using vigorous agitation.
 - fill tank with the remaining amount of required water.
- 9) Redundant listing of pests controlled was dropped.
- 10) Delete the phrases: "Always use at least the minimum recommended amount of Omite-CR per acre" and "however, do not reduce the recommended rate per acre". The label clearly specifies the rates to be used. These phrases caused legal difficulties in using 2(cc) directions at lower rates for some crops in certain areas.
- 11) An additional phytotoxicity statement was added for apples and hops.

Omite 30WS
(400-427)

-2-

- 12) Revised citrus phytotoxicity statement.
- 13) A revised phytotoxicity statement has been added for strawberries.
- 14) Part of the Compatibilities section has been revised and moved from another location on the label. New directions for obtaining more information and new precautionary statements have been added and several old statements deleted.

Changes Required by EPA

- 15) Contains EPA mandated changes in letter of 2/1/95 except for changes in conflict with WPS (as explained in Uniroyal label notification letter dated 2/27/95).
- 16) Contains revised precautionary treatment statements as required by EPA letter of 2/1/95.

447

OMITE®-30WS

THIS BAG CONTAINS 2 x 2½ LB. WATER SOLUBLE BAGS
SEE FOLDER FOR USE INSTRUCTIONS
ENCLOSED IN BOTTOM FOLD

AGRICULTURAL MITICIDE

Recommended for agricultural use only

Net contents:

COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]	30.0%
Inert Ingredients	70.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER • PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Call a physician.

IF INHALED: Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and Other Handlers Must Wear: A long-sleeved shirt & long pants; waterproof gloves; shoes plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing, or loading. Applicators, if applying more than 10 lbs. of OMITE-30W per acre in air-blast equipment must be in an enclosed cab.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**UNIROYAL
CHEMICAL**

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface is present, or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) listed in chart below.

RESTRICTED ENTRY INTERVALS (REI)	
CROP	
Strawberries	3 days
Grapes (wine & raisin)	14 days
Grapes (table)	21 days
Citrus (10.5 lbs./ per acre or less)	21 days
Citrus (at rates more than 10.5 lbs.)	28 days
All other labeled crops	7 days

Exception: After the first 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

USE RESTRICTIONS

Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.

Do not feed livestock on cover crops grown among the trees listed on this label.

GENERAL INSTRUCTIONS

OMITE-30WS is a dry wettable powder for preparing sprays to control mites.

OMITE-30WS is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. OMITE-30WS can be used in concentrate sprays.

OMITE-30WS performance is best when day temperatures average above 70°F.

MIXING INSTRUCTIONS

This package contains 2 x 2½ pound water soluble bags of OMITE-30WS. After opening package:

1. Fill spray tank with ½ the required amount of water and turn on agitation system.
2. Do not open or perforate the inner water soluble bags of OMITE-30WS. The water soluble bags and contents will dissolve in water.
3. Immediately put water soluble bag into spray tank and mix using vigorous agitation.
4. Fill tank with the remaining amount of required water.
5. Do not touch water soluble bags as handling may cause breakage.
6. Use only entire water soluble bag. Do not break bags or use partial bags.
7. Do not begin spraying until the bag is completely dissolved and the powder is thoroughly dispersed in the spray tank.
8. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place water soluble bag directly into application equipment (see directions). Then dispose of empty outer bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

597

5

FOR USE ON BEARING CROPS
DOSAGE INSTRUCTIONS (see application notes for specific directions)

CROP	MITES CONTROLLED	AMOUNT OMITE-30WS PER ACRE	MINIMUM GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA & AZ)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs.	50	—	2	28
APPLES ⁽¹⁾	European red two-spotted spider Pacific spider McDaniel	5 - 12 lbs.	500 - 800	—	3	7
APRICOTS (West of Rocky Mts.)	Pacific spider two-spotted spider	5 - 9 lbs.	50	—	2	14
FIGS	two-spotted spider Pacific spider strawberry spider	3 - 6 lbs.	50	—	2	14
GRAPES (West of Rocky Mts.)	Pacific spider strawberry spider Willamette two-spotted spider	5 - 9 lbs.	40	—	2	21
HOPS ⁽¹⁾	two-spotted spider	5 lbs.	100	—	2	14
LEMONS ⁽²⁾ (CA & AZ)	citrus red	10 lbs.	100	—	2	21
		11 - 15 lbs.	100	—	2	28
NECTARINES (West of Rocky Mts.)	Pacific spider brown almond	5 - 9 lbs. **	50	20	2	14
ORNAMENTALS ⁽³⁾ CARNATIONS CHRYSANTHEMUMS	two-spotted spider	1 - ½ lbs. per 100 gals. water	Spray to wet	—	—	—
CHRISTMAS TREES & CONIFERS ⁽⁴⁾ (for plantation & nursery use only)	Spider mites	4½ - 7½ lbs. (west)	100	10	3	—
		3 - 7½ lbs. (east)				
ROSES ⁽³⁾ (field grown)	two-spotted spider Pacific spider	2 - 5 lbs.	50	—	—	—
OTHER ORNAMENTALS ⁽³⁾ (field & nursery)	two-spotted spider Southern red	1 lbs. per 100 gallons of water	Spray to wet	—	—	—
PEACHES	European red Pacific spider two-spotted spider strawberry spider McDaniel peach silver	5 - 15 lbs. **	50	20	2	14
PEANUTS	two-spotted spider	3 - 5 lbs.	20	—	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	5 - 15 lbs. **	50	20	2	12
STRAWBERRIES ⁽⁵⁾ (West of Rocky Mts.)	Pacific spider strawberry spider two-spotted spider	5 - 10 lbs.	100	—	3 per 40 day harvest season	3
STRAWBERRIES ⁽⁵⁾ (LA & FL)	Pacific spider strawberry spider two-spotted spider	2½ lbs.	100	—	2 per 21 day harvest season	3
WALNUTS (CA only)	European red two-spotted spider	7 - 22 lbs.	100	10	2	21

* Each water soluble bag contains 2½ lbs. of OMITE-30WS.

**Use a minimum of 7½ pounds of OMITE-30WS per acre when applied by air.

797

FOR USE AFTER HARVEST AND ON NON-BEARING TREES ONLY
 Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT OMITE-30WS PER ACRE	MINIMUM GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR
CHERRIES (West of Rocky Mts.)	European red two-spotted spider Pacific spider McDaniel	6 lbs.	50	—
GRAPEFRUIT ⁽²⁾ (West of Rocky Mts.)	citrus red	10 - 15 lbs.	100	1
NAVEL ORANGES ⁽²⁾ (West of Rocky Mts.)	citrus red	10 - 15 lbs.	100	1
PEARS ⁽⁶⁾	European red two-spotted spider	5 - 7½ lbs.	50	For use after harvest only.

* Each water soluble bag contains 2½ lbs. of OMITE-30WS.

APPLICATION NOTES:

- Apples and Hops: Leaf injury and/or fruit spotting may occur if the following conditions are not observed: Do not apply OMITE-30WS with Diazinon WP if air temperatures are expected to exceed 95°F the day of spraying apples and hops. Do not apply in combination with Guthion emulsifiable concentrate. Use caution in areas East of the Rockies when poor drying conditions exist and when air temperatures exceed 85° during application. Optimum temperature range for application is 65° to 85°. Apply under optimal drying conditions. Caution should be taken when applying to drought stressed trees. Do not mix with petroleum oil or oil-based formulations of other products. Do not apply petroleum oils 14 days prior to or 14 days after applying OMITE. See Compatibilities.
- Citrus. OMITE-30WS may cause some leaf burn on new growth (feather growth) of lemons. Do not apply petroleum oils 30 days prior to or 40 days after applying OMITE-30WS. Do not use on navel oranges or grapefruit after new fruit is exposed in the spring as fruit spotting may occur.
- Ornamentals: 1 lb. of OMITE-30WS per 100 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. Because cultivars and cultural practices differ widely, the user should initially treat only a small portion of his crop to confirm plant safety under his conditions. See list of ornamentals on this label which may show phytotoxicity. Repeat applications of OMITE-30WS are normally necessary for extended control.
- Christmas Trees and Conifers: Higher or lower gallonage can be used

- depending upon tree size, mite population and equipment used to obtain thorough coverage.
- Strawberries: Fruit and leaf damage to strawberries has been observed under the following conditions: 1) when OMITE-30WS is applied with other chemicals or spray adjuvants; 2) when temperatures on application date reach 75°F, or within a few days thereafter; 3) when rain falls on the application date or within a few days thereafter. **BY USING THIS PRODUCT, THE USER AND GROWER ACCEPT ALL RISKS OF FRUIT OR LEAF DAMAGE ARISING FROM THE CONDITIONS DESCRIBED ABOVE.**
 - Do not use on Asian pears (pear apples) as leaf injury may occur.

COMPATIBILITIES

- Do not mix water soluble bags with boron-type compounds, halogen compounds or strong alkaline or acidic products.
- Under certain conditions a non-penetrating surfactant can be added. Rely on your prior use experience or consult your local surfactant supplier for specific recommendations. Do not use penetrating surfactants.
- Do not apply in combination with petroleum based foliar spray oils as phytotoxicity may occur.
- OMITE-30WS is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE-30WS will be reduced.
- Except as noted OMITE-30WS is compatible with many pesticides. Observe all cautions and limitation of labeling of all products used in mixtures.
- Additional information on compatibility is contained in the Uniroyal chemical product label book. Contact your supplier or Uniroyal representative for this information.

The following ornamentals may show some signs of phytotoxicity.

PLANTS SHOWING SLIGHT NECROSIS (leaf burn)

Abelia grandiflora	Cocculus laurifolius	Gardenia jasminoides 'Veitchi'	Lagerstroemia 'Petite Orchid'
Acer palmatum	Cotoneaster horizontalis	Hedera canariensis	Lagerstroemia 'Petite Pinkie'
Alectryon subcinereus	Cotoneaster salicifolia repandens	Hedera 'Ghost Tree'	Mahonia repens
Aralia seiboldi	Cotoneaster 'Skogsholmen'	Hydrangea macrophylla 'Hamburg'	Nyssa sylvatica
Aucuba japonica picturata	Cupania anacardioides	Hydrangea macrophylla hortensis compacta	Pachysandra terminalis
Aucuba japonica variegata	Eucalyptus cinerea	Hydrangea macrophylla hortensis 'Excelsior'	Philadelphus 'Glacier'
Beaumontia grandiflora	Eucalyptus globulus compacta	Hydrangea macrophylla 'Merrit's Beauty'	Podocarpus gracilior
Berberis thunbergii atropurpurea	Eucalyptus niphophila	Hydrangea macrophylla 'Revelation'	Prunus integrifolia
Berberis thunbergii atropurpurea nana 'Crimson Pygmy'	Eucalyptus rostrata	Hydrangea macrophylla 'Trophee'	Rosa Banksiae alba
Bougainvillea rhodamine	Eucalyptus sideroxylon rosea	Hydrangea macrophylla 'White'	Schinus terebinthifolius
Buxus microphylla 'Richardi'	Eucalyptus torquata	Ilex 'Nellie Stevens'	Tecoma stans
Cissus mandianum	Eucalyptus viminalis	Loelreuteria paniculata	Weigela 'Bristol Snowflake'
	Gardenia jasminoides 'Mystery'		

PLANTS SHOWING MODERATE TO SEVERE NECROSIS (leaf burn)

Acacia podalyriifolia	Cissus capensis	Grevillea 'Noeli'	Philadelphus virginialis
Alnus rhombifolia	Cissus hypoglauca	Hedera helix 'Goldheart'	Potentilla fruticosa 'Moonlight'
Aucuba japonica 'Dwarf Female'	Cotoneaster bullata floribunda	Leptospermum scoparium 'Keatley'	Potentilla grandiflora
Beloperone tomentosa	Dendromecon harfordi rhamnoides	Liquidambar orientalis	Quercus agrifolia
Berberis 'Mentofensis'	Eucalyptus ficifolia	Magnolia grandiflora 'Majestic Beauty'	Ternstroemia japonica
Ceanothus 'Ray's Fortune'	Gelsemium sempervirens	Philadelphus 'Minnesota Snowflake'	Tristania conferta

IMPORTANT NOTICE—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

OMITE is a Registered Trademark of Uniroyal Chemical Company, Inc.
 Copyright 1994, Uniroyal Chemical Company, Inc.