

HINDER[®]-H RABBIT & DEER REPELLENT

REGISTERED
MAY 8 1986
EPA Reg. No. 400-429

ACTIVE INGREDIENT:
Ammonium Soaps of Higher Fatty Acids 15%
INERT INGREDIENTS: 85%

KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED
WARNING
Statement of Practical Treatment
If in eyes: Flush with plenty of water. Get medical attention.
If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

* Trademark of Uniroyal Chemical Company, Inc.

Uniroyal Chemical Company, Inc.
Middlebury, CT 06749

EPA Reg. No. 400-429
EPA Est. No. 7874-CA-1

NET CONTENTS: 1 QT.

Lot No.

400-429

4/11/86

RESUBMITTED

PRECAUTIONARY
STATEMENTS
HAZARDS TO
HUMANS AND
DOMESTIC ANIMALS
WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if swallowed or inhaled. Avoid breathing spray mist. Prolonged or frequently repeated skin contact with this product may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Storage and Disposal


Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Tighten cap and securely wrap partially filled bottle of product in newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



4/11/86

HINDER-H RABBIT & DEER REPELLENT

Protects plants from the feeding damage by deer and rabbits.

For use on fruit trees, vegetables, vine crops, flowers, roses, ornamentals, shrubs, trees and nursery stock.

May be used up to day of harvest.

SHAKE WELL BEFORE USING.

HINDER-H RABBIT & DEER REPELLENT works on an odor principle. A mild ammonia odor barrier is created after treatment which repels rabbits and deer. The objective of treatment is to divert animals from desirable plant materials to less desirable food sources. Food crops may be eaten one day following treatment.

When to Apply

For best results, apply before the animals start eating the plants. Make repeat applications every 10-14 days in dry weather. During rainy periods, or if feeding damage occurs, more frequent applications may be required (7-10 day schedule).

How to Apply - As a Foliage Spray to Repel Deer

Use HINDER-H RABBIT & DEER REPELLENT at a rate of 5 1/3 fl. oz. per gallon of water. To apply with an ORTHO^R Spray-ette, pour undiluted product into spray jar and spray. Do not add water to jar. To apply with a tank type or power sprayer, first add undiluted product to the spray container and then add the appropriate quantity of water. Do not put diluted or undiluted product in food or drink containers. In addition to spraying directly on plants to be protected, also treat the lawn or adjacent plants in the immediate vicinity (2-3 ft.) to expand the odor barrier. Spray as needed when first evidence of deer feeding is observed in your area. For low growing vegetables, ornamentals, flowers, vines and trees up to 6 feet in height, spray foliage lightly to give full coverage. For trees over 6 feet high, spray to give full coverage to the lower branches and outer foliage up to a height of 6-8 feet above the ground. Make repeated applications as new plant growth appears or as needed.

How to Apply - As a Trunk Paint to Repel Rabbits

Mix equal amounts of HINDER-H RABBIT & DEER REPELLENT and water and apply by brush to trunks of trees and vines to the maximum height rabbits might reach. Repeat as needed to give extended protection.

Note: Avoid overhead sprinkling for at least 24 hours after application. Good drying conditions following HINDER-H RABBIT & DEER REPELLENT will improve performance. A minimum drying period of 24 hrs. is desired following treatment. If it rains in less than 24 hrs., it may be necessary to retreat the area. When good drying conditions occur, the odor barrier should persist through sporadic light "X" rains. Heavy rains will reduce effectiveness and require reapplication.

RABBIT & DEER

REPELLENT

ACC
MA
reg. U.S.
EPA Reg. N

ACTIVE INGREDIENT:

Ammonium Soaps of Higher Fatty Acids 15%

INERT INGREDIENTS: 85%

**KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED**

WARNING

Statement of Practical Treatment

If in eyes: Flush with plenty of water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

* Trademark of Uniroyal Chemical Company, Inc.

**Uniroyal Chemical Company, Inc.
Middlebury, CT 06749**

EPA Reg. No. 400-429
EPA Est. No. 7874-CA-1

Lot No.

NET CONTENTS: 1 QT.

BEST AVAILABLE COPY

4
R29

PANEL 2

**PRECAUTIONARY
STATEMENTS
HAZARDS TO
HUMANS AND
DOMESTIC ANIMALS
WARNING**

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if swallowed or inhaled. Avoid breathing spray mist. Prolonged or frequently repeated skin contact with this product may cause allergic skin reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Tighten cap and securely wrap partially filled bottle of product in newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

4/11/86

HINDER-~~H~~ RABBIT & DEER REPELLENT

Protects plants from the feeding damage by deer and rabbits.

For use on fruit trees, vegetables, vine crops, flowers, roses, ornamentals, shrubs, trees and nursery stock.

May be used up to day of harvest.

SHAKE WELL BEFORE USING.

HINDER-~~H~~ RABBIT & DEER REPELLENT works on an odor principle. A mild ammonia odor barrier is created after treatment which repels rabbits and deer. The objective of treatment is to divert animals from desirable plant materials to less desirable food sources. Food crops may be eaten one day following treatment.

When to Apply

For best results, apply before the animals start eating the plants. Make repeat applications every 10-14 days in dry weather. During rainy periods, or if feeding damage occurs, more frequent applications may be required (7-10 day schedule).

How to Apply - As a Foliage Spray to Repel Deer

Use HINDER-~~H~~ RABBIT & DEER REPELLENT at a rate of 5 1/3 fl. oz. per gallon of water. To apply with an ORTHO[®] Spray-ette, pour undiluted product into spray jar and spray. Do not add water to jar. To apply with a tank type or power sprayer, first add undiluted product to the spray container and then add the appropriate quantity of water. Do not put diluted or undiluted product in food or drink containers. In addition to spraying directly on plants to be protected, also treat the lawn or adjacent plants in the immediate vicinity (2-3 ft.) to expand the odor barrier. Spray as needed when first evidence of deer feeding is observed in your area. For low growing vegetables, ornamentals, flowers, vines and trees up to 6 feet in height, spray foliage lightly to give full coverage. For trees over 6 feet high, spray to give full coverage to the lower branches and outer foliage up to a height of 6-8 feet above the ground. Make repeated applications as new plant growth appears or as needed.

How to Apply - As a Trunk Paint to Repel Rabbits

Mix equal amounts of HINDER-~~H~~ RABBIT & DEER REPELLENT and water and apply by brush to trunks of trees and vines to the maximum height rabbits might reach. Repeat as needed to give extended protection.

Note: Avoid overhead sprinkling for at least 24 hours after application. Good drying conditions following HINDER-~~H~~ RABBIT & DEER REPELLENT will improve performance. A minimum drying period of 24 hrs. is desired following treatment. If it rains in less than 24 hrs., it may be necessary to retreat the area. When good drying conditions occur, the odor barrier should persist through sporadic light rains. Heavy rains will reduce effectiveness and require reapplication.

ORTHO Spray-ette is a Trademark of CHEVRON CHEMICAL COMPANY