

400-490


10/1/2002

5-1-2002 1/2

OCT - 1 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 400-490

Lindane 40% Flowable



For Use In Commercial Seed Treatment Facilities With Closed Transfer Systems Only. No Open Transfer.

Net Contents:

COMPOSITION

Active Ingredient: (% by weight)
 Lindane (Gamma isomer of benzene hexachloride) 40%
 Inert Ingredients: 60%
 Total: 100%
 Contains 4 pounds of Lindane per U.S. gallon.

**KEEP OUT OF REACH OF CHILDREN
 WARNING**

FIRST AID							
IF SWALLOWED:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. 						
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. 						
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice. 						
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. • Do not give anything by mouth to an unconscious person. 						
<p>EMERGENCY ASSISTANCE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 70%;">UNIROYAL CHEMICAL EMERGENCY PHONE</td> <td style="text-align: right;">203-723-3670</td> </tr> <tr> <td>SAFETY DATA AND INFORMATION</td> <td style="text-align: right;">203-573-3303</td> </tr> <tr> <td>TRANSPORTATION EMERGENCY (CHEMTREC)</td> <td style="text-align: right;">800-424-9300</td> </tr> </table>		UNIROYAL CHEMICAL EMERGENCY PHONE	203-723-3670	SAFETY DATA AND INFORMATION	203-573-3303	TRANSPORTATION EMERGENCY (CHEMTREC)	800-424-9300
UNIROYAL CHEMICAL EMERGENCY PHONE	203-723-3670						
SAFETY DATA AND INFORMATION	203-573-3303						
TRANSPORTATION EMERGENCY (CHEMTREC)	800-424-9300						

Precautionary Statements and Directions for Use are in the attached booklet. If booklet is missing, contact Uniroyal Chemical or an authorized dealer.

EPA REG. NO. 400-490
 EPA EST. NO. 003

Uniroyal Chemical Company, Inc.
 a subsidiary of Crompton Corp.
 Middlebury, CT 06749

Crompton
 Uniroyal Chemical

www.cromptoncorp.com

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed or absorbed through skin. Harmful is inhaled. Causes substantial but temporary eye injury. Harmful if inhaled. Causes skin irritation. Do not get in eyes, on skin or on clothing. Avoid breathing vapors.

PERSONAL PROTECTIVE EQUIPMENT: Workers involved in treating, clean up or maintenance of seed treatment equipment must wear: Chemical-resistant coveralls over long-sleeved shirt and long pant; chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber; head gear; respirator protection (i.e. half-mask respirator with suitable dust filter or fresh air hood).

Baggers, sewers and stackers must wear: Regular coveralls over long-sleeved shirt and long pants; chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber; head gear, respirator protection (i.e. single use dust masks, quarter or half-mask respirator, fresh air hood).

Forklift operators must wear: Regular coveralls over long-sleeved shirt and long pants and gloves.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply directly to water, or to area where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on agricultural establishments in hopper-box, planter-box, slurry box, or other seed treatment applications at or immediately before planting.

Mix thoroughly before use or use entire container at one time. LINDANE 40% Flowable may be tank mixed with VITAVAX®-200 Flowable Fungicide, Gustafson VITAVAX-34 Seed Treatment, Gustafson Captan 30-DD, Gustafson Captan 300 or Gustafson 42-S Thiram Fungicide at the respective labeled rate. All other tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures. This product is to be used in liquid or slurry treaters at commercial seed treatment facilities.

The U.S. Environmental Protection Agency has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with LINDANE 40% Flowable must be labeled in accordance with all applicable requirements of the Federal Seed Act.

LINDANE 40% Flowable will protect seeds and seedlings against damage from wireworms and seed corn maggots.

	Dosage Rate/100 lbs. of Seed
Seed	
Barley	1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.

NOTE: The purchaser of this product is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR; Part 2.25. Any dye added to treated seed must be cleared for use under 40 CFR, Part 180.1001.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water.

NOTICE - READ CAREFULLY

LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease of insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Uniroyal, no claims are made to guarantee germination of carry-over seed.

Uniroyal warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label only when used in accordance with directions and instructions specified on the label. Uniroyal neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach of this limited warranty, Uniroyal shall not be liable for consequential damages.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool, dry location. Do not store in direct sunlight. Protect from freezing temperatures. Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed to dairy animals or to animals being finished for slaughter.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Plastics & Returnables — Contact Uniroyal or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.