

400-536

11/30/2006

117

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 400-536	Date of Issuance: NOV 30 2006
	Term of Issuance: Conditional	
	Name of Pesticide Product: B811 Insecticide	
Name and Address of Registrant (include ZIP Code): Chemtura USA Corporation 74 Amity Road Bethany, CT 06524-3402		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.		
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
<ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data. 2. Make the following label changes before you release the product for shipment: <ol style="list-style-type: none"> a. Revise the EPA Registration Number to read, "EPA Reg. No. 400-536". b. Delete the statements following Hazards to Humans and Domestic Animals and replace with the following: <i>"Causes moderate eye irritation. Wear protective eyewear. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: long-sleeved shirt and long pants, Socks, Shoes, and gloves."</i> 		
Signature of Approving Official:  Venus Eagle, Acting Product Manager (01) Insecticide-Rodenticide Branch, Registration Division (7505P)	Date: NOV 30 2006	

- c. Within the **FIRST AID** portion of the label, include the following section:
"If in eyes:
-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
-Call a poison control center or doctor for treatment advice."

- d. After the **FIRST AID** section of the label, include the following section:
PERSONAL PROTECTIVE EQUIPMENT

Mixers and other handlers must wear long-sleeved shirt and pants, shoes plus socks and chemical resistant gloves (nitrile rubber, barrier laminate, neoprene rubber or viton). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

- e. Within the **WARRANTY AND LIMITATION OF DAMAGES** section of the label, rephrase the sentence *"Seller makes no other express of implied warranty..."* to read *"To the extent consistent with applicable law, seller makes no other express or implied warranty..."*

3. The data requirements for storage stability (830-6317) and corrosion characteristics (830-6320) have not been satisfied, and must be submitted within eighteen months of the date of this letter.

4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Venus Eagle
 Acting Product Manager (01)
 Insecticide-Rodenticide Branch
 Registration Division (7505P)

Enclosure

B811 Insecticide

- [Prevents the development of Horn flies, Face flies, House flies and Stable flies in the manure of treated cattle (lactating and non lactating beef and dairy cows, slaughter, stocker and feeder cattle and calves including veal calves).]
- [A pesticidally active feed concentrate for cattle (lactating and non lactating beef and dairy cows, slaughter, stocker and feeder cattle and calves including veal calves) containing [diflubenzuron) (Dimilin®)]
- [Insect Growth Regulator (IGR) for continuous feeding during the fly season]
- [(Daily) feed concentrate for (beef and dairy) cattle containing (Dimilin®) (diflubenzuron) (brand name) Insect Growth Regulator (IGR) for continuous feeding during the fly season]
- [(Fly larvicide) (fly control) (for beef and dairy cattle)]
- [(Stops) (prevents) (growth) (development) of Horn fly, Face fly, House fly and Stable fly larvae in manure (of) (from) treated beef and dairy cattle (lactating and non lactating beef and dairy cows, slaughter, stocker and feeder cattle and calves including veal calves).]
- [(Stops) (prevents) development of Horn fly, Face fly, House fly and Stable fly larvae in manure (of) (from) treated beef and dairy cattle]
- [(Stops) (prevents) emergence of adult Horn flies, Face flies, House flies and Stable flies from manure (of) (from) treated beef and dairy cattle]
- [Contains (diflubenzuron) (Dimilin®) (brand name) (Insect Growth Regulator) (IGR) (chitin synthesis inhibitor)]
- [Breaks the (fly) (flies') life cycle]
- [Prevents the (formation) (synthesis) of (chitin) fly larvae's exoskeletons (when they molt) (resulting in their death)]
- [(Can be used as) part of a (integrated) (total) (complete) fly control (pest management) program]

ACTIVE INGREDIENT (% by weight):

Diflubenzuron (CAS# 35367-38-5): 0.67%*

OTHER INGREDIENTS 99.33%**

TOTAL 100.00%

*contains 3.04 grams of diflubenzuron per pound.

** Refers only to ingredients which are not larvicidal.]

EPA REG NO. 400 -

EPA EST. NO.

**KEEP OUT OF REACH OF CHILDREN
[CAUTION]**

NET WT: xx lbs. (xx kg.)

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
NOV 30 2006**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
400-536**

B811 Insecticide

**[PRECAUTIONARY STATEMENTS]
[HAZARDS TO HUMANS AND DOMESTIC ANIMALS]
[CAUTION]**

[Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.]

[FIRST AID]	
[Call poison control center or doctor immediately for treatment advice.]	
[If on skin or clothing]	<ul style="list-style-type: none"> • [Take off contaminated clothing.] • [Rinse skin immediately with plenty of water for 15-20 minutes.]
<p>[Emergency Assistance: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.] [CHEMTURA USA CORPORATION EMERGENCY PHONE: 800-292-5898] [SAFETY DATA AND INFORMATION: 203-573-3303] [TRANSPORTATION EMERGENCY (CHEMTREC): 800-424-9300]</p>	

ENVIRONMENTAL HAZARDS

This pesticide is toxic aquatic invertebrates. Do not contaminate water when disposing of equipment wash waters.

GENERAL USE INFORMATION

[(*B811 INSECTICIDE*) (brand name) (this product)] is intended for blending into (beef and dairy) cattle (lactating and non lactating beef and dairy cows, slaughter, stocker and feeder cattle and calves including veal calves) rations to control horn flies, face flies, house flies and stable flies, which develop in cattle manure. This product prevents emergence of adult flies from the manure of the treated cattle. Use [(*B811 INSECTICIDE*) (brand name) (this product)] only in (beef and dairy) cattle supplements.

Use [(*B811 INSECTICIDE*) (brand name) (this product)] as part of a(n) [integrated] [pest] [fly] [control] [management] program aimed at reducing fly populations in the cattle's environment. Consult your [veterinarian] [or] [retailer] for program recommendations. In order to achieve optimum fly control, use [(*B811 INSECTICIDE*) (brand name) (this product)] in conjunction with [other] [Farnam] [brand name] premise and on-animal products as well as good management and sanitation practices.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[(B811 INSECTICIDE) (brand name) (this product)] contains [(Dimilin®) (diflubenzuron)], [an] [insect growth regulator] [IGR] which prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated beef and dairy cattle, but is not effective against existing adult flies. Start feeding [(B811 INSECTICIDE) (brand name) (this product)] early in the spring [(3-4 weeks) (30 days) (1 month) before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather (restricts) (stops) (ends) fly activity. In some cases, supplemental fly control measures may be needed in and around pastures, barns and feedlots to control adult house and stable flies which can breed in other decaying [(organic) (vegetable)] matter or silage in the area, or that migrate in from other locations.

The dosage of [(B811 INSECTICIDE) (brand name) (this product)] is proportional to the animal's body weight. The recommended feeding rate of [(B811 INSECTICIDE) (brand name) (this product)] is [0.72 oz (0.04 lb) per 100 lbs of body weight per month (30 days)] [(0.10 mg diflubenzuron/kg of body weight) (4.54 mg diflubenzuron/100 lbs. of body weight)] per day]. The product can be fed by either of the following two methods.

MIXED WITH FREE-CHOICE MINERALS

Mix [(B811 INSECTICIDE) (brand name) (this product)] with free-choice-fed minerals to produce a [(B811 INSECTICIDE) (brand name) (this product)] and mineral mixture as shown in the table below¹.

4 OZ. PER DAY FEEDING RATE

B811 Insecticide	13 lbs	6.10%
Free-Choice Minerals	200 lbs	93.90%
Total	213 lbs	100.00%

2 OZ. PER DAY FEEDING RATE

B811 Insecticide	13.5 lbs	11.89%
Free-Choice Minerals	100.0 lbs	88.11%
Total	113.5 lbs	100.00%

1. These calculations are based on a 1,000 pound animal.

Place the [(B811 INSECTICIDE) (brand name) (this product)] + mineral mixture in feeders close to water sources and/or resting areas. Use one feeder for each 15 to 20

head. Fill the feeders with no more than a 5 to 7 day supply of the mixture at one time, and protect the mixture from rain.

MIXED-RATION FEEDING

Use the table below as a guide for mixing [(B811 INSECTICIDE) (brand name) (this product)] with grain or a feed supplement.

Body Weight (lbs.)	Feed Intake as a % body wt.	Feed Intake (lbs. /head /day)	B 811 Insecticide [(oz./ton)] [(lbs./ton)]	
150	1.50%	2.25	[31.9]	[2.0]
500	1.50%	7.50	[31.9]	[2.0]
750	1.50%	11.25	[31.9]	[2.0]
1000	1.50%	15.00	[31.9]	[2.0]
1500	1.50%	22.50	[31.9]	[2.0]
250	2.00%	5.00	[23.9]	[1.5]
500	2.00%	10.00	[23.9]	[1.5]
750	2.00%	15.00	[23.9]	[1.5]
1000	2.00%	20.00	[23.9]	[1.5]
1250	2.00%	25.00	[23.9]	[1.5]
150	2.50%	3.75	[19.1]	[1.2]
500	2.50%	12.50	[19.1]	[1.2]
750	2.50%	18.75	[19.1]	[1.2]
1000	2.50%	25.00	[19.1]	[1.2]
1500	2.50%	37.50	[19.1]	[1.2]
250	3.00%	7.50	[15.9]	[1.0]
500	3.00%	15.00	[15.9]	[1.0]
750	3.00%	22.50	[15.9]	[1.0]
1000	3.00%	30.00	[15.9]	[1.0]
1250	3.00%	37.50	[15.9]	[1.0]

$$\text{Inclusion of B 811 Insecticide (lbs/ton)} = \frac{\text{Body weight} \times 3}{100 \times \text{Average Daily Feed Intake (lb)}}$$

Thoroughly mix [(B811 INSECTICIDE) (brand name) (this product)] with grain or a feed supplement. The mixing and feeding rates in the above table will provide the recommended daily intake of [(0.10 mg diflubenzuron/kg of body weight) (4.54 mg diflubenzuron/100 lbs. of body weight)] per day.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. **Seller makes no other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty.** In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which claim is made.

Distributed by:

Chemtura Corporation USA
Benson Road
Middlebury, CT 06749