



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7504P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number: 400-542

Date of Issuance:

APR 26 2011

NOTICE OF PESTICIDE:

XX Registration
XX Reregistration
(under FIFRA, as amended)

Terms of Issuance: Unconditional

Name of Pesticide Product: Off-Shoot-T®

Attention: Allen Blem
Chemtura Corporation
199 Benson Road, 2-5
Middlebury, CT 06749

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received a label amendment request submitted by email on April 26, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for Aliphatic Alcohols have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions or comments regarding this letter, please contact Heather Garvie at (703) 308-0034 or via e-mail at garvie.heather@epa.gov.

Signature of Approving Official:

Tony Kish (handwritten signature)


Tony Kish
Product Manager (Team 22)
Fungicide Branch
Registration Division

Date:

APR 26 2011

ACCEPTED
APR 26 2011
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 400-542

Off-Shoot-T®



Tobacco Sucker Control Agent High Active Formula

Net
 Contents:

Active Ingredients: (% by weight)

octanol (C ₈)	36.2%*
decanol (C ₁₀)	48.2%*
related compounds (dodecanol - C ₁₂)	0.3%*
Other Ingredients:	15.3%
Total:	100.0%

*Contains 2.57 lb. octanol, 3.43 lb. decanol and 0.02 lb. dodecanol per gallon
 *Contains 308 grams octanol, 411 grams decanol and 3 grams dodecanol per liter

KEEP OUT OF REACH OF CHILDREN DANGER • PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR ON CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
EMERGENCY ASSISTANCE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
EMERGENCY PHONE	800-292-5898
SAFETY DATA AND INFORMATION	866-430-2775
TRANSPORTATION EMERGENCY (CHEMTREC)	800-424-9300

EPA REG. NO. 400-542
 EPA EST NO.
 004

Manufactured for:
 Chemtura Corporation
 199 Benson Road
 Middlebury, CT 06749



www.ChemturaAgroSolutions.com

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton. If you want more options, follow the instructions for Category C on an EPA chemical-resistance category selection chart.

Mixers, Loaders, Applicators and Other Handlers Must Wear: long-sleeved shirt and long pants; shoes plus socks; and goggles or face shield. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all label directions carefully before use.

Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the **restricted entry interval (REI) of 24 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls; chemical resistant gloves made of any waterproof material; shoes plus socks; protective eyewear.

OFF-SHOOT-T® is a carefully balanced combination of fatty alcohols and wetting agents used for the contact control of sucker growth on Burley, Flue-Cured, Dark, Maryland and Cigar tobacco. The concentrated product is diluted with water to form a creamy emulsion which is applied as a coarse spray. The emulsion is effective only when it comes in direct contact with the suckers; therefore, the material is applied so that maximum contact is made with the suckers.

**DIRECTIONS FOR APPLICATION
WHEN TO APPLY**

OFF-SHOOT-T can be applied either before or after topping. Best results are usually obtained by spraying the tobacco with OFF-SHOOT-T before topping in the early to late button stage and then topping the tobacco within a few days, removing any suckers that were missed. If you top the tobacco plants before spraying, remove any suckers over one inch in length as you top and apply OFF-SHOOT-T immediately after topping. Because OFF-SHOOT-T is a contact type agent, it is necessary to straighten any plants that are leaning so that the emulsion flows down the stalk evenly and contacts each sucker.

OFF-SHOOT-T can be applied any time during the day. For best results, we recommend that you wait until the dew dries before spraying. Do not apply during the rain or when plants are wet. If, however, it rains after OFF-SHOOT-T has been on the plants for over an hour, you should not have to apply OFF-SHOOT-T again. Do not spray after the leaves begin to close in the evening. Because the underside of leaves may be injured by contact with OFF-SHOOT-T, do not apply when the wind is high enough to turn top leaves over.

HOW MUCH TO APPLY

Flue-Cured: For Power Sprayer - use 1.5 to 2.5 gallons in 50 gallons of water. For Hand Sprayer - use 4 to 5 fluid ounces per gallon of water.

Burley: For Power Sprayer - use 1.75 to 2 gallons in 50 gallons of water. For Hand Sprayer - use 4 to 5 fluid ounces per gallon of water.

Dark: Use 6 to 8 fluid ounces per gallon of water to apply with hand sprayer.

Cigar: Use 4 to 5 fluid ounces per gallon of water to apply with hand sprayer.

Maryland: Use 4 to 4.5 fluid ounces per gallon of water to apply with hand sprayer.

When applied by hand, 1 gallon of diluted OFF-SHOOT-T will treat approximately 190 plants. If a power sprayer is used, 40 to 60 gallons of diluted product should be applied per acre of tobacco.

HOW TO APPLY

Prepare the diluted emulsion by adding the required amount of OFF-SHOOT-T to your spray tank and then adding the water. For the best results, it is important to add the water to the OFF-SHOOT-T, rather than OFF-SHOOT-T to the water.

If you use a hand-held or back-pack sprayer, the diluted emulsion must be applied at a rate of 2/3 to 1 fluid ounce per plant (or enough to assure run down to the bottom of the plant). A coarse spray is recommended, directed downward at the top of the stalk from 6 to 8 inches above the top leaves. Very little tank pressure is required, and in no case use more than 20 pounds per square inch (psi).

When applied with power equipment, use three nozzles per row. TG-3 full-cone tips, or equivalent, may be used. Alternatively the center TG-3 nozzle may be replaced with a TG-5 full-cone nozzle, which provides more spray solution down the stalk. One nozzle must be directed downward over the center of the row and one must be about 9 inches on either side directly at or slightly above the top of the stalk. Apply the diluted OFF-SHOOT-T to the tobacco as a coarse spray 12 to 16 inches above the top of the stalk. Keep the boom pressure at 20 to 25 psi, and never exceed 25 psi. If you use the spray tips such as described above, spray at approximately 20 psi pressure, and operate at ground speed of 2.5 to 3 mph, you will apply approximately 50 gallons of diluted emulsion per acre of tobacco.

HOW OFTEN TO APPLY

In many cases a single application of OFF-SHOOT-T is satisfactory to control both primary and secondary suckers. On uneven tobacco or if secondary sucker growth appears vigorous, 2nd and 3rd applications 3 to 5 days apart may be advantageous. It is often best to use a 5% concentration (2.5 gallons in 50 gallons of water) for the second and third applications.

To help avoid using more than the recommended amount of maleic hydrazide (MH), a 5% application of OFF-SHOOT-T can also be made 3 to 4 weeks after applying MH. This application should be made when suckers are less than one inch in length, or suckers longer than one inch should be removed by hand.

Some growers of Burley, Flue-Cured, and Dark tobacco may favor a sequential treatment using OFF-SHOOT-T (not for the early button stage) followed 1-2 weeks later with Royal MH-30® (or other MH systemic sucker control agent) used in accordance with manufacturer's instructions. If a sequential treatment is used on Burley or Flue-Cured tobacco, application of 1.5 to 2 gallons of OFF-SHOOT-T in 50 gallons of water is adequate. If a sequential treatment is used on Dark tobacco, OFF-SHOOT-T should be used at 6 to 9 fluid ounces per gallon of water if applied by hand sprayer.

APPLICATION NOTES

If allowed to stand for more than 30 minutes, the diluted emulsion may separate. Always mix well before use.

DO NOT MIX OFF-SHOOT-T WITH OTHER CHEMICALS SUCH AS INSECTICIDES OR DEFOAMERS. Do not apply to tobacco plants that have recently been treated with other chemicals (except Royal MH-30 or other MH systemic sucker control agent). Be sure that all spray equipment is clean before using.

In Burley tobacco, during long periods of high heat and humidity, and under other conditions that may favor the spread of hollow stalk or dry rot disease, delay application of OFF-SHOOT-T until these conditions pass.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container only. After partial use, replace lid and close tightly. Store in a secure place that is temperate, dry and out of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or in an approved waste disposal facility.

EQUIPMENT CLEANING: This product is not corrosive to spray equipment. Following applications, all spray equipment should be thoroughly rinsed with water. Do not contaminate water when disposing of equipment washwater or rinsate.

CONTAINER HANDLING:

Nonrefillable Container

Plastic Containers: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer container for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: For containers small enough to shake: Empty the remaining contents into application or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Recycling: Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact the Ag Container Recycling Council (ACRC) at 1-877-952-2272 (toll free) or www.acrecycle.org.

Refillable Container

Mini-Bulk Containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

IMPORTANT NOTICE - To the extent permitted by applicable law, the seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, **but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use for this product, contrary to label instructions, or under conditions not reasonably foreseeable to seller, and, to the extent consistent with applicable law, the buyer assumes the risk of any such use.**

OFF-SHOOT-T® and MH-30® are Registered Trademarks of Chemtura Corporation

Chemtura AgroSolutions™ is a trademark of Chemtura Corporation

©Copyright 2011, Chemtura Corporation