

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

1/2

Mr. Michael Dupre Chemtura Corporation 199 Benson Road Middlebury, Connecticut 06749

NOV 1 7. 2008

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request Primary Brand Name "**Rancona 3.8 FS**" EPA Reg. No.400-544 Application Dated October 22, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated October 22, 2008 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs



Chemtura Corporation 199 Benson Road Middlebury, Connecticut 06749 ΗĽ

203-573-2000 **tel** www.chemtura.com

October 22, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 2777 S. Crystal Drive Room S-4900, One Potomac Yard, 4th Floor Arlington, Virginia 22202-4501

Attention:

Ms. Linda Arrington, Notifications Registration Division (7504P)

Subject:

Notification of Change in Primary Brand Name, per PR Notice 98-10

Dear Ms. Arrington:

Chemtura Corporation (Company No. 400) herein submits an Application for Amendment of Registration by the Notification Method for a Change in Primary Brand Name for a registered product:

EPA Reg. No. 400-544

Old Name: Ipconazole 3.8 FS

New Primary Brand Name: RANCONA 3.8 FS

If you have any questions about this notification for a change in Primary Brand Name, please contact Allen Blem (Registration Specialist) at (203)573-2487 or email <u>allen blem@chemtura.com</u>.

Sincerely,

Chemtura Corporation

Michael Dupre ²^c ° Product Registration Mgr., N.A

Attachments:

1. Form 8570-1, with compliance statement

2. Product label version 002/030207

EPA-ARB/B631 change primary brand name - RANCONA 3 8FS.doc

ЕРА	United States Environmental Protection Washington, DC 204		Registration Amendment Other	OPP Identifier Number
		Application for Pe	sticide - Section I	
1. Company / Produ	400-544		^{Aanager} Tony Kish	3. Proposed Classification [3] None [3] Restricted
4. Company / Produ	Ipconazole 3.8 FS	PM#	22	
Chen 199 E	s of Applicant (Include ZIP Code) ntura Corporation lenson Road, 2-5 ebury, Connecticut 06749	similar or iden EPA	tical in composition and lal	h NO7 HECATION (1), my product is beling to: NOV <u>1</u> 7 2007
[] check	if this is a new address	Sectio	- II	
	· .	Sectio		
[[]] Amen	dment - Explain below.			Final printed labels in response to Agency letter dated
[[]] Resub	mission in response to Agency letter date	xd	[[]]	"Me Too" Application.
[X] Notifi	cation - Explain below.		[[]]	Other - Explain below.
Notificatio This notifi have bee Sec. 100 Notice 98	n made to the labeling or the confider I to willfully make any false statement	e, per PR Notice 98 is of PR Notice 98-1 itial statement of for i to EPA. I further ur may be in violation	B-10: RANCONA 3.8 FS 10 and EPA regulations a rmula of this product. I un nderstand that if this notif of FIFRA and I may be s	t 40 CFR 152.46, and no other changes iderstand that it is a violation of 18 U.S.C. ication is not consistent with the terms of PR ubject to enforcement action and penalties
		Section	- m	
1. Material This	Auduct Will Be Packaged In:			
Child-Resistant Pacl []] Yes* []] No * Certification submitted	a must be	Vo. Per container	Water Soluble Packaging [] Yes [] No If the " Packaging materials of the second seco	Image: Second state sta
3. Location of Net C []] Label	ontents Information [[]] Container	Size(s) Retail Container	5	Location of Label Directions On Label On Label On whether the second sec
6. Manner in Which	Label is Affixed to roduct		 []] Lithograph []] Paper glued []] Stenciled 	Other
		Section		د د
1. Contact Point (Co Name	Allen R. Blem			Telephone No. (Include Area Code) ر ر (203) 573-2487 E-mail: allen.blem@chemtura.com
	Certif he statements I have made on this form and all atta wingly false or misleading statements may be put	achments thereto are true, nishable by fine or impriso		ledge (Stamped)
		1 3 Title		
4. Typed Name	el Dupré	3. Title Product Registr 5. Date 10/22/20	ration Manager, North Ar	

.

1

,

EPA-ARB/B631 change primary brand name - RANCONA 3 8FS.doc

3/6

. . .

RANCONA[™] 3.8 FS



Net **Contents:**

ACTIVE INGREDIENT:	
ipconazole (CAS No. 125225-28-7)	40.7%*
Inert Ingredients:	
Total:	

*Contains 3.77 pounds of active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID			
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
	ISTANCE: Have the product container or label with you when ontrol center or doctor, or going for treatment.		

EMERGENCY PHONE 800-292-5898 SAFETY DATA AND INFORMATION TRANSPORTATION EMERGENCY (CHEMTREC)

866-430-2775 800-424-9300

NOTIFICATION

NOV 1 7 2007

EPA REG. NO. 400-544 EPA EST. NO. 002/030207

Manufactured for: Chemtura Corporation 199 Benson Road Middlebury, CT 06749



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves, such as natural rubber. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

For terrestrial users, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. This fungicide may persist in soil, and long-term use in the same field may result in an accumulation of active ingredient.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on agricultural establishments in hopper-box, planter-box, slurry-box or other see treatment applications at or immediately before planting.

RANCONA[™] 3.8 F5 is a systemic broad-spectrum fungicide and seed dressing specifically for protection against soilborne and seedborne disease of crop plants. RANCONA 3.8 FS is active against Rhizoctonia, Fusarium, and Phomopsis. In addition, RANCONA 3.8 FS provides activity against weakly pathogenic fungi such as Mucor, Rhizopus, Aspergillus, Penicillium, Altemaria, and Cladosporium. RANCONA 3.8 FS does not provide activity against Pythium spp. or Phytophthora spp. To provide best seedling protection against a wide array of fungal pathogens, apply RANCONA 3.8 FS as a tank mix with ALLEGIANCE-FL. Consult the ALLEGIANCE-FL label to assure registration on crop, or if not labeled, use another labeled seed treatment product that has activity against Pythium or Phytophthora. Consult the label for appropriate use rate and follow all use instructions for the products. Do not use with other seed treatment products unless previous experience assures compatibility.

NOTE: **This product is undyed.** The purchaser of this product is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, part 2.25. Any dye added to treated seed must be cleared for use under 40CFR, Part 153.155.

RANCONA 3.8 FS may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry or mist-type commercial seed treatment equipment.

ROOT VEGETABLES

Beet (garden), burdock (edible), carrot, celeriac, chervil (turniprooted), chicory (roots), chufa, dandelion (roots), ginseng, parsley (turnip-rooted), parsnip, radish, radish (oriental), rutabaga, salsify, salsify (black), salsify (Spanish), skirret, turnip and yam bean.

For protection against seedborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed or propagating root or tuber material.

LEAFY VEGETABLES (Except Brassica Vegetables)

Amaranth (leafy, Chinese spinach, tampala), arugula, cardoon, celery (including Chinese), celtuce, chervil, chrysanthemum (edible-leaved and garland), corn salad, cress (garden and upland), dandelion, dock, endive, fennel (Florence, finochio), lettuce (head and leaf), orach, parsley, purslane (garden and winter), radicchio, rhubarb, spinach, spinach (New Zealand), spinach (vine), and Swiss chard.

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

BRASSICA (COLE) LEAFY VEGETABLE GROUP

Broccoli, broccoli (Chinese), broccoli (raab), Brussels sprouts, cabbage (including Chinese bok choy, Chinese napa, and Chinese mustard), cauliflower, cavalo broccolo, collards, kale, kohirabi, mizuna, mustard greens, mustard spinach, and rape greens.

For protection against seedborne and soilborne fungi that cause seed decay, damping off, and seedling blight, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

CURCURBIT VEGETABLES

Chayote, Chinese wasgourd, citron melon, cucumbes, gharkin, gourd edible (includes hyotan, cucuzza, hechima, Chinese okra), *Momordica*, all muskmelon, pumpkin, squash and watermelon. For protection against seedborne and sollborne fungi that cause seed decay, damping off, and seedling blight apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

CEREAL GRAINS (includes Forage and Silage) ্রের্ডের Corn (field corn, popcorn, and sweet corn) and sorghum.

Corn (Field Corn and Popcorn): For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.044 fl. oz. of RANCONA 5.3 F5 per 100 pounds of seed. **Sweet corn:** For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.085 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

Sorghum: For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.17 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

COTTON, SUNFLOWER

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.085 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

MUSTARD, RAPE, CANOLA

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, as well as for protection against Phoma lingam causing blackleg, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

ORNAMENTAL FLOWERS

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

CONIFERS

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.34 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

TURF GRASS

For protection against seedborne and soilborne fungi that cause seed decay, damping-off, and seedling blight, apply 0.051 – 0.085 fl. oz. of RANCONA 3.8 FS per 100 pounds of seed.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. **STORAGE**

Store in a cool dry location. Do not store in direct hot sunlight. **PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL**

Contact Chemtura or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Federal law requires that bags containing treated seeds shall be labeled with the following information:

"This seed has been treated with Ipconazole. Do not use for feed, food or oil purposes. Store away from feeds and foodstuffs." FAIL-URETO FOLLOW DIRECTIONS ON THIS LABEL MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL.

IMPORTANT NOTICE - Chemtura Corporation warrants that this product conforms to the chemical description on the label and is reasonable fit for the purposes stated on the label only when used in accordance with the directions, instructions and restrictions specified on the label. Chemtura neither makes, nor authorizes any agent or representative to make any other warranty, including any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this product. To the extent consistent with applicable law, Chemtura shall not be liable for special, indirect or consequential damages, SEED TREAT-MENT WARRANTY STATEMENT - Treatment of highly mechanically damaged seed, or seed known to be of low vigor and poor quality, except for the purpose of curative control of existing disease pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small test sample of seed before treating commercial quantities with a selected chemical treatment. Due to seed quality and seed storage conditions beyond the control of Chemtura, Chemtura makes no claims or guarantees as to germination of carry-over seed.

RANCONA™ is a trademark of Chemtura Corporation © Copyright 2008, Chemtura Corporation

NOTIFICATION

NOV 1 7 2007