

HILCO-TOX

INSECT SPRAY

ACTIVE INGREDIENTS: 100% Petroleum Hydrocarbons, N-Octyl Bicycloheptene Dicarbonyl, DDVP (2,2-Dichlorovinyl dimethyl Phosphate), and related compounds, Piperonyl Butoxide, Technical*, Pyrethrins.

*Consists of Butylcarbityl (6-propylpiperonyl) ether and related compounds.

A SPRAY COMPOUNDED FOR USE IN HILL'S CHALLENGER SPRAYER, ESPECIALLY ADAPTED FOR USE IN BAKERIES, FOOD PLANTS, RESTAURANTS, FOOD HANDLING PLANTS, BOTTLING PLANTS, CONFECTIONERY COMPANIES, SCHOOLS, HOTELS, HOSPITALS, OFFICE BUILDINGS, AND SIMILAR ESTABLISHMENTS.

Effective for killing Roaches (Waterbugs), Bedbugs, Flies, Mosquitoes, Gnats and many other insects, when used according to directions, by direct application. **FOOD PROCESSING PLANTS:** Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using HILCO-TOX as a space spray in these areas, apply only when plant is not in operation.

SPACE SPRAYING: Atomize HILCO-TOX with HILL'S CHALLENGER SPRAYER. To kill flying insects, such as Flies, Mosquitoes and Gnats, atomize 1 pint of HILCO-TOX per 20,000 cubic feet of space. To kill accessible crawling insects such as Roaches (Waterbugs), Crickets and similar insects, atomize 1 quart of HILCO-TOX per 10,000 cubic feet of space. **KEEP DOORS AND WINDOWS CLOSED TO OBTAIN MAXIMUM RESULTS. PREMISES SHOULD BE KEPT CLOSED FOR AT LEAST TWENTY MINUTES AFTER SPRAYING. FALLEN INSECTS SHOULD BE DISPOSED OF AS SOON AS POSSIBLE AFTER SPRAYING. REPEAT APPLICATIONS AS OFTEN AS NECESSARY. DO NOT REMAIN IN TREATED AREAS AND VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.**

CONTACT SPRAYING: Do not use in commercial food preparation areas or in edible food products areas of food processing plants. To kill Bedbugs—spray all cracks, crevices, joints in bedsteads and springs thoroughly. Direct HILCO-TOX into all cracks and hiding places around the bedroom and furniture, around baseboards, picture frames, walls and floors. Repeat applications as often as necessary to maintain effective control.

To kill Roaches (Waterbugs), Silverfish, Spiders and similar insects—direct spray toward infested areas and directly on the insects. Thorough application should be made by spraying walls, floors, kitchens, room corners, storage areas, garbage receptacles, etc. Repeat applications as often as necessary. To control Flies and Ticks—direct spray toward infested areas and directly on the insects. Spray liberally to floors to allow HILCO-TOX to penetrate deeply into floor coverings and floors. Spray into cracks and crevices, behind baseboards, as well as into cracks in walls. Remove any animals from premises and spray all animal sleeping quarters thoroughly. Infested animals should be treated by a licensed veterinarian. Repeat applications as often as necessary.

CAUTION: KEEP OUT OF REACH OF CHILDREN
COMBUSTIBLE MIXTURE. HARMFUL IF SWALLOWED.

Do not allow children to contact treated area until dry. Avoid contamination of food and foodstuffs. Avoid repeated or prolonged skin contact, wash thoroughly after using. Avoid prolonged breathing of spray mist. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal. Do not spray, use, or store near heat or open flame. Avoid spraying near goldfish bowls, and on bird cages, pets and plants. Avoid wetting of asphalt siding, asphalt tile, rubber and plastic materials and desirable vegetation.

USDA REG. NO. 402-11

HILL MANUFACTURING CO.

NET VOLUME GALLONS

ATLANTA, GA.

