

ACCEPTED
with COMMENTS
EPA Letter Dated:

SEP 30 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, the pesticide registered in EPA Reg. No. 402-19

1901

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

SPACE SPRAYING: #212 Hilco Sec Spray is to be used only in unoccupied schools, office buildings and in non-patient unoccupied areas of hospitals. Atomize Hilco-Sec with Tri-Jet Fogger. To kill flies, mosquitoes, and gnats, atomize one pint of Hilco-Sec per 10,000 cubic feet of space. To kill accessible crawling insects, roaches (waterbugs), crickets and similar insects, atomize 1 quart of Hilco-Sec per 10,000 cubic feet of space. Keep doors and windows closed to obtain maximum results, premises should be kept closed for at least twenty minutes after spraying. All fallen insects should be disposed of as soon as possible after spraying. Repeat application as often as necessary. Do not remain in treated areas and ventilate the area after treatment is completed. Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION
HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. Do not allow children to contact treated area until dry. Avoid contamination of food and foodstuffs. Avoid skin contact, wash thoroughly after using. Avoid breathing of spray mist. Wear a respirator jointly approved by the Mine Safety and Health Administration and by the National Institute of Occupational Safety and Health.

Remove or cover fish tanks, remove pets and do not spray directly on plants. Avoid wetting of asphalt siding, asphalt tile, rubber and plastic materials and desirable vegetation.

HILL #210

HILCO-SEC INSECT SPRAY

ACTIVE INGREDIENTS:

2-2-dichlorovinyl dimethyl phosphate (DDVP)	0.500%
Related Compounds	0.038%
N-Octyl Bicycloheptene Dicarboximide	0.400%
Piperonyl Butoxide, Technical*	0.240%
Pyrethrins	0.120%
Petroleum distillate	98.702%
TCF	100.000%

*Consists of 0.192% (butylcarbitol), (S-propylpiperonyl) ether and 0.048% related compounds.

A spray compounded for use in Hill's Tri-Jet wet mist Fogger, especially adapted for use in schools, hospitals, office buildings and similar establishments.

FOR INDUSTRIAL/COMMERCIAL USE ONLY

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See side panel for additional precautionary statements.

EPA Reg. No. 402-19 EPA Est. 402-GA-1
Net Contents _____ Gallons



HILL
MANUFACTURING COMPANY, INC.
530 JONESBORO ROAD, S.E., ATLANTA, GEORGIA 30315

404-522-8364

STATEMENT OF PRACTICE
IF SWALLOWED — Call a physician immediately. DO NOT induce vomiting. DO NOT cause aspiration pneumonia.

IF INHALED — Remove victim to fresh air. If necessary, give artificial respiration if indicated.

IF ON SKIN — Remove clothing. Wash affected areas with soap and water.

IF IN EYES — Flush eyes with water immediately.

NOTE TO PHYSICIAN: This is a hazardous pesticide. Gastric lavage is not recommended. If symptoms of poisoning are present, atropine sulfate is anticholinergic and may be administered in case of poisoning.

PHYSICAL HAZARDS
COMBUSTIBLE. Do not store near open flame.

STORAGE AND DISPOSAL
Do not contaminate water, soil, or food with waste. Do not dispose of in open flame.

PESTICIDE DISPOSAL — This product may be disposed of in a sanitary waste disposal facility.

CONTAINER DISPOSAL
Then offer for recycling or dispose of in a sanitary waste disposal facility approved by State, Federal, or local authorities.

BEST AVAILABLE COPY