PS2220         INSECTICIDE FOR STORED PEANUTS         Active inderedients       000         Pherony Butaxité inchi       020         "Consist of 146% Butylcarbity!       0400         MILTS PS-220 insecticide is a highly concentrated contact insecticide for use in Peanu! Warshouses on where peanus are stored peanus.         Nills exposed stages of Confused Flour Beelles, Indian Mecl Moths, Granary Weevils and certain othe sposed stages of Confused Flour Beenles, Indian Mecl Moths, Branary Meevils and certain othe sposed stages of Confused Peanus, the surfaces thoroughly and treat all infester surface area, inset hiding places and insect runways at the ratio of 13 gallon PS-220 on 1.000 squar feet a area, inset hiding places and peanus.         Por out SPR Panus, KEEP OUT OF REACH OF CHILDREN         Do NOT CCNTAMINATE FOOD OK FEED for Industries on a storage regulations require area sharing performing of an other processory.         Die Aberby Indo on near spen flows. Keep couclaimer cosed figuity. Stare in cest place. Don tou se, pour, peill o and spre	[402-6]]	
ACTIVE INGREDIENTS       100.0%         Pyrethrins t & II       0.2%         Piperanyl Butaxide techt       2.0%         Petroleum Hydrocarbons       97.8%         * Consists of 1.6% (Butylcarbityl: 6-Propylpiperanyl) ether and 0.4% related compounds       97.8%         * MILL'S PS-220 insecticide is a highly concentrated contact insecticide for use in Peanut Warehouses of where peanuts are stored or processed.       81.11         KILLS exposed stages of Confused Flour Beetles, Indian Meci Moths, Granary Weevils and certain othe insects that infest stored peanuts.       DIRECTIONS         Thoroughly clean area to be sprayed by removing accumulations from cracks, corners and around all equipment. Spray empty bins before storing peanuts. Wet surfaces thoroughly and freat all infester surface areas, insect hiding places and insect runways at the ratio of 1½ gallons PS-220 on 1,000 square feet of area. Spray directly on the insects when possible and repeat application as often as necessary WHEN TO SPRAY – FOR STORED PEANUTS, treat within seven days after first nuts are placed in storage Spray evenly over entire surface of bulk or bag peanuts. Repeat as often as storage regulations require or approximately at weekly intervals. In case of severe infestation spray daily.         CAUTION: KEEP OUT OF REACH OF CHILDREN         Do not spray into or near open flome. Keep coultainer cased tig.itly. Size in c.31 place. Da not use, pour, spill o store near hear or open flome. Here, coulainer cased tig.itly. Size in c.31 place. De not use, pour, spill o store near hear or open flome. Here, coulainer cased tig.itly. Size in c.31 place. Da not use, pour, spill o store near hear or open flome. Hormidul f sw	PS-	220
Pyrethrins       6.11       0.2%         "Piperany! Butoxide tech!       2.0%         Petroleum Hydrocarbons       97.8%         "Consists of 1.6% (Butylcarbityl: (6-Propylpiperanyl) ether and 0.4% related compounds       97.8%         HILL'S PS-220 insecticide is a highly concentrated contact insecticide for use in Peanut Warehauses or where peanuts are stored or processed.       97.8%         KILLS exposed stages of Confused Flour Beetles, Indian Mecl Moths, Granary Weevils and certain othe insects that infest stored peanuts.       DIRECTIONS         Thoroughly clean area to be sprayed by removing accumulations from cracks, corners and around al equipment. Spray empty bins before storing peanuts. Wet surfaces thoroughly and treat all infester surface areas, insect hiding places and insect runways at the ratio of 1½ gallons PS-220 on 1,000 square feet of area. Spray directly on the insects when possible and repeat application as often as necessary WHEN TO SPRAY – FOR STORED PEANUTS, treat within seven days after first nuts are placed in storage Spray evenly over entire surface of bulk or bag peanuts. Repeat as often as storage regulations require or approximately at weekly intervals. In case of severe infestation spray daily.         CAUTIONS:       Do not spray into or near open flome. Keep couldiner cloed tightly. Stare in col place. Do not use, pour, spill o store near heat or open flome. Keep couldiner cloed tightly. Stare in col place. Do not use, pour, spill o store near heat or open flome. Keep couldiner cloed tightly. Stare in col place. Do not use, pour, spill o crushing. Bury or discord in a safe place.         DO NOT CCNITAM!NATE FOOP OK FEED FOR INDUSTRIAL USE ONLY       USDA REG. NO.	INSECTICIDE FOR	STORED PEANUTS
Insects that infest stored peanuts. DIRECTIONS Thoroughly clean area to be sprayed by removing accumulations from cracks, corners and around al equipment. Spray empty bins before storing peanuts. Wet surfaces thoroughly and treat all infested surface areas, insect hiding places and insect runways at the ratio of 1½ gallons PS-220 on 1,000 square feet of area. Spray directly on the insects when possible and repeat application as often as necessary WHEN TO SPRAY – FOR STORED PEANUTS, treat within seven days after first nuts are placed in storage Spray evenly over entire surface of bulk or bag peanuts. Repeat as often as storage regulations require or approximately at weekly intervals. In case of severe infestation spray daily. <b>CAUTION: KEEP OUT OF REACH OF CHILDREN</b> Do not spray into or near open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Keep container closed tightly. Store in ccol place. Do not use, pour, spill o store near heat or open flame. Bare place. DO NOT CCNITAMINATE FOOD OK FEED FOR INDUSTRIAL USE ONLY USDA REG. NO. 402-61 CONTENTS	Pyrethrins 1 & 11 'Piperonyl Butoxide (tech) Petroleum Hydrocarbons 'Consists of 1.6% (Butylcarbityl) (6-Propylpiperonyl) ether HILL'S PS-220 insecticide is a highly concentrated c	0.2% 2.0% 2.0% 97.8% and 0.4% related compounds
DIRECTIONS Thoroughly clean area to be sprayed by removing accumulations from cracks, corners and around all equipment. Spray empty bins before storing peanuts. Wet surfaces thoroughly and treat all infested surface areas, insect hiding places and insect runways at the ratio of 1½ gallons PS-220 on 1,000 square feet of area. Spray directly on the insects when possible and repeat application as often as necessary WHEN TO SPRAY – FOR STORED PEANUTS, treat within seven days after first nuts are placed in storage Spray evenly over entire surface of bulk or bag peanuts. Repeat as often as storage regulations require or approximately at weekly intervals. In case of severe infestation spray daily. <b>CAUTION: KEEP OUT OF REACH OF CHILDREN</b> Do not spray into or near open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Keep container closed tightly. Store in cool place, Do not use, pour, spill o store near heat or open flome. Marmful if swallowed. Do nut reuse empty container. Destroy it by perforating o crushing. Bury or discord in a safe place. DO NOT CONTAMINATE FOOD OK FEED FOR INDUSTRIAL USE ONLY USDA REG. NO. 402-61 CONTENTS		lian Meal Moths, Granary Weevils and certain other
equipment. Spray empty bins before storing peanuts. Wet surfaces thoroughly and treat all infested surface areas, insect hiding places and insect runways at the ratio of 1½ gallons PS-220 on 1,000 square feet of area. Spray directly on the insects when possible and repeat application as often as necessary WHEN TO SPRAY – FOR STORED PEANUTS, treat within seven days after first nuts are placed in storage Spray evenly over entire surface of bulk or bag peanuts. Repeat as often as storage regulations require or approximately at weekly intervals. In case of severe infestation spray daily. CAUTION: KEEP OUT OF REACH OF CHILDREN Do not spray into or near open flame. Keep container clased tightly. Stare in coal place. Do not use, pour, spill o store near heat or open flame. Harmful if swallowed. Do nut reuse empty container. Destroy it by perforating o crushing. Bury or discord in a safe place. DO NOT CCNITAM!NATE FOOD OK FEED FOR INDUSTRIAL USE ONLY USDA REG. NO. 402-61		TIONS
FOR INDUSTRIAL USE ONLY USDA REG. NO. 402-61 CONTENTSGALLONS	equipment. Spray empty bins before storing peans surface areas, insect hiding places and insect runway feet of area. Spray directly on the insects when pa WHEN TO SPRAY — FOR STORED PEANUTS, treat with Spray evenly over entire surface of bulk or bag pean or approximately at weekly intervals. In case of seve CAUTION: KEEP OUT Do not spray into or near open flome. Keep container closs store near heat or open flome. Harmful if swallowed. Do crushing. Bury or discard in a safe place.	uts. Wet surfaces thoroughly and treat all infested ys at the ratio of 1½ gallons PS-220 on 1,000 square ossible and repeat application as often as necessary. thin seven days after first nuts are placed in storage. nuts. Repeat as often as storage regulations require, ere infestation spray daily. <b>OF REACH OF CHILDREN</b> sed tightly. Store in coll place. Do not use, pour, spill or o nut reuse empty container. Destroy it by perforating or
USDA REG. NO. 402-61 CONTENTSGALLONS		
A C C F D		
ACCED		

.

-

1