



HILL #88

HILCO 88

SANITIZER, DEODORANT, GERMICIDAL & CLEANER

ACTIVE INGREDIENTS:

Sodium Hypochlorite _____ 3.25%

Sodium Phosphate - Expressed as $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ _____ 91.74%

INERT INGREDIENTS _____ 5.01%

TOTAL _____ 100.00%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See side panel for additional precautionary statements.

EPA REG. NO. 402-65 EPA EST. 402-GA-1

Net Contents _____ Pounds

RECOMMENDED FOR COMMERCIAL & INDUSTRIAL USE ONLY

HILL

MANUFACTURING COMPANY, INC.

1500 JONESBORO ROAD SE, ATLANTA, GA 30315, 404-522-8364

PROVEN SOLUTIONS TO MAINTENANCE PROBLEMS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All equipment should be thoroughly cleaned and rinsed, after the daily processing. Sanitize equipment shortly before it is to be used or at a time specified by local regulations.

USING HILCO 88 IN THE FOOD PLANT FOR SANITIZING EQUIPMENT

FLUSH OR RINSE METHOD - 1. Dissolve 1 1/2 ounces of Hilco 88 in each 3 1/2 gallons of water required which will yield approximately 100ppm. available chlorine. Enough should be prepared so as to require 5 minutes for it to flow or be pumped through the equipment.

2. Pump or allow the Hilco 88 solution to flow through the equipment. It is important that all surfaces of the equipment which are later in contact with the milk be reached by the Hilco 88 solution. Brush the covers and upper surfaces of small vats and tanks.

3. Solution should be tested during use to make sure the concentration does not drop below 50 ppm available chlorine. If facilities for testing are not available, use a solution containing 200 ppm. available chlorine or 3 ounces to each 3 1/2 gallons of water.

SPRAY METHOD - The spray method is recommended for sanitizing large tanks, open surface coolers and similar equipment

1. Dissolve 5 ounces of Hilco 88 in each 4 gallons of water required which will yield approximately 300 ppm. available chlorine. This solution may be prepared directly in the sprayer.

2. Spray all surfaces thoroughly with this Hilco 88 solution to remain on surfaces sprayed for at least 2 minutes, or longer where period is specified by local regulations. Rinse all surfaces and equipment with potable water before use.

STATEMENT OF PRACTICAL TREATMENT

Hazards to human and domestic animals.

Harmful if swallowed. Do not get in eyes or on skin. may cause skin irritation or damage; do not get in eyes or on skin.

IF CONTACT WITH SKIN - flush with plenty of water.

IF CONTACT WITH EYES - flush with water for at least 15 minutes and get medical attention immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

DISINFECTANT DISPOSAL - Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED

MAY 1 1987

402-65

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO.