FEB 2 6 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

402-98

FIRST AID Have the product container or label with you when calling a poison control center or doctor or going for treatment Immediately call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 Do not induce vomiting unless told to do so by the Poison Control Center or physician. Do not give any liquid to the person. Do not give anything by mouth to an unconscious or convulsing person anidoto batenimated ciothina eRinse skin immediately with plenity of water for 15-20 minutes. Call a Poison Control Center, physician, or the National Pesticide Information Center at ciothina 1-800-858-7378 for treatment advice. eHold eye open and rinse slowly and gently with water for 15-20 minutes. eRemove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. If in eyes eCall a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice. Move person to fresh air. elf person is not breathing, call 911 or an ambulance, then give artificial If Inhaled respiration preferably mouth-to-mouth if possible. Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate-vomiting may cause aspiration pneumonia. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

CAUTION

Harmful if absorbed through skin, Avoid contact with eyes, skin, or clothing.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater. Birds and other wildlife in treated areas may be killed. For use only on non-croplands. Co not apply directly or permit this product to come in contact with any desired plant or vegetable. Do not permit spray mists to drift to other areas. Use a coarse spray. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not apply to areas underlaid by roots

f desired plants. Thoroughly clean spray equipment before using for any other purposes or reserve spray equipment for this purpose only. Do not store near fertilizers, insecticides, seeds or any plant treating materials. Use this product only for the purpose intended.

PHYSICAL OR CHEMICAL HAZARDS: COMBUSTIBLE. Do not use or store the product near heat or open flame.

Personal Protective Equipment (PPE): Applicators and other handlers must wear. Chemical-resistant gloves (such as nitrile, Butyl, Neoprene, and/or Barrier laminate; long-sleeved shirt and long pants; shoes plus socks. User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

HILL #1117

HILCOX WEED KILLER

A NON-SELECTIVE WEED KILLER ON NON-CROPLAND AREAS FOR APPLICATION WHERE BARE GROUND IS DESIRED. READY TO USE. ACTIVE INGREDIENTS:

2, 4-D, Isooctyl Ester of 2,4-dichlorophenoxyacetic acid*	1.099
Bromacil (5-Bromo-3-secbutyl-6-methyluracil)	0. 6 19
INERT INGREDIENTS**	98.309
Total	100 009

*Equivalent to 0.72% of 2.4-dichlorophenoxyacetic acid Isomer Specific by AOAC Method.

**Contains Petroleum Distillates

Contains 0.045 pounds of Bromacil per gallon.

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



Net Contents Gallons

FOR COMMERCIAL/INDUSTRIAL USE ONLY

HILL MANUFACTURING COMPANY, INC.

1500 JONESBORO RD SE, ATLANTA, GA 30315, 404-522-8364 1-800-445-5123
PROVEN SOLUTIONS TO MAINTENANCE PROBLEMS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Hilco-X any time of year except when ground is frozen. Best results are obtained by treating after predominate species are well established in late spring or early summer. The degree and duration of results will depend upon the amount applied, type of soil, amount of rainfall and other conditions. User should consult Agricultural Experiment Station or Extension Service weed specialists as to use of this product in their locality or consult the sales representative. Applications instructions: GENERAL WEED CONTROL: Apply 2 to 5 gallons per 1,000 square feet (80-200 gals, per acre) on non-cropland areas as parking lots, fence, loading ramps, railroad sidings, storage yards, around buildings and industrial plants sites to control most weeds for an extended period of time. ANNUAL WEEDS AND GRASSES, as foxtail, ryegrass, wildoats, cabgrass, cheatgrass, broomseed, ragweed, lambsquarter and turkey mullein, apply 1 to 2 gallons per 1,000 square feet (40-80 gallons per acre). PERENNIAL WEEDS AND GRASSES, as smoothbrome, Canada bluegrass, purple top, quackgrass. broomsedge, aster, dandelion, dog fennel, goldenrod, plaintain and wild carrot. apply 2 to 4 gailons per 1,000 square feet (80-160 gallons per acre). FOR HARD TO KILL PERENNIAL WEEDS, as Johnsongrass, salt grass, and horsetail, apply 3 to 5 gallons per 1,000 square feet (120 to 200 gallons per acre).

General Precautions and Restrictions: Do not apply this product so that it will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter the treated area until sprays have dried. Not to be used in any recreational areas or in or around homes. Maximum number of applications is determined by the dosage. If three gallons or less is used per acre initially, then one retreatment at the same dosage rate per acre can be applied within a year. Wait at least 60 days between applications. Otherwise only one application per year is permitted.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE:FLAMMABLE LIQUID. Do not store, pour or spray near open flame or heat.

HERBICIDE DISPOSAL: Herbicide wastes are toxic. Improper disposal or excess herbicide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Herbicide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

DATE LBL REV 031113

