

Front Panel

CORRECTED LABELING

IMPERIAL

20 HEPTACHLOR GRANULES

WARNING (18 pt.)

Keep Out of Reach of Children (12 pt.)
See rinst panel for additional warnings

May be fatal if swallowed. Do not breathe vapor or dust. Do not get on skin. In case of contact wash immediately with soap and water. ANTIIDOTE: External-- In case of spillage on skin, wash promptly with soap and water. Internal--Emetic of 1 teaspoon mustard in tumbler of water. CALL A PHYSICIAN

Do not contaminate feed and foodstuffs

Highly toxic to fish and wildlife. Do not contaminate any body of water or apply to culture not specified on the label.

Active Ingredients:

Heptachlor*	20.00
Related Compounds	1.77
Inert Ingredients:	72.23
Total	100.00

Heptachloro-tricyclo-4,7-diet-1,2-epoxide

Net Contents 50 Pounds

Manufactured by
Imperial Inc.
Stamford, Iowa

Left Side Panel

CORRECTED LABELING

IMPERIAL HEPTACHLOR GRANULES

DIRECTIONS FOR USE

Directions for Soil Treatment

BROADCAST: Make preplant broadcast application with a certification drill or fertilizer spreader, or by airplane application to cover the soil surface uniformly. Follow promptly with cultivation to mix the insecticide into the top 3 to 4 inches of soil.

ROW OR BAND TREATMENT: Apply the required amount of 20 Heptachlor with a suitable planter or lister attachment in the row at planting time.

CORN: Corn Rootworm--Apply 5 pounds per acre broadcast, 2 pounds per acre row treatment. Cornfield ants, root aphids, seed corn maggots, seed corn beetles--Apply 7 pounds per acre broadcast. White grubs, wireworms--Apply 10 to 15 pounds per acre broadcast. Five pounds of the 20 Granular product is equivalent to one pound actual heptachlor per acre.

SDA Reg. No.