



NO. 5031

HILCO-TOX

Dual Synergist
INSECTICIDE

AEROSOL INSECT SPRAY

INGREDIENTS		
Permethrin (D-Isomer)		12.0%
Resmethrin (R-Isomer) (Synergist)		1.0%
Technical Piperonyl Butoxide		0.1%
Pyrethrins		0.1%
INERT INGREDIENTS		86.8%
TOTAL		100.0%

Equivalent to 4% of total active ingredients and 0.1% of total compounds.

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

SEE BACK PANE FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

FOR INDUSTRIAL USE ONLY

HILL MANUFACTURING COMPANY INC.

1500 Jonesboro Road S.E.
Atlanta GA 30315
404-522-8364

EPA Reg No. 407-103

NET WT. 17 OUNCES

EPA Est. 11623 GA 1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing or preparation areas in the home. All food processing surfaces, exposed food and utensils, should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

FLAMMABLE. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F. may cause bursting.

DIRECTION FOR USE:

General

IT IS A VIOLATION OF FEDERAL AND STATE LAWS TO USE THIS PRODUCT IN A MANNER NOT INTENDED WITH ITS LABELING.

HILCO-TOX IS OF DUAL ACTION, SYNERGIST TYPE.

Shake well before using. Remove protective cap. Hold in an upright position with valve pointed away from face.

FOR FLIES, MOSQUITOES AND GNATS: Spray upwards into the corners of closed room for flying insects about 15 or 20 seconds for average room. Close windows and doors for about 15 minutes after treatment. Sweep up and destroy fallen insects. Ventilate the area before reentering.

FOR ROACHES, ANTS AND SILVERFISH: Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places directly on insects when possible. Repeat when necessary. Cover cooking utensils, dishes and food before spraying.

FOR ANTS: Treat ant trails and areas where these pests enter the premises such as door sills and window frames.

FOR USE IN FOOD PROCESSING PLANTS: Foods should be removed or covered during treatment. Food processing surfaces should be covered or thoroughly cleaned before use. When used as a space spray, apply only when plant is not in operation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash can.



The Crest of Quality

NO. 5031

HILCO-TOX

Dual Synergist INSECTICIDE

AEROSOL INSECT SPRAY

INGREDIENTS

Petroleum Distillate	17.97%
N-Octyl Bicycloheptene dicarboximide	1.00%
* Technical Piperonyl Butoxide	0.60%
Pyrethrins	0.30%
INERT INGREDIENTS	80.13%
TOTAL	100.00%

*Equivalent to 0.48% of (butylcarbityl) (6 propylpiperonyl) ether and 0.12% of related Compounds.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT:

FOR INDUSTRIAL USE ONLY

HILL MANUFACTURING COMPANY, INC.
1500 Jonesboro Road, S. E.
Atlanta, GA. 30315
404/522-8364

EPA Reg. No. 402-103

EPA Est. 11623-CA-1

NET WT. 17 OUNCES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with skin, in case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing or preparation areas in the home, all food processing surfaces, exposed food and utensils, should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

FLAMMABLE. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F. may cause bursting.

DIRECTIONS FOR USE:

General Classification

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

HILCO-TOX IS OF DUAL SYNERGIST TYPE:

Shake well before using. Remove protective cap. Hold in an upright position with valve pointed away from face.

FOR FLIES, MOSQUITOES AND GNATS: Spray upwards into the corners of closed room for flying insects, about 15 or 20 seconds for average room. Close windows and doors for about 15 minutes after treatment. Sweep up and destroy fallen insects. Ventilate the area before reentering.

FOR ROACHES, ANTS AND SILVERFISH: Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places, directly on insects when possible. Repeat when necessary. Cover cooking utensils, dishes and food before spraying.

FOR ANTS: Treat ant trails and areas where these pests enter the premises such as door sills and window frames.

FOR USE IN FOOD PROCESSING PLANTS: Foods should be removed or covered during treatment. Food processing surfaces should be covered or thoroughly cleaned before use. When used as a space spray, apply only when plant is not in operation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.