

DISINFECTANI

Coefficient 5

Active Ingredients Isopropanol, Anhydrous Vegetable Oil Soap, Methyl Salicylate, o-benzyl-p-chlorophenol, p-tertiary-amylphenol, 4-chloro-2-phenylphenol, 6-chloro-2-phenylphenol, o-phenylphenol. Inert Ingredients

64.5% Water A DISINFECTANT AND DEODORANT FOR GENERAL USE AS A WASH FOR TOILETS, FLOORS, GARBAGE PAILS, SINKS, WALLS, FLOORS OF SHEDS, OUTHOUSES, AND AROUND SWIMMING POOLS, SCHOOLS

DIRECTIONS

Remove all loose dirt, litter and other debris before applying solutions of this disinfectant. Apply so as to wet all surfaces thoroughly.

URINALS, TOILETS, LOCKER ROOMS and LOCKER SHOWERS: (For Toilet Bowls see below). Clean daily with a solution of 1 part distinfectant in 40 parts water. Wet down walls, floors, and shower stalls thoroughly. When finished, pour the solution down drains to deodorize them.

PUBLIC PLACES: For Schools, Hotels, Motels, Theatres, Stores, Office Buildings, Institutions—spray freely as a solution of 1 part disinfectant in 40 parts water so as to wet all surfaces thoroughly and to cover all areas of contamination.

To DEODORIZE CLOSET BOWLS and TOILET BOWLS: Flush bowl prior to application of the deodorizing solution. Clean and flush hopper daily with a solution of 1 part product in 40 parts water. This solution should also be used in the bowl and for washing the seat and lid.

GARBAGE RECEPTACLES: To check the development of putrefactive action and to aid in checking the breeding of flies, spray the garbage in the receptacles and also around the receptacles with a solution of 1 part disinfectant in 40 parts water. Leave some of the solution in the can.

WARNING: Keep Out of Reach of Children. Corrosive. May cause eye damage. Causes severe skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Rinse empty container thoroughly with water and discard it.

EPA REG. NO. 402-112

AND FACTORIES.

Contents gallor s

HILL MANUFACTURING CO. FOR INDUSTRIAL USE ONLY ATLANTA, GA.