



HILL #159

LEMON-CIDE

**DISINFECTANT, GERMICIDE, BACTERICIDE, FUNGICIDE, DEODORANT,
PHENOL COEFFICIENT 5**

against salmonella typhosa and staphylococcus aureus.

ACTIVE INGREDIENTS.....	7.00%
O-Benzyl Para-Chlorophenol.....	3.00%
Orthophenyphenol.....	2.00%
P-tert.-Amylphenol.....	2.00%
INERT INGREDIENTS.....	93.00%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements.

EPA REG. NO. 402-113 EPA EST. 402-GA-1

Net Contents _____ Gallons
FOR COMMERCIAL & INDUSTRIAL USE ONLY



HILL
MANUFACTURING COMPANY, INC.

1500 JONESBORO ROAD SE, ATLANTA, GEORGIA 30315. 404-522-8364

PROVEN SOLUTIONS TO MAINTENANCE PROBLEMS

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This disinfectant has certain advantages in that it is relatively non-corrosive and does not injure cloth or metals. Hill's Lemon-Cide is not affected appreciably by organic matter and has a pleasant odor.

FOR GENERAL DISINFECTING - Remove all filth and dirt from premises and use a solution of one part disinfectant to 30 parts of water. This mixture acts as a disinfectant against S. Typhosa. In the typhoid sick room, in the disinfecting of bed clothed, beds and utensils, disinfectant should be used in the proportion of 4 ounces to each gallon of water. Use one-half cup disinfectant to two gallons of water for mopping, scrubbing or cleaning purposes.

GARBAGE - To deodorize, sprinkle with solution one half cup to a gallon of water. Wash the empty can with some of the solution and leave the wash in can.

FOR THE SICK ROOM - All utensils, such as bedpans, urinals, etc. wash with a solution of three ounces of disinfectant to one half gallon of water.

WATER CLOSETS AND URINALS -Use four ounces of disinfectant to 1 gallon of water. Apply freely to all surfaces to be disinfected and scrub the exposed areas.

FOR ANIMAL QUARTERS - Before applying the disinfectant, remove the gross filth and heavy soil. Keep the barns, kennels, pans and sties thoroughly clean by scrubbing and spraying freely with a solution of disinfectant, in the proportion of 4 ounces to a gallon of water. Scrub all floorings with the same solution.

(DIRECTIONS CONTINUED)
HATCHERIES - Wash floors a part disinfectant to 30 parts of necessary. In all contagious c fowls from the affected ones, gi

FOR USE AS A FUNGICIDAL
FOOT FUNGION ENVIRONMI
cidal agent against athlete's fo ming pool surfaces, dilute by dis tant in one gallon of water. Scrub bath surfaces, rubber mats, ar the feet periodically.

CAUTION

Harmful if swallowed. Avoid get of the disinfectant may cause who might be allergic to this ty who might be allergic to this c solution of this disinfectant on remove by washing with water

STORAGE AND DISP

Do not contaminate water, foot **DISINFECTANT DISPOSAL** - this product may be disposed o disposal facility.

CONTAINER DISPOSAL - Tr offer for recycling or reconditio in a sanitary landfill, or by othe and local authorities.

...in accordance with
...for Phase 2
...Change in Status