

ACCEPTED

OCT 16 2003

Under the Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 402-123

402-123

#2306

# Di-Cide

**ACTIVE INGREDIENT:**

Poly[oxyethylene(dimethyliminio)ethylene-  
(dimethyliminio)ethylene dichloride] . . . . . 5.0%

**INERT INGREDIENTS** . . . . . 95.0%

**TOTAL** . . . . . 100.0%

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### FIRST AID

If in Eyes	<ul style="list-style-type: none"> <li>● Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>● Call a poison control center or doctor for further treatment advice.</li> </ul>
If on Skin, Clothes	<ul style="list-style-type: none"> <li>● Take off contaminated clothing.</li> <li>● Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>● Call a poison control center for treatment advice.</li> </ul>
If Ingested	<ul style="list-style-type: none"> <li>● Call poison control center or doctor immediately for treatment advice.</li> <li>● Have person sip a glass of water, if able to swallow.</li> <li>● Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>● Do not give anything by mouth to an unconscious person.</li> </ul>
If Inhaled	<ul style="list-style-type: none"> <li>● Move person to fresh air.</li> <li>● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li> <li>● Call a poison control center or doctor for further treatment advice.</li> </ul>

### HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 404-522-8364 or 1-800-445-5123 for emergency medical treatment information.

## To Control Algae, Bacteria, & Fungi In Recirculating Commercial & Industrial Water Cooling Towers Industrial Air Washing Systems Sump or Water Collection Trays Of Air Wash Systems

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Do not discharge effluent containing the product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### DIRECTIONS FOR USE

**GENERAL CLASSIFICATION:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

No. 2306 Di-Cide is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 13.5 to 36.3 fluid ounces of No. 2306 Di-Cide per 1000 gallons of water to provide a concentration of 96 to 240 parts per million of No. 2306 Di-Cide based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.6 to 36.4 fluid ounces of no. 2306 Di-Cide per 1000 gallons of water (24 to 240 parts per million of No. 2306 Di-Cide) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers. No. 2306 Di-Cide is used to control bacteria in industrial air-washing systems that

Net Contents \_\_\_\_\_ Gallons



**HILL MANUFACTURING COMPANY, INC.**

1500 JONESBORO RD SE, ATLANTA, GA 30315

404-522-8364 1-800-445-5123

PROVEN SOLUTIONS TO MAINTENANCE PROBLEMS

maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 49.95 to 83.25 fluid ounces of No. 2306 Di-Cide per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 33.75 to 83.25 fluid ounces of No. 2306 Di-Cide per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
**STORAGE:** Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

### PESTICIDE DISPOSAL

**PLASTIC:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, in incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.  
**METAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA REG. NO.

402-123

EPA EST. No.

402-GA-1

This product weighs 8.4 lb. per gallon 1.01 kg/L. Net contents are marked on the container.

HMIS / NPCA Ratings

Last Revision

Health 1 Flammability 1 Reactivity 1

8/19/2003

10-16-2003

11