

PM 16 704-118

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For control of Norway rats, Roof rats, and House mice, use and located in homes, industrial and agricultural buildings, and similar man-made structures.

Treated bait must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

After removing as much food as possible, determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings in or beside burrows, in corners, and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow.

Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

Apply 1/2 to 1 ounce of bait (2 level tablespoons) of bait at 6 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Replace contaminated or spoiled bait immediately. Collect and dispose of all uneaten baits and uneaten bait properly. To prevent reinfestation, eliminate food, water, and harborage, as much as possible. If reinfestation occurs, repeat treatment. Where a continuous supply of bait is required, use bait stations, bait prepackaged bait stations, and bait dispensers.

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

10/3

TRADE MARK
OBSERVE DIRECTIONS

RAT-O-MICE

with PROLIN

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR REQUIRED PRECAUTIONS



NET WEIGHT 5 POUNDS

KEEP FEEDING TIL RATS STOP EATING

WINONA, MINN. 55901
WINONA, MINN. 55901
WINONA, MINN. 55901
WINONA, MINN. 55901
WINONA, MINN. 55901

0 021
99 975
100 C00

Keep away from children and pets. If swallowed, consult a physician. Do not use in areas where the ability of the blood to clot is important.

Do not use intramuscularly or in areas where anticoagulant monitoring of prothrombin time is required.

Do not use in Ponds.

Store only in areas inaccessible to children.

Do not use in areas where the ability of the blood to clot is important. Securely wrap in plastic.



WINONA, MINN.

BEST AVAILABLE COPY

KILLS NORWAY RATS, ROOF RATS & HOUSE MICE

use this product in a manner inconsistent

control of Norway rats, roof rats, and House
Industrial and agricultural buildings, and

tamper proof bait boxes or in locations not
domestic animals or wildlife. Do not place bait
of contaminating food or surfaces that

- After removing as much food as
rats or mice will most likely find and con-
areas are along walls, by gnawed openings,
and concealed places, between floors and
rats or their signs have been observed. Pro

bait per placement. Maintain an uninter-
at least 10 days.

level (tablespoons) of bait at 8 to 12 foot in-
2 ounces) may be needed at points of very
uninterrupted supply of fresh bait for at

minuted or spoiled bait immediately. Con-
als and un-consumed bait properly. To pre-
vate, and harborage as much as possi-
repeat treatment. Where a continuous
establish permanent bait stations and

RAT-O-MICE

with PROLIN

KEEP OUT OF
REACH OF CHILDREN
CAUTION

SEE SIDE PANEL FOR
REQUIRED PRECAUTIONS

McCORRO
107 000



NET WEIGHT
5 POUNDS

KEEP FEEDING
TIL RATS STOP EATING!

107 000

TAKE TIME



OBSERVE LABEL
DIRECTIONS

Keep away from food, animals, domestic animals.
ants, domestic animals. If swallowed, this material may reduce the clot-
ting ability of the blood and cause bleeding.

If ingested, administer Vitamin K, as indicated in the hydro-
intramuscularly or orally, at recommended dosages. Repeat if necessary based on
prothrombin time.

Keep out of reach of children and animals.

Store only in original container, in a dry place
inaccessible to children and animals.

Do not reuse empty container. Rinse thor-
oughly, securely wrap in newspaper and discard in trash.

MANUFACTURED BY



WINONA, MINNESOTA 55987

BEST AVAILABLE COPY

2/13

RECEIVED

ACCEPTED
APR 1 1986
U.S. EPA
Federal Insecticide, Fungicide, and Rodenticide Act
as amended, for the pesticide
to be used under
EPA Reg. No. 104-115

98-251
88-883

343