

[404-147]

DIRECTIONS

APPLICATOR

Remove can cap and push out the plastic spout. Reassemble with spout protruding outward through cap and replace on can. Remove tip and puncture end of spout with coarse pin.

CONTENTS: ONE PINT

Mc Connon



**KILLS
POULTRY LICE AND MITES**

ACTIVE INGREDIENTS:

McCONNON & COMPANY, WINONA, MINN.

[404-147]

DIRECTIONS

Remove can cap and push out the plastic spout. Reassemble with spout protruding outward through cap and replace on can. Remove tip and puncture end of spout with coarse pin.

Before applying McConnon's Roost Paint directly to roosts, prior to roosting time, remove manure and lime. Apply at the rate of 1 pint per 150 feet of roost. Treat all possible roosting places. Complete control should be achieved within 4 to 7 days. One treatment is usually sufficient. Two or three weeks after treatment, examine a few birds to see if any lice persist. If necessary, repeat as needed.

CAUTION

Harmful if swallowed; call a physician if taken internally. Avoid prolonged breathing of spray mist, or repeated contact with the skin. Wash thoroughly with soap and water after using. Avoid contamination of feed and foodstuffs.

1M-365-17071

3-2-67
404-147

CONTENTS: ONE PINT

Mc Connon

ROOST PAINT

Mineral Oil..... 97%
Malathion*..... 3%
*O, O-dimethyl phosphorodithioate of diethyl mercap-
tosuccinate

USE: REC. NO. 404-147

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See additional caution statement on back panel)

MANUFACTURED BY

QUALITY FARM PRODUCTS SINCE 1889