

Directions for Use

GENERAL INFORMATION

WEEDS TO BE CONTROLLED

CAUTION

DON'T OVER DOSE

CORN — Post Emergent

Use By

SORGHUM

Imperial



2,4-D

LV400

WEED KILLER

A Low Volatile Ester Form

Contains 3.9 lbs 2,4-D Acid Equivalent Per Gallon

CAUTION

KEEP OUT OF REACH OF CHILDREN

See other cautions on side panel

ACTIVE INGREDIENTS

Isooctyl ester of 2,4-Dichlorophenoxyacetic acid\* 67.4%

INERT INGREDIENTS

32.6%

Total

100.0%

\*As determined by AOAC Method No. 9.005  
as determined by AOAC Method No. 9.005

ACCEPTED  
JUN 18 1980  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No. 407-272

NET CONTENTS

Manufactured by

IMPERIAL INC.

PHENIX, IOWA 51601

# Imperial



## 2,4-D LV400 WEED KILLER

A Low Volatile Ester Form

Contains 3.9 lbs. 2,4-D Acid Equivalent Per Gallon

### CAUTION

KEEP OUT OF REACH OF CHILDREN

See other cautions on side panel

#### ACTIVE INGREDIENTS

Isooctyl ester of 2,4-D Monophenylacetic acid\* 67.4%

#### INERT INGREDIENTS

32.6%

Total

100.0%

\*Equivalent to 2,4-D Acid Equivalent of 3.9 lbs. per gallon

ACCEPTED

JUN 18 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the registration under EPA Reg. No.

407-272

Manufactured by

IMPERIAL INC.

SHENANDOAH, IOWA 51601

### Directions for Use

USE IN ALL TYPES OF NON-CROPLAND

#### APPLICATION CHART

(Do not apply to light sandy soil)

Soil Type	Rate (lb. 2,4-D Acid Eq. per gal)	Notes
Heavy	1.0	
Medium	1.5	
Light	2.0	

#### SUSCEPTIBLE WEEDS

(Use lower dosage rate)

#### WEEDS MORE DIFFICULT TO KILL

(Use higher dosage rate)

SMALL GRAIN (Wheat, Barley, Rye, Oats, etc.)

#### PASTURES

#### NOTICE

*Amphol*

**2,4-D**

**LV400**

**WEED KILLER**

OFFICE  
MAY 1961