

# IMPERIAL ROSE AND FLORAL DUST

Imperial Rose and Floral Dust is effective for Insect Control: For control of Aphids, Red Spider Mites, Blister Beetles, Cucumber Beetle, Stalk Borer, Flea Beetles, Lace Bugs, Lygus Bugs, Rose Leaf Beetles, Rose Slugs, Thrips and certain leaf feeding caterpillars on: Roses, Carnations, Gladioli, Hollyhocks, Lilies, Dahlias, Snapdragons, Violets, Geraniums, Petunias, ~~Impatiens~~, ~~Chrysanthemums~~, and ~~Others~~. **Insect Control:** For control of Black Spot, Powdery Mildew, Rust, Leaf Spot.

## DIRECTIONS FOR USE

**As a Dust:** This container has a shaker top for easy application of dust—or dust can be applied with any approved hand duster. Begin application when plants are well established or when new growth appears. Dust early in the morning or evening when air is calm and temperature is low. Apply dust thoroughly to foliage. Apply once a week or oftener if necessary. Dust up under leaves as well as top surface. Repeat applications after heavy rain.

**As a Wet Spray:** Add 10 tablespoonfuls of Imperial Rose and Floral Dust to 1 gallon of water in an acceptable garden sprayer. Shake or agitate spray solution. Spray foliage thoroughly, covering underside as well as top of leaves. Apply once a week or oftener if necessary. Repeat applications after heavy rain.

**CAUTION:** Harmful if swallowed. Avoid breathing of dust or spray mist. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Avoid storage near feed and food products. Keep out of reach of children.

Do not use within 2 weeks of an oil spray treatment. Do not apply when temperature is over 85 degrees Fahrenheit or when foliage is wet. Avoid use of this product on certain ferns including Boston, Maidenhair and Pteris, as well as some species of Crassula.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

## NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Packed by weight, not in volume. Product may settle in shipment.

USDA Reg. No. 407-279

K-7118A-B

## ACTIVE INGREDIENTS:

*Methoxychlor, technical .....	3.00%
Malathion (O,O-dimethyl dithiophosphate of mercaptosuccinate) .....	4.00%
Folpet (N-(trichloromethylthio) phthalimide**) .....	7.50%
<b>INERT INGREDIENTS .....</b>	<b>85.50%</b>
<b>Total .....</b>	<b>100.00%</b>

\*Equivalent to 2.64% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.36% other isomers and related compounds.

\*\*Phalton

## CAUTION

**KEEP OUT OF THE REACH OF CHILDREN**

See other cautions on back panel.

NET CONTENTS 12 OZ.

Manufactured by

**IMPERIAL INC.**  
SHENANDOAH, IOWA

FOR ECONOMIC RECORD UNDER NO. 100-100000 TO ATTACHED COMMENTS.

ACCEPTED  
5-2-71