IMPERIAL HOME ORCHARD SPRAY

DIRECTIONS

[illegible] Orchard Spray as the answer to greater ease [illegible] home orchards. Home fruit growing can now be made pleasant and profitable by following the simple directions outlined on this package. All you have to do is add the proper amount of water and spray at the designated time. This will give you splendid control of many common chewing and sucking insects and mites such as: Aphids, Bud Moths, Forbes Scale, Codling Moth, Plum Curculio, Red Banded Leaf Roller, Spider Mites, Fruit Tree Leaf Roller, Pear Psylla, Mealy Plum Aphid, Black Cherry Aphid, Mealybugs, Oriental Fruit Moth, Orange Tortrix, European Fruit Lecanium Scale, and Soft Brown Scale.

[illegible] such as Scab, Brooks Fruit Spot, Cherry Leaf Spot, Bitter Rot, Black Rot, Peach Scab, Brown Rot, and Leaf Spot which may infect fruit trees such as: Apple, Peach, Apricot and Cherry.

EASY TO MIX AMOUNT OF SPRAY NEEDED

Mixing Table

[illegible]	1 gallon water
[illegible]	5 gallons water
[illegible]	10 gallons water
[illegible]	100 gallons water

EASY TO USE

[illegible] as shown in mixing table above. Cover [illegible] with pail. Be careful not to [illegible] the time for applying some of [illegible] on certain fruits, it is possible [illegible] of the fruit at the same [illegible] we have to [illegible] each product to fit the season and [illegible] of varieties of fruits being [illegible]

APPLES: [illegible] when blossom buds [illegible] to show color, repeat the [illegible] Set Stage. Next spray when [illegible] blossoms have fallen, or Petal Fall [illegible] Cover Spray. This [illegible] two weeks [illegible] Cover Spray.

PEACHES, APRICOTS: [illegible] when blossoms have fallen, or Petal Fall [illegible] Cover Spray. This [illegible] two weeks [illegible] Cover Spray.

PLUMS: [illegible] Cover Spray or Plums, follow [illegible] Cover Spray for Peaches [illegible]

CHERRIES: [illegible] when blossoms have fallen, or Petal Fall [illegible] Cover Spray. This [illegible] two weeks later. Where Fruit Fly [illegible] bound by [illegible]

YOUNG FRUIT TREES: [illegible]

IMPORTANT

DO NOT USE ON APPLES, CHERRIES, OR PLUMS WITHIN [illegible] DAYS OF HARVEST. DO NOT USE ON APRICOTS AND PEACHES WITHIN [illegible] DAYS OF HARVEST.

SMALL FRUITS — Strawberries: [illegible] Four Beetle, Spittlebug, Strawberry Leaf Beetle, Strawberry Weevil, Aphid, Sucker, Mites, apply [illegible] as a thorough, [illegible] spray when [illegible] appear. Repeat [illegible] as [illegible] necessary to control infestations as [illegible] Do not use within [illegible] days of harvest. **Grapes:** For control of Flea Beetles, Grape Leaf Skeletonizer, Japanese Beetles, Leaf Hopper, Rose Chafer, apply [illegible] at the [illegible] when [illegible] appear. For Grape Berry Moth, apply as a [illegible] when [illegible] appear. Repeat [illegible] as necessary to maintain protection. Do not use within [illegible] days of harvest. Do not use [illegible]

ORNAMENTALS: [illegible] **Carnation**, Rust, Leaf Spot, **Chrysanthemum**, Flower Blight, **Rose**, Black Spot, Apply thoroughly [illegible] Repeat [illegible]

CAUTION

[illegible] with eyes, wash thoroughly with water. Avoid contact with skin as much as possible. Keep out of reach of children. Do not [illegible] Do not [illegible] Keep container closed when not in use. Do not [illegible]

NOTICE

[illegible]

IN CASE OF ILLNESS OR ACCIDENT INVOLVING POISONING, CALL A PHYSICIAN IMMEDIATELY. [illegible]

Imperial

[illegible] ORCHARD SPRAY

ACTIVE INGREDIENTS:

Methoxychlor, technical*	15.0%
Captan (N-Trichloromethylthio-4-cyclohexene-1, 2-dicarboximide)	10.0%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	5.0%
INERT INGREDIENTS:	70.0%
Total	100.0%

*Equivalent to 13.20% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 1.80% other isomers and reaction products.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See other cautions on back panel

NET CONTENTS 1 POUND

Manufactured by

IMPERIAL INC.

SHENANDOAH, IOWA

[illegible] 4-21-71

[illegible] 400-282