

IMPERIAL LAWN WEED KILLER

LAWN WEED KILLER controls Broadleaf Plantain, Henbit, Buckhorn, Plantain, Chickweed, Dandelions, Garlic, Wild Onions, Poison Oak, White Clover in Lawns, Poison Ivy.

ACTIVE INGREDIENTS:

Isocetyl ester of 2,4-dichlorophenoxyacetic acid*	6.35%
Isocetyl ester of Silvex [2-(2,4,5-trichlorophenoxy) propionic acid]**	6.35%
INERT INGREDIENTS	87.30%
Total	100.00%

*Equivalent to 4.21% 2,4-dichlorophenoxyacetic acid or 0.3 lbs. per gallon

**Equivalent to 4.47% Silvex [2-(2,4,5-trichlorophenoxy) propionic acid]; or 0.3 lbs. per gallon

DIRECTIONS

Lawn and Turf Use: Dilute with water and apply as a spray. For best results apply when air temperatures are 50 to 95°F. To minimize drift, use coarse spray. One gallon of spray should cover about 200 square feet.

For early season use against broadleaf plantain, buckhorn plantain, dandelions and wild lettuce **MIX 2 TABLESPOONS LAWN WEED KILLER PER GALLON OF WATER.** Apply to thoroughly wet the weeds.

For control of mature broadleaf plantain, buckhorn plantain, dandelions and wild lettuce, and for control of wild onions, garlic, henbit, chickweed, and white clover, **MIX 4 TABLESPOONS LAWN WEED KILLER PER GALLON OF WATER.** Apply to thoroughly wet the weeds. On wild onions and garlic, repeat treatment spring and fall.

For control of poison ivy and poison oak: Dilute ½ pint Lawn Weed Killer with one quart fuel oil. Spray to wet entire plant. Application should be made when the weeds are young and actively growing. If ivy is on a desirable tree, do not treat.

ACCEPTED

March 7,
1973

Imperial

UNDER FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER 407-299

CAUTION

KEEP OUT OF REACH OF CHILDREN.

See back panel for additional cautions.

NET CONTENTS 1 QUART

Manufactured by
IMPERIAL INC.
SHENANDOAH, IOWA 51601

IMPERIAL LAWN WEED KILLER

DIRECTIONS

To prevent stump sprouting (oaks, elms, locusts, hard and soft maple): Dilute ¼ pint Lawn Weed Killer with one quart of fuel oil. Immediately after cutting tree, apply mixture to thoroughly cover cut surface, bark and exposed root surfaces to ground level.

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. In case of contact, wash freely with water.

Do not store or use near seeds, fertilizers or other pesticides or near fire or flame. Avoid contamination of irrigation ditches and water used for domestic purposes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Avoid spray contact or drift to susceptible, desirable plants such as flowers, small trees, and vegetables. Vapors from this product may cause injury to susceptible plants growing in the immediate vicinity. Do not use same spraying equipment used for this product to apply other pesticides to desirable plants. Do not use on Dichondra, St. Augustine, or Bent Grasses as injury may occur. Do not apply to grass seedlings under two months old.

Do not reuse empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 407-299

M-150B-A

