



PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

WARNING

Keep out of reach of children. Do not use on lawns, lawns, or other areas where children or domestic animals play. Do not use on areas where food is stored or prepared. Do not use on areas where food is eaten. Do not use on areas where food is stored or prepared. Do not use on areas where food is eaten.

FIRST AID TREATMENT

Internal: If swallowed, induce vomiting. Do not use emetics. Give 1-2 glasses of water. If vomiting does not occur, give 1-2 glasses of water. If vomiting does not occur, give 1-2 glasses of water.

External: Wash with soap and water. Flush eyes with water for 15 minutes. Flush skin with water for 15 minutes.

Physician's Note: If swallowed, induce vomiting. Do not use emetics. Give 1-2 glasses of water. If vomiting does not occur, give 1-2 glasses of water. If vomiting does not occur, give 1-2 glasses of water.

IF DOCUMENT AVAILABLE

ENVIRONMENTAL HAZARDS

Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water, food, or feed by storage or disposal.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT STORE NEAR FIRE OR FLAME

DIRECTIONS FOR USE

Read and follow label directions. Do not use on lawns, lawns, or other areas where children or domestic animals play.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then recycle or dispose of in a sanitary landfill, or by other approved state and local procedures.

Imperial

NO. 6 TOXAPHENE E. C.

FOR FIELD CROP USE ONLY

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

ACTIVE INGREDIENTS:	
Toxaphene (Technical Chlorinated Camphene Containing 67% to 69% Chlorine)	58.98%
Xylene Range Aromatic Solvent	38.02%
INERT INGREDIENTS:	3.00%
Total	100.00%

Contains 6 pounds technical toxaphene per gallon

KEEP OUT OF REACH OF CHILDREN.

WARNING

See other warnings on side panel.

Manufactured by **IMPERIAL INC.** SHEMANGO, IOWA 51601

EPA Reg. No. 422-100
EPA Est. No. 4000A-1

WEL-50714

NET CONTENTS 1 GALLON



Imperial

NO. 6 TOXAPHENE E. C.

FOR FIELD CROP USE ONLY

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

ACTIVE INGREDIENTS:
 Toxaphene (Technical Chlorinated Camphene
 Containing 47% to 69% Chlorine) 58.98¢
 Xylene Range Aromatic Solvent 38.02¢
INERT INGREDIENTS: 5.00¢
Total 100.00¢

Contains 6 pounds technical toxaphene per gallon

KEEP OUT OF REACH OF CHILDREN.

WARNING

See other warnings on side panel.

Manufactured by
IMPERIAL INC.
SHENANDOAH, IOWA 51661

EPA Reg. No. 407-10
EPA Est. 407-1A

NET CONTENTS 1 GALLON

WARNING

TOXAPHENE IS A HIGHLY TOXIC PESTICIDE. IT IS EXTREMELY FLAMMABLE AND SHOULD BE KEPT AWAY FROM FIRE. IT IS ALSO EXTREMELY TOXIC TO AQUATIC LIFE AND SHOULD BE KEPT AWAY FROM WATER. IT IS EXTREMELY TOXIC TO BIRDS AND SHOULD BE KEPT AWAY FROM BIRDS. IT IS EXTREMELY TOXIC TO BEES AND SHOULD BE KEPT AWAY FROM BEES. IT IS EXTREMELY TOXIC TO FISH AND SHOULD BE KEPT AWAY FROM FISH. IT IS EXTREMELY TOXIC TO SHEEP AND SHOULD BE KEPT AWAY FROM SHEEP. IT IS EXTREMELY TOXIC TO CATTLE AND SHOULD BE KEPT AWAY FROM CATTLE. IT IS EXTREMELY TOXIC TO HORSES AND SHOULD BE KEPT AWAY FROM HORSES. IT IS EXTREMELY TOXIC TO PIGS AND SHOULD BE KEPT AWAY FROM PIGS. IT IS EXTREMELY TOXIC TO CHICKENS AND SHOULD BE KEPT AWAY FROM CHICKENS. IT IS EXTREMELY TOXIC TO TURKEYS AND SHOULD BE KEPT AWAY FROM TURKEYS. IT IS EXTREMELY TOXIC TO GOATS AND SHOULD BE KEPT AWAY FROM GOATS. IT IS EXTREMELY TOXIC TO DEER AND SHOULD BE KEPT AWAY FROM DEER. IT IS EXTREMELY TOXIC TO WILD BIRDS AND SHOULD BE KEPT AWAY FROM WILD BIRDS. IT IS EXTREMELY TOXIC TO WILD ANIMALS AND SHOULD BE KEPT AWAY FROM WILD ANIMALS. IT IS EXTREMELY TOXIC TO DOMESTIC ANIMALS AND SHOULD BE KEPT AWAY FROM DOMESTIC ANIMALS. IT IS EXTREMELY TOXIC TO HUMANS AND SHOULD BE KEPT AWAY FROM HUMANS. IT IS EXTREMELY TOXIC TO CHILDREN AND SHOULD BE KEPT AWAY FROM CHILDREN. IT IS EXTREMELY TOXIC TO THE EYES AND SHOULD BE KEPT AWAY FROM THE EYES. IT IS EXTREMELY TOXIC TO THE SKIN AND SHOULD BE KEPT AWAY FROM THE SKIN. IT IS EXTREMELY TOXIC TO THE RESPIRATORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE RESPIRATORY SYSTEM. IT IS EXTREMELY TOXIC TO THE NERVOUS SYSTEM AND SHOULD BE KEPT AWAY FROM THE NERVOUS SYSTEM. IT IS EXTREMELY TOXIC TO THE REPRODUCTIVE SYSTEM AND SHOULD BE KEPT AWAY FROM THE REPRODUCTIVE SYSTEM. IT IS EXTREMELY TOXIC TO THE IMMUNE SYSTEM AND SHOULD BE KEPT AWAY FROM THE IMMUNE SYSTEM. IT IS EXTREMELY TOXIC TO THE CIRCULATORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE CIRCULATORY SYSTEM. IT IS EXTREMELY TOXIC TO THE DIGESTIVE SYSTEM AND SHOULD BE KEPT AWAY FROM THE DIGESTIVE SYSTEM. IT IS EXTREMELY TOXIC TO THE URINARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE URINARY SYSTEM. IT IS EXTREMELY TOXIC TO THE EXCRETORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE EXCRETORY SYSTEM. IT IS EXTREMELY TOXIC TO THE INTEGUMENTARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE INTEGUMENTARY SYSTEM. IT IS EXTREMELY TOXIC TO THE MUSCULOSKELETAL SYSTEM AND SHOULD BE KEPT AWAY FROM THE MUSCULOSKELETAL SYSTEM. IT IS EXTREMELY TOXIC TO THE ENDOCRINE SYSTEM AND SHOULD BE KEPT AWAY FROM THE ENDOCRINE SYSTEM. IT IS EXTREMELY TOXIC TO THE IMMUNE SYSTEM AND SHOULD BE KEPT AWAY FROM THE IMMUNE SYSTEM. IT IS EXTREMELY TOXIC TO THE CIRCULATORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE CIRCULATORY SYSTEM. IT IS EXTREMELY TOXIC TO THE DIGESTIVE SYSTEM AND SHOULD BE KEPT AWAY FROM THE DIGESTIVE SYSTEM. IT IS EXTREMELY TOXIC TO THE URINARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE URINARY SYSTEM. IT IS EXTREMELY TOXIC TO THE EXCRETORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE EXCRETORY SYSTEM. IT IS EXTREMELY TOXIC TO THE INTEGUMENTARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE INTEGUMENTARY SYSTEM. IT IS EXTREMELY TOXIC TO THE MUSCULOSKELETAL SYSTEM AND SHOULD BE KEPT AWAY FROM THE MUSCULOSKELETAL SYSTEM. IT IS EXTREMELY TOXIC TO THE ENDOCRINE SYSTEM AND SHOULD BE KEPT AWAY FROM THE ENDOCRINE SYSTEM.

Insect Amount No. & Toxaphene Per Acre

SEE ADDITIONAL CAUTIONS

- ARMYWORMS
- CORN EARWORM
- CUTWORMS
- GRASSHOPPERS
- BLISTER BEETLES
- SUNFLOWER BEETLE AND PAINTED LADY (THISTLE BUTTERFLY) CATERpillARS
- CUTWORMS AND GRASSHOPPERS

CORN TOXAPHENE IS A HIGHLY TOXIC PESTICIDE. IT IS EXTREMELY FLAMMABLE AND SHOULD BE KEPT AWAY FROM FIRE. IT IS ALSO EXTREMELY TOXIC TO AQUATIC LIFE AND SHOULD BE KEPT AWAY FROM WATER. IT IS EXTREMELY TOXIC TO BIRDS AND SHOULD BE KEPT AWAY FROM BIRDS. IT IS EXTREMELY TOXIC TO BEES AND SHOULD BE KEPT AWAY FROM BEES. IT IS EXTREMELY TOXIC TO FISH AND SHOULD BE KEPT AWAY FROM FISH. IT IS EXTREMELY TOXIC TO SHEEP AND SHOULD BE KEPT AWAY FROM SHEEP. IT IS EXTREMELY TOXIC TO CATTLE AND SHOULD BE KEPT AWAY FROM CATTLE. IT IS EXTREMELY TOXIC TO HORSES AND SHOULD BE KEPT AWAY FROM HORSES. IT IS EXTREMELY TOXIC TO PIGS AND SHOULD BE KEPT AWAY FROM PIGS. IT IS EXTREMELY TOXIC TO CHICKENS AND SHOULD BE KEPT AWAY FROM CHICKENS. IT IS EXTREMELY TOXIC TO TURKEYS AND SHOULD BE KEPT AWAY FROM TURKEYS. IT IS EXTREMELY TOXIC TO GOATS AND SHOULD BE KEPT AWAY FROM GOATS. IT IS EXTREMELY TOXIC TO DEER AND SHOULD BE KEPT AWAY FROM DEER. IT IS EXTREMELY TOXIC TO WILD BIRDS AND SHOULD BE KEPT AWAY FROM WILD BIRDS. IT IS EXTREMELY TOXIC TO WILD ANIMALS AND SHOULD BE KEPT AWAY FROM WILD ANIMALS. IT IS EXTREMELY TOXIC TO DOMESTIC ANIMALS AND SHOULD BE KEPT AWAY FROM DOMESTIC ANIMALS. IT IS EXTREMELY TOXIC TO HUMANS AND SHOULD BE KEPT AWAY FROM HUMANS. IT IS EXTREMELY TOXIC TO CHILDREN AND SHOULD BE KEPT AWAY FROM CHILDREN. IT IS EXTREMELY TOXIC TO THE EYES AND SHOULD BE KEPT AWAY FROM THE EYES. IT IS EXTREMELY TOXIC TO THE SKIN AND SHOULD BE KEPT AWAY FROM THE SKIN. IT IS EXTREMELY TOXIC TO THE RESPIRATORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE RESPIRATORY SYSTEM. IT IS EXTREMELY TOXIC TO THE NERVOUS SYSTEM AND SHOULD BE KEPT AWAY FROM THE NERVOUS SYSTEM. IT IS EXTREMELY TOXIC TO THE REPRODUCTIVE SYSTEM AND SHOULD BE KEPT AWAY FROM THE REPRODUCTIVE SYSTEM. IT IS EXTREMELY TOXIC TO THE IMMUNE SYSTEM AND SHOULD BE KEPT AWAY FROM THE IMMUNE SYSTEM. IT IS EXTREMELY TOXIC TO THE CIRCULATORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE CIRCULATORY SYSTEM. IT IS EXTREMELY TOXIC TO THE DIGESTIVE SYSTEM AND SHOULD BE KEPT AWAY FROM THE DIGESTIVE SYSTEM. IT IS EXTREMELY TOXIC TO THE URINARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE URINARY SYSTEM. IT IS EXTREMELY TOXIC TO THE EXCRETORY SYSTEM AND SHOULD BE KEPT AWAY FROM THE EXCRETORY SYSTEM. IT IS EXTREMELY TOXIC TO THE INTEGUMENTARY SYSTEM AND SHOULD BE KEPT AWAY FROM THE INTEGUMENTARY SYSTEM. IT IS EXTREMELY TOXIC TO THE MUSCULOSKELETAL SYSTEM AND SHOULD BE KEPT AWAY FROM THE MUSCULOSKELETAL SYSTEM. IT IS EXTREMELY TOXIC TO THE ENDOCRINE SYSTEM AND SHOULD BE KEPT AWAY FROM THE ENDOCRINE SYSTEM.

WHEAT OATS BARLEY AND RYE

SOYBEANS

ALL GRAIN

SORGHUM

COTTON

NOTE

SUNFLOWERS