# **USE DIRECTIONS**

Captan Molyslick is formulated for planter seed box treatment of soybean seed to control damping-off, seed and soil borne fungi, such as seedling blight, seed rots and mold. The molybdenum content aids in formation of nitrogen-fixing nodule bacteria and is most beneficial in soils that are acidic, heavily leached or soil with a high iron content.

This product is designed for addition directly into planter box to reduce handling and the non-oil lubricant helps reduce cracking and splitting of soybean seed. Recommended dosage rates provide adequate coverage and any excess is deposited with seed in furrow increasing protection.

## PLANTER BOX DOSAGE RATES

Mix dosage with seed in planter box with a wooden paddle or similar device.

Use Captan Molyslick at the rate of 4 oz. per bushel of seed. Plant at the rate of at least 1 bushel of soybeans to the acre to insure proper Molybdenum dosage.

#### PLANTER BOX CAPACITY

-

#### DOSAGE 1 Oz. SCOOPS

1⁄2	Bushel	2	Scoops
1	Bushel	4	Scoops
1½	<b>Bushels</b>	6	Scoops

For further information consult your State Agricultural Extension Service or Experiment Station.

#### CAUTION: DO NOT USE TREATED SEED FOR FOOD, FEED, OR **OIL PURPOSES.**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of waste. Dispose of excess treated seeds or waste by burial. Apply this product only as specified on this label.

Do not reuse container. Dispose of by crushing and burying in noncropland away from water supplies.

## NOTICE

Seller warrants that product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 407-XXX

L-10275A-G

AUG 23, 1972 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT

FOR ECONOMIC POISON REGISTERS ED UNDER NO. SUBJEC. TO ATTACHED COMMENTS.





# CAPTAN **MOLYSLICK®** SOYBEAN SEED PROTECTANT

## **ACTIVE INGREDIENTS:**

Cap	tan*	· · · · · · · · · · · · · · · · · · ·	25%
-			
	Total	-	100%

\*N-[(trichloromethyl) thio]-4-cyclohexene-1,2-dicarboximide \*\*Contains 4.75% Molybdenum equivalent from Sodium Molybdate. 15% non-oil lubricant added. (8) Trademark of Imperial Inc.

# CAUTION

**KEEP OUT OF REACH OF CHILDREN** 

Harmful if swallowed. Avoid inhalation of dust. Wear a respirator. Avoid contact with eyes, skin or clothing. Wash with soap and water after use. Avoid contamination of feed or foodstuffs.

See side panel for additional cautions.

STORE IN COOL, DRY PLACE. AVOID EXCESSIVE HEAT.

Net Contents 1 Pound WILL TREAT 4 BUSHELS

