

Front Panel

IMPERIAL

CAPTAN MOLYSLICK

SOYBEAN SEED PROTECTANT

ACTIVE INGREDIENTS:

*Captan .....	24.44%
Related derivatives .....	.56%
INERT INGREDIENTS ** .....	<u>75.00%</u>
Total .....	100.00%

\*N-trichloromethylthio-4-cyclohexene -1, 2-dicarboximide

\*\*Contains 4.75% Molybdenum equivalent from Sodium Molybdate.

15% non-oil lubricant added.

KEEP OUT OF REACH OF CHILDREN

DANGER

See Back Panel for Additional Precautionary Statements

Net Contents 1 Pound  
WILL TREAT 4 BUSHELS

EPA Reg. No. 407-325  
EPA Est. 407-IA-1

Manufactured by  
IMPERIAL INC.  
SHENANDOAH, IA 51601

*AC*  
*per self-cert letter*  
*6/22 9-11*  
*407-325*

I-86-84-1



NOV : 1987

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. Wear a respirator. May cause allergic skin reactions. Wash with soap and water after use. Do not get in eyes. Avoid contact with skin and clothing. Avoid contamination of feed or foodstuffs. Do not use treated seed for food, feed, or oil purposes.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of waste. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

A dust mask must be worn when mixing and loading this product.

Fieldworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched must be destroyed according to state and local regulations.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container, in a cool, dry, secure area, away from fertilizer, food or feed. Keep container closed. Avoid excessive heat.

PRODUCT DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Captan Molylick is formulated for planter seed box treatment of soybean seed to control damping-off, seed and soil borne fungi, such as seedling blight, seed rots and mold. The molybdenum content aids in formation of nitrogen-fixing nodule bacteria and is most beneficial in soils that are acidio, heavily leached or soil with a high iron content.

This product is designed for addition directly into planter box to reduce handling and the non-oil lubricant helps reduce cracking and splitting of soybean seed. Recommended dosage rates provide adequate coverage and any excess is deposited with seed in furrow increasing protection.

#### PLANTER BOX DOSAGE RATES

Mix dosage with seed in planter box with a wooden paddle or similar device. Use Captan Molylick at the rate of 4 oz. per bushel of seed. Plant at the rate of at least 1 bushel of soybeans to the acre to insure proper Molybdenum dosage.

PLANTER BOX CAPACITY DOSAGE	1 OZ. SCOOPS
1/2 Bushel	2 Scoops
1 Bushel	4 Scoops
1-1/2 Bushels	6 Scoops

For further information consult your State Agricultural Extension Service or Experiment Station.

Refer to product labeling for use restrictions to protect **ENDANGERED SPECIES**.

#### ENDANGERED SPECIES RESTRICTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on soybeans in the counties listed below, you must obtain the **PESTICIDE USE BULLETIN FOR PROTECTIONS OF ENDANGERED SPECIES** for the county in which the product is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES is a violation of Federal laws.

**ALABAMA:** Lauderdale, Limestone and Madison. **ARIZONA:** Graham, Maricopa, Mohave, Pima, Pinal and Santa Cruz. **ARKANSAS:** Benton and Polk. **CALIFORNIA:** Imperial, Modoc and Riverside. **MISSISSIPPI:** Claiborne, Copiah and Hinds. **MISSOURI:** Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster. **NEVADA:** Clark. **NEW MEXICO:** Chaves, DeBaca and Eddy. **OHIO:** Pickaway. **OKLAHOMA:** Delaware, McCurtain and Pushmataha. **OREGON:** Lake. **TENNESSEE:** Lawrence and Wayne. **TEXAS:** Bastrop, Burleson, Comal, Harris, Hays, Jeff Davis, Pecos and Reeves. **UTAH:** Utah and Washington.

#### NOTICE

Seller warrants that product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.